

Section 1. Registration Information

Source Identification

Facility Name:	Coherent Corp.
Parent Company #1 Name:	N/A
Submission Type:	Resubmission
Receipt Date:	November 2024

Facility Identification

Facility ID:	1000 0013 0459
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	55529333
----------------	----------

Facility Location Address

Street 1:	375 SAXONBURG BLVD.
Street 2:	N/A
City:	SAXONBURG
State:	PA
ZIP:	16056
ZIP4:	N/A
County:	Butler

Facility Latitude and Longitude

Latitude (decimal):	40.731667
Longitude (decimal):	-079.818333

Local Emergency Planning Committee and Regulations

LEPC:	Butler County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Hydrogen sulfide
CAS Number:	7783-06-4
Flammable/Toxic:	Toxic

Program Level:	Program Level 3 process
Chemical Name:	Hydrogen selenide
CAS Number:	7783-07-5
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	33331
NAICS Description:	Commercial and Service Industry Machinery Manufacturing

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	February 2021
Time Accident Began (HH:MM):	19:20
NAICS Code of Process Involved:	333314
NAICS Description:	Optical Instrument and Lens Manufacturing
Release Duration:	000 Hours 01 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	Yes
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	12.0
Units:	Miles/h
Direction:	WSW
Temperature:	41
Atmospheric Stability Class:	D
Precipitation Present:	Yes
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	1
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	N/A
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	Yes
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	No, not notified
-------------------------------	------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	Yes
Revised Training:	Yes
Revised Operating Procedures:	Yes
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	1
Percent Weight:	100
Chemical Name:	Hydrogen selenide
CAS Number:	7783-07-5
Flammable/Toxic:	Toxic

Accident History ID: Accident 2

Date of Accident:	September 2016
Time Accident Began (HH:MM):	06:45
NAICS Code of Process Involved:	32518
NAICS Description:	Other Basic Inorganic Chemical Manufacturing
Release Duration:	000 Hours 30 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	Yes
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	6.9
Units:	Miles/h
Direction:	E
Temperature:	52
Atmospheric Stability Class:	C
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	2
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Human Error
-------------------	-------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	N/A
Improper Procedures:	Yes
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	Yes
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Not required, below RQ
-------------------------------	------------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	Yes
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	Yes
Changed Process:	Yes
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	Hazard analysis reviewed for the part of the process where the release occurred.

Chemicals in Accident History

Quantity Released (lbs):	1
Percent Weight:	100
Chemical Name:	Hydrogen selenide
CAS Number:	7783-07-5
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Butler County LEPC
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(724) 284-5211