

Section 1. Registration Information

Source Identification

Facility Name:	Oxarc, Inc.
Parent Company #1 Name:	N/A
Submission Type:	Resubmission
Receipt Date:	July 2022

Facility Identification

Facility ID:	1000 0007 5642
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	N/A
----------------	-----

Facility Location Address

Street 1:	500 S. Main Ave.
Street 2:	N/A
City:	Pasco
State:	WA
ZIP:	99301
ZIP4:	4323
County:	Franklin

Facility Latitude and Longitude

Latitude (decimal):	46.228591
Longitude (decimal):	-119.079371

Local Emergency Planning Committee and Regulations

LEPC:	Franklin County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Acetylene [Ethyne]
CAS Number:	74-86-2
Flammable/Toxic:	Flammable
Program Level:	Program Level 3 process
Chemical Name:	Sulfur dioxide (anhydrous)
CAS Number:	7446-09-5
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	32512
NAICS Description:	Industrial Gas Manufacturing
NAICS Code:	42469
NAICS Description:	Other Chemical and Allied Products Merchant Wholesalers

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	May 2023
Time Accident Began (HH:MM):	10:15
NAICS Code of Process Involved:	32512
NAICS Description:	Industrial Gas Manufacturing
Release Duration:	007 Hours 45 Minutes

Release Event

Gas Release:	N/A
Liquid Spill/Evaporation:	N/A
Fire:	Yes
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	Yes
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	8.0
Units:	Miles/h
Direction:	S
Temperature:	82
Atmospheric Stability Class:	B
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	1
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	1000000

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	N/A
Human Error:	N/A
Improper Procedures:	Yes
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	Yes
Unusual Weather Condition:	N/A
Management Error:	Yes
Other Contributing Factor:	Supervisor assigning an unqualified temporary employee to perform cylinder inspections.

Off-Site Responders Notified

Off-Site Responders Notified:	Notified and Responded
-------------------------------	------------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	Yes
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	918
Percent Weight:	N/A
Chemical Name:	Acetylene [Ethyne]
CAS Number:	74-86-2
Flammable/Toxic:	Flammable

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Facility Name: Oxarc, Inc.

EPA Facility Identifier: 1000 0007 5642

Plan Sequence Number: 1000101474

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

Pasco Fire Department

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(509) 545-3426