

Section 1. Registration Information

Source Identification

Facility Name:	Rich Products Corporation - Brownsville Facility
Parent Company #1 Name:	Rich Products Corporation
Submission Type:	Resubmission
Receipt Date:	September 2024

Facility Identification

Facility ID:	1000 0016 1978
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	80095094
----------------	----------

Facility Location Address

Street 1:	3555 East 14th Street
Street 2:	N/A
City:	Brownsville
State:	TX
ZIP:	78521
ZIP4:	N/A
County:	Cameron

Facility Latitude and Longitude

Latitude (decimal):	25.917280
Longitude (decimal):	-097.472520

Local Emergency Planning Committee and Regulations

LEPC:	Cameron County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	311412
NAICS Description:	Frozen Specialty Food Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	N/A
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	N/A
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	N/A
Healthcare (Does facility's ER plan include information on emergency health care?):	N/A

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

City of Brownsville

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(956) 504-7405