Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574

Plan Sequence Number: 1000048496

Section 1. Registration Information

Source Identification

Facility Name: Constellium Muscle Shoals
Parent Company #1 Name: Constellium Muscle Shoals LLC

Submission Type: Resubmission Receipt Date: January 2015

Facility Identification

Facility ID: 1000 0008 0574

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 4805 Second Street

Street 2: N/A

City: Muscle Shoals

 State:
 AL

 ZIP:
 35661

 ZIP4:
 1282

 County:
 Colbert

Facility Latitude and Longitude

Latitude (decimal): 34.762389 Longitude (decimal): -087.588278

Local Emergency Planning Committee and Regulations

LEPC: Colbert County Ems

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: Yes

Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574 Plan Sequence Number: 1000048496

Process Chemicals

Program Level: Program Level 3 process

Chemical Name: Chlorine
CAS Number: 7782-50-5
Flammable/Toxic: Toxic

Program Level: Program Level 3 process
Chemical Name: Sulfur dioxide (anhydrous)

CAS Number: 7446-09-5
Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 331315

NAICS Description: Aluminum Sheet, Plate, and Foil

Manufacturing

NAICS Code: 331314

NAICS Description: Secondary Smelting and Alloying of

Aluminum

NAICS Code: 33281

NAICS Description: Coating, Engraving, Heat Treating, and

Allied Activities

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident: November 2019

Time Accident Began (HH:MM): 08:00
NAICS Code of Process Involved: 331315

NAICS Description: Aluminum Sheet, Plate, and Foil

Manufacturing

Release Duration: 000 Hours 05 Minutes

Release Event

Gas Release: Yes
Liquid Spill/Evaporation: N/A
Fire: N/A
Explosion: N/A
Uncontrolled/Runaway Reaction: N/A

		1	\sim		
N.	ום	lease	2 ~ C	NI Ir/	2
1.	ᄆ	Casc	$\overline{}$	ul	\sim C

Storage Vessel: Yes N/A Piping: Process Vessel: N/A Transfer Hose: N/A Valve: N/A N/A Pump: Joint: N/A Other Release Source: N/A

Weather Conditions at the Time of Event

Wind Speed: N/A
Units: N/A
Direction: N/A
Temperature: N/A
Atmospheric Stability Class: N/A
Precipitation Present: N/A
Unknown Weather Conditions: Yes

On-Site Impacts

Employee or Contractor Deaths: 0
Public Responder Deaths: 0
Public Deaths: 0
Employee or Contractor Injuries: 0
Public Responder Injuries: 0
Public Injuries: 0
On-Site Property Damage (\$): 0

Known Off-Site Impacts

Deaths: 0
Hospitalizations: 0
Public Deaths: 0
Other Medical Treatments: 0
Evacuated: 0
Sheltered-in-Place: 0
Off-Site Property Damage (\$): 0

Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574 Plan Sequence Number: 1000048496

Environmental Damage

Fish or Animal Kills:

Tree, Lawn, Shrub, or Crop Damage:

Water Contamination:

N/A

Soil Contamination:

N/A

Other Environmental Damage:

N/A

Initiating Event

Initiating Event: Unknown

Contributing Factors

Equipment Failure: N/A Human Error: Yes Improper Procedures: Yes Overpressurization: N/A **Upset Condition:** N/A N/A By-Pass Condition: Maintenance Activity/Inactivity: N/A Process Design Failure: N/A Unsuitable Equipment: N/A **Unusual Weather Condition:** N/A Management Error: N/A Other Contributing Factor: N/A

Off-Site Responders Notified

Off-Site Responders Notified: No, not notified

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment: Yes N/A Revised Maintenance: Revised Training: N/A **Revised Operating Procedures:** N/A New Process Controls: N/A N/A New Mitigation Systems: Revised Emergency Response Plan: N/A **Changed Process:** N/A N/A Reduced Inventory: N/A Other Changes Introduced: N/A

Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574

Plan Sequence Number: 1000048496

Chemicals in Accident History

Quantity Released (lbs): 2
Percent Weight: 100

Chemical Name: Sulfur dioxide (anhydrous)

CAS Number: 7446-09-5 Flammable/Toxic: Toxic

Accident History ID: Accident 2

Date of Accident: October 2019

Time Accident Began (HH:MM): 01:00
NAICS Code of Process Involved: 331314

NAICS Description: Secondary Smelting and Alloying of

Aluminum

Release Duration: 000 Hours 20 Minutes

Release Event

Gas Release: Yes
Liquid Spill/Evaporation: N/A
Fire: N/A
Explosion: N/A
Uncontrolled/Runaway Reaction: N/A

Release Source

 Storage Vessel:
 N/A

 Piping:
 N/A

 Process Vessel:
 N/A

 Transfer Hose:
 N/A

 Valve:
 N/A

 Pump:
 N/A

 Joint:
 N/A

Other Release Source: Regulator

Weather Conditions at the Time of Event

Wind Speed: N/A
Units: N/A
Direction: N/A
Temperature: N/A
Atmospheric Stability Class: N/A
Precipitation Present: N/A
Unknown Weather Conditions: Yes

Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574

Plan Sequence Number: 1000048496

On-Site Impacts

Employee or Contractor Deaths:		
Public Responder Deaths:		
Public Deaths:		
Employee or Contractor Injuries:		
Public Responder Injuries:		
Public Injuries:		
On-Site Property Damage (\$):		

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	20
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	

Initiating Event

Initiating Event:

Equipment Failure

Facility Name: Constellium Muscle Shoals

EPA Facility Identifier: 1000 0008 0574 Plan Sequence Number: 1000048496

Contributing Factors

Equipment Failure: Yes Human Error: Yes Improper Procedures: Yes N/A Overpressurization: **Upset Condition:** N/A By-Pass Condition: N/A Maintenance Activity/Inactivity: N/A Process Design Failure: N/A Unsuitable Equipment: Yes **Unusual Weather Condition:** N/A Management Error: N/A Other Contributing Factor: N/A

Off-Site Responders Notified

Off-Site Responders Notified: Notified Only

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment: Yes Revised Maintenance: Yes Revised Training: Yes **Revised Operating Procedures:** Yes New Process Controls: Yes New Mitigation Systems: N/A Revised Emergency Response Plan: N/A **Changed Process:** Yes Reduced Inventory: N/A N/A None: Other Changes Introduced: N/A

Chemicals in Accident History

Quantity Released (lbs):18Percent Weight:10Chemical Name:ChlorineCAS Number:7782-50-5Flammable/Toxic:Toxic

Facility Name: Constellium Muscle Shoals EPA Facility Identifier: 1000 0008 0574

Plan Sequence Number: 1000048496

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

Yes

Facility Plan (Does facility have its own written emergency response plan?):

Yes

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):

Yes

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Yes

Healthcare (Does facility's ER plan include information on emergency health care?):

Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Colbert County EMA

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(256) 386-8558