

## Section 1. Registration Information

### Source Identification

---

Facility Name:	Cold Storage Warehouse
Parent Company #1 Name:	Port of Corpus Christi Authority
Submission Type:	First Time
Receipt Date:	March 2003
Status:	Deregistered
Deregistration Effective Date:	May 2013

### Facility Identification

---

Facility ID:	1000 0018 1732
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	N/A
----------------	-----

### Facility Location Address

---

Street 1:	701 East Navigation Boulevard
Street 2:	N/A
City:	Corpus Christi
State:	TX
ZIP:	78404
ZIP4:	N/A
County:	Nueces

### Facility Latitude and Longitude

---

Latitude (decimal):	27.814528
Longitude (decimal):	97.397806

### Local Emergency Planning Committee and Regulations

---

LEPC:	Nueces County LEPC
OSHA PSM:	N/A
EPCRA 302:	Yes
CAA Title V:	Yes

## Process Chemicals

---

Program Level:	Program Level 2 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	49312
NAICS Description:	Refrigerated Warehousing and Storage

## Section 6. Accident History

### Accident History ID: Accident 1

---

Date of Accident:	June 2000
Time Accident Began (HH:MM):	15:05
NAICS Code of Process Involved:	49312
NAICS Description:	Refrigerated Warehousing and Storage
Release Duration:	003 Hours 10 Minutes

## Release Event

---

Gas Release:	N/A
Liquid Spill/Evaporation:	N/A
Fire:	Yes
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

## Release Source

---

Storage Vessel:	N/A
Piping:	Yes
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	Yes
Pump:	N/A
Joint:	N/A
Other Release Source:	N/A

## Weather Conditions at the Time of Event

---

Wind Speed:	N/A
Units:	Meters/second
Direction:	N/A
Temperature:	N/A
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

## On-Site Impacts

---

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	550000

## Known Off-Site Impacts

---

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

## Environmental Damage

---

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

## Initiating Event

---

Initiating Event:	Human Error
-------------------	-------------

## Contributing Factors

---

Equipment Failure:	N/A
Human Error:	Yes
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	Yes
Other Contributing Factor:	During construction of facility, lit cigarette caused fire in insulation and damaged the piping, insulation, and roof system

## Off-Site Responders Notified

---

Off-Site Responders Notified:	Notified and Responded
-------------------------------	------------------------

## Changes Introduced as a Result of the Accident

---

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	Yes
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	Designated Smoking Areas

## Chemicals in Accident History

---

Quantity Released (lbs):	2000
Percent Weight:	N/A
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	City of Corpus Christi - Fire Dept.
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(000) 000-0911