EPA Facility Identifier: 1000 0023 3286 Plan Sequence Number: 1000099894

Section 1. Registration Information

Source Identification

Facility Name: Rio Bravo Wastewater Treatment Plant

Parent Company #1 Name: Webb County Utilities

Submission Type: Resubmission Receipt Date: February 2022

Facility Identification

Facility ID: 1000 0023 3286

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 1806 Margarita

 Street 2:
 N/A

 City:
 Rio Bravo

 State:
 TX

 ZIP:
 78046

 ZIP4:
 N/A

ZIP4: N/A County: Webb

Facility Latitude and Longitude

Latitude (decimal): 27.367402 Longitude (decimal): -99.496257

Local Emergency Planning Committee and Regulations

LEPC: Webb County LEPC

OSHA PSM: N/A
EPCRA 302: Yes
CAA Title V: N/A

Facility Name: Rio Bravo Wastewater Treatment Plant

EPA Facility Identifier: 1000 0023 3286 Plan Sequence Number: 1000099894

Process Chemicals

Program Level: Program Level 2 process

Chemical Name: Chlorine
CAS Number: 7782-50-5
Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 22132

NAICS Description: Sewage Treatment Facilities

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in written community emergency response plan?):

Facility Plan (Does facility have its own N/A written emergency response plan?):

Response Actions (Does ER plan N/A include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan N/A include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan N/A

include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

Webb County Volunteer Fire Dept

(956) 523-5700

Yes