

Section 1. Registration Information

Source Identification

Facility Name:	Allnex USA Inc. Langley Plant
Parent Company #1 Name:	Allnex USA Inc.
Submission Type:	Resubmission
Receipt Date:	November 2020

Facility Identification

Facility ID:	1000 0014 4854
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	78786182
----------------	----------

Facility Location Address

Street 1:	403 Carline Road
Street 2:	N/A
City:	Langley
State:	SC
ZIP:	29834
ZIP4:	1920
County:	Aiken

Facility Latitude and Longitude

Latitude (decimal):	33.519638
Longitude (decimal):	-081.845863

Local Emergency Planning Committee and Regulations

LEPC:	Aiken County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Acrylonitrile [2-Propenenitrile]
CAS Number:	107-13-1
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	325211
NAICS Description:	Plastics Material and Resin Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Aiken County Emergency Management

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(803) 642-2561