

Section 1. Registration Information

Source Identification

Facility Name:	Univar Solutions USA Inc.
Parent Company #1 Name:	Univar Solutions USA Inc.
Submission Type:	Resubmission
Receipt Date:	March 2023

Facility Identification

Facility ID:	1000 0010 5646
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	102971785
----------------	-----------

Facility Location Address

Street 1:	3950 NW Yeon Avenue
Street 2:	N/A
City:	Portland
State:	OR
ZIP:	97210
ZIP4:	1412
County:	Multnomah

Facility Latitude and Longitude

Latitude (decimal):	45.432556
Longitude (decimal):	-122.916806

Local Emergency Planning Committee and Regulations

LEPC:	Oregon Emergency Management
OSHA PSM:	N/A
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 2 process
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 2 process
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 2 process
Chemical Name:	Hydrogen fluoride/Hydrofluoric acid (conc 50% or greater) [Hydrofluoric acid]
CAS Number:	7664-39-3
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	42469
NAICS Description:	Other Chemical and Allied Products Merchant Wholesalers

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	February 2010
Time Accident Began (HH:MM):	12:10
NAICS Code of Process Involved:	42469
NAICS Description:	Other Chemical and Allied Products Merchant Wholesalers
Release Duration:	000 Hours 30 Minutes

Release Event

Gas Release:	N/A
Liquid Spill/Evaporation:	Yes
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	Yes
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	Aqua Ammonia solution was inadvertently pumped into a Caustic Soda storage tank.

Weather Conditions at the Time of Event

Wind Speed:	N/A
Units:	Meters/second
Direction:	N/A
Temperature:	N/A
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Human Error
-------------------	-------------

Contributing Factors

Equipment Failure:	N/A
Human Error:	Yes
Improper Procedures:	Yes
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	No, not notified
-------------------------------	------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	5513
Percent Weight:	29.4
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Portland Fire Department
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(503) 760-6911