Section 1. Registration Information

Source Identification

Facility Name: Truckee Meadows Water Reclamation

Facility

Parent Company #1 Name:

Submission Type:

Receipt Date:

Status:

Deregistration Effective Date:

City of Sparks

Resubmission

June 2004

Deregistered

May 2005

Facility Identification

Facility ID: 1000 0011 5172

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 957501414

Facility Location Address

Street 1: 8500 Clean Water Way

 Street 2:
 N/A

 City:
 Reno

 State:
 NV

 ZIP:
 89502

 ZIP4:
 N/A

 County:
 Washoe

Facility Latitude and Longitude

Latitude (decimal): 39.527778
Longitude (decimal): -119.415700

Local Emergency Planning Committee and Regulations

LEPC: Washoe County LEPC

 OSHA PSM:
 Yes

 EPCRA 302:
 N/A

 CAA Title V:
 N/A

Process Chemicals

Program Level: Program Level 3 process

Chemical Name: Chlorine
CAS Number: 7782-50-5
Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 22132

NAICS Description: Sewage Treatment Facilities

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident: March 2003
Time Accident Began (HH:MM): 13:00
NAICS Code of Process Involved: 22132

NAICS Description: Sewage Treatment Facilities
Release Duration: 000 Hours 05 Minutes

Release Event

Gas Release: Yes
Liquid Spill/Evaporation: N/A
Fire: N/A
Explosion: N/A
Uncontrolled/Runaway Reaction: N/A

Release Source

Storage Vessel: N/A
Piping: N/A
Process Vessel: N/A
Transfer Hose: N/A
Valve: N/A
Pump: N/A
Joint: N/A

Other Release Source: Solution Line

EPA Facility Identifier: 1000 0011 5172

Wind Speed: 10.0
Units: Knots
Direction: SW
Temperature: 50
Atmospheric Stability Class: N/A
Precipitation Present: N/A
Unknown Weather Conditions: N/A

On-Site Impacts

Employee or Contractor Deaths:

Public Responder Deaths:

Public Deaths:

Employee or Contractor Injuries:

Public Responder Injuries:

Public Responder Injuries:

On-Site Property Damage (\$):

Known Off-Site Impacts

Deaths: 0
Hospitalizations: 0
Public Deaths: 0
Other Medical Treatments: 0
Evacuated: 0
Sheltered-in-Place: 0
Off-Site Property Damage (\$): 0

Environmental Damage

Fish or Animal Kills:

Tree, Lawn, Shrub, or Crop Damage:

Water Contamination:

N/A

Soil Contamination:

Other Environmental Damage:

N/A

Initiating Event

Initiating Event: Equipment Failure

Contributing Factors

Equipment Failure: Yes N/A Human Error: Improper Procedures: N/A N/A Overpressurization: **Upset Condition:** N/A By-Pass Condition: N/A Maintenance Activity/Inactivity: N/A Process Design Failure: N/A Unsuitable Equipment: N/A **Unusual Weather Condition:** N/A Management Error: N/A Other Contributing Factor: N/A

Off-Site Responders Notified

Off-Site Responders Notified: No, not notified

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment: N/A Revised Maintenance: Yes Revised Training: N/A Revised Operating Procedures: Yes New Process Controls: N/A New Mitigation Systems: N/A Revised Emergency Response Plan: N/A **Changed Process:** N/A Reduced Inventory: N/A N/A None: Other Changes Introduced: N/A

Chemicals in Accident History

Quantity Released (lbs):1Percent Weight:N/AChemical Name:ChlorineCAS Number:7782-50-5Flammable/Toxic:Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

Yes

Facility Plan (Does facility have its own written emergency response plan?):

Yes

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):

Yes

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Yes

Healthcare (Does facility's ER plan include information on emergency health care?):

Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Washoe LEPC

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(775) 328-3328