

Section 1. Registration Information

Source Identification

Facility Name:	Nutrien US LLC - Finley Area
Parent Company #1 Name:	Nutrien US LLC
Submission Type:	Resubmission
Receipt Date:	September 2023

Facility Identification

Facility ID:	1000 0011 2558
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	95333345
----------------	----------

Facility Location Address

Street 1:	231610 East Game Farm Road
Street 2:	227515 Bowles Rd (mailing address)
City:	Kennewick
State:	WA
ZIP:	99337
ZIP4:	N/A
County:	Benton

Facility Latitude and Longitude

Latitude (decimal):	46.155800
Longitude (decimal):	-119.008300

Local Emergency Planning Committee and Regulations

LEPC:	Benton County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
NAICS Code:	42491
NAICS Description:	Farm Supplies Merchant Wholesalers

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	June 2023
Time Accident Began (HH:MM):	16:40
NAICS Code of Process Involved:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
Release Duration:	000 Hours 25 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	Yes
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	Yes
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	Pressure gauge

Weather Conditions at the Time of Event

Wind Speed:	N/A
Units:	N/A
Direction:	N/A
Temperature:	N/A
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Human Error
-------------------	-------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	Yes
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified Only
-------------------------------	---------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	118
Percent Weight:	99.7
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Accident History ID: Accident 2

Date of Accident:	June 2023
Time Accident Began (HH:MM):	22:15
NAICS Code of Process Involved:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
Release Duration:	000 Hours 28 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	Yes
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	Yes
Joint:	N/A
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	N/A
Units:	N/A
Direction:	N/A
Temperature:	N/A
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified Only
-------------------------------	---------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	Changes to equipment will be dependent on pump rebuild reports

Chemicals in Accident History

Quantity Released (lbs):	1901
Percent Weight:	99.7
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Accident History ID: Accident 3

Date of Accident:	December 2022
Time Accident Began (HH:MM):	23:25
NAICS Code of Process Involved:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
Release Duration:	000 Hours 23 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	Yes
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	Premature PSV Release

Weather Conditions at the Time of Event

Wind Speed:	N/A
Units:	N/A
Direction:	N/A
Temperature:	N/A
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	Yes
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified Only
-------------------------------	---------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	9200
Percent Weight:	99.7
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Benton Co Emergency Services

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(509) 628-2600