

Section 1. Registration Information

Source Identification

Facility Name:	Plastomer Corporation
Parent Company #1 Name:	N/A
Submission Type:	Resubmission
Receipt Date:	March 2024

Facility Identification

Facility ID:	1000 0001 9204
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	5348396
----------------	---------

Facility Location Address

Street 1:	37819 Schoolcraft
Street 2:	N/A
City:	Livonia
State:	MI
ZIP:	48150
ZIP4:	1096
County:	Wayne

Facility Latitude and Longitude

Latitude (decimal):	42.364444
Longitude (decimal):	-083.414444

Local Emergency Planning Committee and Regulations

LEPC:	Wayne County LEPC
OSHA PSM:	N/A
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 1 process
Chemical Name:	Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-]
CAS Number:	26471-62-5
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	32615
NAICS Description:	Urethane and Other Foam Product (except Polystyrene) Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

Livonia Fire Department

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(734) 421-1313