

Section 1. Registration Information

Source Identification

Facility Name:	Molson Coors Shenandoah Brewery
Parent Company #1 Name:	Molson Coors Beverage Company USA LLC
Submission Type:	Resubmission
Receipt Date:	January 2023

Facility Identification

Facility ID:	1000 0013 8111
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	839844425
----------------	-----------

Facility Location Address

Street 1:	5135 South Eastside Highway
Street 2:	N/A
City:	Elkton
State:	VA
ZIP:	22827
ZIP4:	N/A
County:	Rockingham

Facility Latitude and Longitude

Latitude (decimal):	38.357441
Longitude (decimal):	-078.675587

Local Emergency Planning Committee and Regulations

LEPC:	Harrisonburg Joint LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	31212
NAICS Description:	Breweries

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	August 2022
Time Accident Began (HH:MM):	00:20
NAICS Code of Process Involved:	31212
NAICS Description:	Breweries
Release Duration:	000 Hours 43 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	Compressor failure

Weather Conditions at the Time of Event

Wind Speed:	2.0
Units:	Miles/h
Direction:	SSW
Temperature:	67
Atmospheric Stability Class:	F
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified Only
-------------------------------	---------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	Yes
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	560
Percent Weight:	100
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	McGaheysville Fire Department
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(540) 289-5318