Facility Name: Michigan Natural Storage

EPA Facility Identifier: 1000 0020 8143

Plan Sequence Number: 1000115949

Section 1. Registration Information

Source Identification

Facility Name: Michigan Natural Storage

Parent Company #1 Name: N/A

Submission Type: Resubmission Receipt Date: August 2024

Facility Identification

Facility ID: 1000 0020 8143

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 53670246

Facility Location Address

Street 1: 1200 Judd Ave. SW

 Street 2:
 N/A

 City:
 Wyoming

 State:
 MI

 ZIP:
 49509

 ZIP4:
 1019

 County:
 Kent

Facility Latitude and Longitude

Latitude (decimal): 42.9409 Longitude (decimal): -85.6993

Local Emergency Planning Committee and Regulations

LEPC: Kent County LEPC

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: N/A

Facility Name: Michigan Natural Storage EPA Facility Identifier: 1000 0020 8143 Plan Sequence Number: 1000115949

Process Chemicals

Program Level: Program Level 3 process Chemical Name: Ammonia (anhydrous)

CAS Number: 7664-41-7 Flammable/Toxic: Toxic

Process NAICS

49312 NAICS Code:

NAICS Description: Refrigerated Warehousing and Storage

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own

written emergency response plan?): Response Actions (Does ER plan Yes include specific actions to be taken in

response to accidental releases of regulated substance(s)?):

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

Kent County LEPC

(616) 632-6256

Yes

Yes

Yes