EPA Facility Identifier: 1000 0001 8713 Plan Sequence Number: 1000114902

Section 1. Registration Information

Source Identification

Facility Name: City of Jacksonville Land Treatment

System

Parent Company #1 Name: City of Jacksonville
Submission Type: Resubmission
Receipt Date: June 2024

Facility Identification

Facility ID: 1000 0001 8713

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 716 Firetower Road

Street 2: N/A

City: Jacksonville

 State:
 NC

 ZIP:
 28541

 ZIP4:
 N/A

 County:
 Onslow

Facility Latitude and Longitude

Latitude (decimal): 34.772500 Longitude (decimal): -077.555833

Local Emergency Planning Committee and Regulations

LEPC: Onslow County LEPC

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: N/A

Facility Name: City of Jacksonville Land Treatment System

EPA Facility Identifier: 1000 0001 8713 Plan Sequence Number: 1000114902

Process Chemicals

Program Level: Program Level 3 process

Chemical Name: Chlorine CAS Number: 7782-50-5 Flammable/Toxic: Toxic

Process NAICS

22132 NAICS Code:

NAICS Description: Sewage Treatment Facilities

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan Yes include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan Yes

include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

Jacksonville Fire Department

(910) 938-5252

Yes