

Section 1. Registration Information

Source Identification

Facility Name:	Siemens Healthcare Diagnostics Inc - Mishawaka
Parent Company #1 Name:	Siemens Healthcare Diagnostics Inc
Submission Type:	Resubmission
Receipt Date:	December 2019

Facility Identification

Facility ID:	1000 0003 9291
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	N/A
----------------	-----

Facility Location Address

Street 1:	430 S. Beiger St.
Street 2:	N/A
City:	Mishawaka
State:	IN
ZIP:	46544
ZIP4:	3207
County:	St. Joseph

Facility Latitude and Longitude

Latitude (decimal):	41.658745
Longitude (decimal):	-086.147684

Local Emergency Planning Committee and Regulations

LEPC:	St. Joseph Co. Emerg. Mgmt Ag.
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	325413
NAICS Description:	In-Vitro Diagnostic Substance Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

St. Joseph Co. Emerg. Mgmt Agenc

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(574) 235-9234