EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

## **Section 1. Registration Information**

### Source Identification

Facility Name: INEOS O&P USA LLC - Battleground

Manufacturing

Parent Company #1 Name: INEOS Group LTD Submission Type: Resubmission Receipt Date: August 2021

**Facility Identification** 

Facility ID: 1000 0017 6953

**Dun and Bradstreet Numbers (DUNS)** 

Facility DUNS: 830170192

**Facility Location Address** 

Street 1: 1230 Independence Parkway South

 Street 2:
 N/A

 City:
 La Porte

 State:
 TX

 ZIP:
 77571

 ZIP4:
 N/A

 County:
 Harris

Facility Latitude and Longitude

Latitude (decimal): 29.722325 Longitude (decimal): -095.089589

Local Emergency Planning Committee and Regulations

LEPC: La Porte LEPC

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: Yes

EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

### **Process Chemicals**

Program Level: Program Level 3 process
Chemical Name: Isobutane [Propane, 2-methyl]

CAS Number: 75-28-5
Flammable/Toxic: Flammable

Program Level: Program Level 3 process

Chemical Name: 1-Butene
CAS Number: 106-98-9
Flammable/Toxic: Flammable

Program Level: Program Level 3 process
Chemical Name: Propylene [1-Propene]

CAS Number: 115-07-1 Flammable/Toxic: Flammable

Program Level: Program Level 3 process
Chemical Name: Flammable Mixture

CAS Number: 00-11-11
Flammable/Toxic: Flammable

### Flammable Mixture Chemical Components

Chemical Name: Ethane
CAS Number: 74-84-0
Flammable/Toxic: Flammable

Chemical Name: Propane
CAS Number: 74-98-6
Flammable/Toxic: Flammable

Chemical Name: Propylene [1-Propene]

CAS Number: 115-07-1 Flammable/Toxic: Flammable

Chemical Name: Hydrogen
CAS Number: 1333-74-0
Flammable/Toxic: Flammable

Chemical Name: Ethylene [Ethene]

CAS Number: 74-85-1 Flammable/Toxic: Flammable

EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

### **Process NAICS**

NAICS Code: 325211

NAICS Description: Plastics Material and Resin

Manufacturing

# **Section 6. Accident History**

### Accident History ID: Accident 1

Date of Accident: January 2018

Time Accident Began (HH:MM): 14:24
NAICS Code of Process Involved: 325211

NAICS Description: Plastics Material and Resin

Manufacturing

Release Duration: 000 Hours 01 Minutes

### Release Event

Gas Release:YesLiquid Spill/Evaporation:N/AFire:YesExplosion:N/AUncontrolled/Runaway Reaction:N/A

### Release Source

 Storage Vessel:
 N/A

 Piping:
 N/A

 Process Vessel:
 Yes

 Transfer Hose:
 N/A

 Valve:
 N/A

 Pump:
 N/A

 Joint:
 N/A

Other Release Source: Sample point

### Weather Conditions at the Time of Event

Wind Speed: 11.0
Units: Miles/h
Direction: SW
Temperature: 58
Atmospheric Stability Class: C
Precipitation Present: Yes
Unknown Weather Conditions: N/A

EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

	On-Site	Impacts
--	---------	---------

Employee or Contractor Deaths: 0
Public Responder Deaths: 0
Public Deaths: 0
Employee or Contractor Injuries: 1
Public Responder Injuries: 0
Public Injuries: 0
On-Site Property Damage (\$): 0

### Known Off-Site Impacts

Deaths: 0
Hospitalizations: 0
Public Deaths: 0
Other Medical Treatments: 0
Evacuated: 0
Sheltered-in-Place: 0
Off-Site Property Damage (\$): 0

### **Environmental Damage**

Fish or Animal Kills:

Tree, Lawn, Shrub, or Crop Damage:

N/A

Water Contamination:

N/A

Soil Contamination:

N/A

Other Environmental Damage:

N/A

### **Initiating Event**

Initiating Event:

Human Error

EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

### **Contributing Factors**

**Equipment Failure:** Yes Human Error: Yes Improper Procedures: Yes N/A Overpressurization: **Upset Condition:** N/A By-Pass Condition: N/A Maintenance Activity/Inactivity: N/A Process Design Failure: N/A Unsuitable Equipment: N/A Unusual Weather Condition: N/A Management Error: N/A

Other Contributing Factor: Improper use of process equipment

### Off-Site Responders Notified

Off-Site Responders Notified: OSHA notified

### Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment: N/A Revised Maintenance: Yes Revised Training: Yes Revised Operating Procedures: Yes New Process Controls: N/A Yes New Mitigation Systems: Revised Emergency Response Plan: N/A Changed Process: N/A Reduced Inventory: N/A N/A None: Other Changes Introduced: N/A

### Chemicals in Accident History

Quantity Released (lbs): 4
Percent Weight: N/A

Chemical Name: Flammable Mixture

CAS Number: 00-11-11
Flammable/Toxic: Flammable

EPA Facility Identifier: 1000 0017 6953 Plan Sequence Number: 1000095343

Flammable Mixture Chemical Components

Chemical Name: Propylene [1-Propene]

CAS Number: 115-07-1 Flammable/Toxic: Flammable

# **Section 9. Emergency Response**

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan include information on emergency health care?):

Yes

Yes

Yes

Yes

Yes

### **Local Agency**

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

La Porte LEPC

(281) 470-0009