

Section 1. Registration Information

Source Identification

Facility Name:	GRAINCO FS, Inc. Streator Facility
Parent Company #1 Name:	GRAINCO FS, Inc.
Submission Type:	Resubmission
Receipt Date:	April 2009
Status:	Deregistered
Deregistration Effective Date:	January 2014

Facility Identification

Facility ID:	1000 0002 4369
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	7982861
----------------	---------

Facility Location Address

Street 1:	1485 East 1725th Rd
Street 2:	N/A
City:	Streator
State:	IL
ZIP:	61364
ZIP4:	N/A
County:	La Salle

Facility Latitude and Longitude

Latitude (decimal):	41.147222
Longitude (decimal):	-088.830278

Local Emergency Planning Committee and Regulations

LEPC:	Lasalle County LEPC
OSHA PSM:	N/A
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 2 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	42491
NAICS Description:	Farm Supplies Merchant Wholesalers

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	January 2006
Time Accident Began (HH:MM):	08:15
NAICS Code of Process Involved:	42491
NAICS Description:	Farm Supplies Merchant Wholesalers
Release Duration:	001 Hours 00 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	Vapor hose had pressure built up and when main valve was opened the vapor hose blew causing a 1/2 pint of NH3 to be released and mostly vapors.

Weather Conditions at the Time of Event

Wind Speed:	13.0
Units:	Miles/h
Direction:	NNW
Temperature:	30
Atmospheric Stability Class:	E
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	1
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	1
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Human Error
-------------------	-------------

Contributing Factors

Equipment Failure:	N/A
Human Error:	Yes
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	Human error due to transport driver not opening main valve, pressure built up and when valve was opened vapor line blew.

Off-Site Responders Notified

Off-Site Responders Notified:	No, not notified
-------------------------------	------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	driver was educated on process and equipment hose was replaced immediately.

Chemicals in Accident History

Quantity Released (lbs):	1
Percent Weight:	100
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	LaSalle County LEPC
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(815) 434-5622