

Section 1. Registration Information

Source Identification

Facility Name:	WT-8 Algona Terminal
Parent Company #1 Name:	KochFertilizer Storage & Terminal
Submission Type:	First Time
Receipt Date:	June 1999
Status:	Deregistered
Deregistration Effective Date:	August 2000

Facility Identification

Facility ID:	1000 0004 8593
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	791524002
----------------	-----------

Facility Location Address

Street 1:	1108 240th St.
Street 2:	N/A
City:	Algona
State:	IA
ZIP:	50511
ZIP4:	N/A
County:	Kossuth

Facility Latitude and Longitude

Latitude (decimal):	43.111667
Longitude (decimal):	-94.230278

Local Emergency Planning Committee and Regulations

LEPC:	Kosuth County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Propane
CAS Number:	74-98-6
Flammable/Toxic:	Flammable

Process NAICS

NAICS Code:	49319
NAICS Description:	Other Warehousing and Storage

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Kossuth County Emergency Mgmt
Agenc

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(000) 000-0911