Facility Name: Woodworth Inc. Flint

EPA Facility Identifier: 1000 0021 0372

Plan Sequence Number: 1000089283

Section 1. Registration Information

Source Identification

Facility Name: Woodworth Inc. Flint

Parent Company #1 Name: N/A

Submission Type: Resubmission Receipt Date: August 2020

Facility Identification

Facility ID: 1000 0021 0372

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 26140644

Facility Location Address

Street 1: 4201 Peir North Blvd.

 Street 2:
 N/A

 City:
 Flint

 State:
 MI

 ZIP:
 48504

 ZIP4:
 N/A

 County:
 Genesee

Facility Latitude and Longitude

Latitude (decimal): 43.068745 Longitude (decimal): -083.766601

Local Emergency Planning Committee and Regulations

LEPC: Genesee County LEPC

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: N/A

Facility Name: Woodworth Inc. Flint

EPA Facility Identifier: 1000 0021 0372

Plan Sequence Number: 1000089283

Process Chemicals

Program Level: Program Level 3 process
Chemical Name: Ammonia (anhydrous)

CAS Number: 7664-41-7 Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 332811

NAICS Description: Metal Heat Treating

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan Yes

include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

Mount Morris Fire Department

(810) 787-7190

Yes

Yes