

## Section 1. Registration Information

### Source Identification

---

Facility Name:	City of Kennewick Water Filter Plant
Parent Company #1 Name:	City of Kennewick
Submission Type:	Resubmission
Receipt Date:	June 2004
Status:	Deregistered
Deregistration Effective Date:	January 2007

### Facility Identification

---

Facility ID:	1000 0012 6687
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	N/A
----------------	-----

### Facility Location Address

---

Street 1:	615 East Columbia Drive
Street 2:	N/A
City:	Kennewick
State:	WA
ZIP:	99336
ZIP4:	0108
County:	Benton

### Facility Latitude and Longitude

---

Latitude (decimal):	46.212532
Longitude (decimal):	-119.105661

### Local Emergency Planning Committee and Regulations

---

LEPC:	Benton County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

## Process Chemicals

---

Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	22131
NAICS Description:	Water Supply and Irrigation Systems

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Benton County Emergency Management
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(509) 628-2600