

Section 1. Registration Information

Source Identification

Facility Name:	JohnsonDiversey - Polymer Division
Parent Company #1 Name:	JohnsonDiversey Holdings, Inc.
Submission Type:	Resubmission
Receipt Date:	May 2009
Status:	Deregistered
Deregistration Effective Date:	April 2010

Facility Identification

Facility ID:	1000 0004 7585
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	N/A
----------------	-----

Facility Location Address

Street 1:	8311 16th Street
Street 2:	N/A
City:	Sturtevant
State:	WI
ZIP:	53177
ZIP4:	N/A
County:	Racine

Facility Latitude and Longitude

Latitude (decimal):	42.714640
Longitude (decimal):	-087.886060

Local Emergency Planning Committee and Regulations

LEPC:	Racine LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (conc 20% or greater)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	325998
NAICS Description:	All Other Miscellaneous Chemical Product and Preparation Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

South Shore Fire Department

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(262) 554-8812