

## Section 1. Registration Information

### Source Identification

---

Facility Name:	International Paper Georgetown Mill
Parent Company #1 Name:	International Paper
Submission Type:	Resubmission
Receipt Date:	February 2020

### Facility Identification

---

Facility ID:	1000 0005 1686
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	55915086
----------------	----------

### Facility Location Address

---

Street 1:	700 South Kaminski Street
Street 2:	N/A
City:	Georgetown
State:	SC
ZIP:	29440
ZIP4:	4708
County:	Georgetown

### Facility Latitude and Longitude

---

Latitude (decimal):	33.366111
Longitude (decimal):	-079.303611

### Local Emergency Planning Committee and Regulations

---

LEPC:	Georgetown County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

## Process Chemicals

---

Program Level:	Program Level 3 process
Chemical Name:	Chlorine dioxide [Chlorine oxide (ClO <sub>2</sub> )]
CAS Number:	10049-04-4
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	32211
NAICS Description:	Pulp Mills

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

## Local Agency

---

Agency Name (Name of local agency  
with which the facility ER plan or  
response activities are coordinated):

Georgetown County Fire Department

Agency Phone Number (Phone number  
of local agency with which the facility  
ER plan or response activities are  
coordinated):

(843) 545-3271