

Section 1. Registration Information

Source Identification

Facility Name:	Agrium Kenai Nitrogen Operations
Parent Company #1 Name:	Agrium U.S. Inc.
Submission Type:	Corrections
Receipt Date:	August 2007
Status:	Deregistered
Deregistration Effective Date:	August 2008

Facility Identification

Facility ID:	1000 0015 0034
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	124032389
----------------	-----------

Facility Location Address

Street 1:	MILE 21 KENAI SPUR HIGHWAY
Street 2:	PO BOX 575
City:	Kenai
State:	AK
ZIP:	99611
ZIP4:	0575
County:	Kenai Peninsula (B)

Facility Latitude and Longitude

Latitude (decimal):	60.674444
Longitude (decimal):	-151.379167

Local Emergency Planning Committee and Regulations

LEPC:	Kenai Peninsula Borough LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

Program Level:	Program Level 3 process
Chemical Name:	Methane
CAS Number:	74-82-8
Flammable/Toxic:	Flammable

Program Level:	Program Level 3 process
Chemical Name:	Hydrogen
CAS Number:	1333-74-0
Flammable/Toxic:	Flammable

Process NAICS

NAICS Code:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	February 2004
Time Accident Began (HH:MM):	18:35
NAICS Code of Process Involved:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
Release Duration:	000 Hours 05 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	Yes
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	Yes
Pump:	N/A
Joint:	N/A
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	15.0
Units:	Miles/h
Direction:	NE
Temperature:	31
Atmospheric Stability Class:	C
Precipitation Present:	N/A
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	2
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	Yes
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified and Responded
-------------------------------	------------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	1000
Percent Weight:	14
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Accident History ID: Accident 2

Date of Accident:	August 1999
Time Accident Began (HH:MM):	01:30
NAICS Code of Process Involved:	325311
NAICS Description:	Nitrogenous Fertilizer Manufacturing
Release Duration:	009 Hours 45 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	Yes
Explosion:	Yes
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	Yes
Piping:	N/A
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	Yes
Pump:	N/A
Joint:	N/A
Other Release Source:	19,500 pound NH3 release

Weather Conditions at the Time of Event

Wind Speed:	N/A
Units:	Miles/h
Direction:	SSW
Temperature:	N/A
Atmospheric Stability Class:	C
Precipitation Present:	Yes
Unknown Weather Conditions:	Yes

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	3
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	1000000

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	Yes
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	Yes
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	N/A

Off-Site Responders Notified

Off-Site Responders Notified:	Notified and Responded
-------------------------------	------------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	Yes
New Process Controls:	N/A
New Mitigation Systems:	Yes
Revised Emergency Response Plan:	N/A
Changed Process:	Yes
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	Safety meetings were held for all operators.

Chemicals in Accident History

Quantity Released (lbs):	100
Percent Weight:	100
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Kenai Borough, Nikiski Fire Dept.
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(907) 776-8400