

Section 1. Registration Information

Source Identification

Facility Name:	Lake Wildwood WWTP
Parent Company #1 Name:	N/A
Submission Type:	Resubmission
Receipt Date:	June 2009
Status:	Deregistered
Deregistration Effective Date:	March 2013

Facility Identification

Facility ID:	1000 0010 7145
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	N/A
----------------	-----

Facility Location Address

Street 1:	12622 Pleasant Valley Road
Street 2:	N/A
City:	Penn Valley
State:	CA
ZIP:	95946
ZIP4:	N/A
County:	Nevada

Facility Latitude and Longitude

Latitude (decimal):	39.234778
Longitude (decimal):	-121.218667

Local Emergency Planning Committee and Regulations

LEPC:	Inland Region 4 LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Sulfur dioxide (anhydrous)
CAS Number:	7446-09-5
Flammable/Toxic:	Toxic
Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	22132
NAICS Description:	Sewage Treatment Facilities

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

Nevada Co. Dept. of Env. Health

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(530) 265-7134