

Section 1. Registration Information

Source Identification

Facility Name:	Patterson Laboratories, Inc
Parent Company #1 Name:	JJAM
Submission Type:	First Time
Receipt Date:	July 1999
Status:	Deregistered
Deregistration Effective Date:	August 2011

Facility Identification

Facility ID:	1000 0015 9295
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	5352711
----------------	---------

Facility Location Address

Street 1:	11930 Pleasant Ave
Street 2:	N/A
City:	Detroit
State:	MI
ZIP:	48217
ZIP4:	N/A
County:	Wayne

Facility Latitude and Longitude

Latitude (decimal):	42.271111
Longitude (decimal):	-83.135556

Local Emergency Planning Committee and Regulations

LEPC:	N/A
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	32518
NAICS Description:	Other Basic Inorganic Chemical Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	N/A
Facility Plan (Does facility have its own written emergency response plan?):	N/A
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	N/A
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	N/A
Healthcare (Does facility's ER plan include information on emergency health care?):	N/A

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

City of Detroit Fire

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(313) 962-0400