

Section 1. Registration Information

Source Identification

Facility Name:	Ontelaunee Power Operating Company, LLC
Parent Company #1 Name:	Vistra Corp
Submission Type:	Resubmission
Receipt Date:	September 2024

Facility Identification

Facility ID:	1000 0017 9512
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	624008004
----------------	-----------

Facility Location Address

Street 1:	Ontelaunee Power Operating Co., LLC
Street 2:	5115 Pottsville Pike
City:	Reading
State:	PA
ZIP:	19605
ZIP4:	N/A
County:	Berks

Facility Latitude and Longitude

Latitude (decimal):	40.422600
Longitude (decimal):	-075.934900

Local Emergency Planning Committee and Regulations

LEPC:	Berks County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	221112
NAICS Description:	Fossil Fuel Electric Power Generation

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Berks County Emergency Management
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(610) 374-4800