Facility Name: Nutrien Ag Solutions

EPA Facility Identifier: 1000 0005 2328

Plan Sequence Number: 1000102067

Section 1. Registration Information

Source Identification

Facility Name: Nutrien Ag Solutions

Parent Company #1 Name: N/A

Submission Type: Resubmission Receipt Date: October 2022

Facility Identification

Facility ID: 1000 0005 2328

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 50365121

Facility Location Address

Street 1: 305 Larsen Road

 Street 2:
 N/A

 City:
 Imperial

 State:
 CA

 ZIP:
 92251

 ZIP4:
 N/A

 County:
 Imperial

Facility Latitude and Longitude

Latitude (decimal): 32.872500 Longitude (decimal): -115.562778

Local Emergency Planning Committee and Regulations

LEPC: Region VI LEPC

OSHA PSM: Yes
EPCRA 302: Yes
CAA Title V: N/A

Facility Name: Nutrien Ag Solutions EPA Facility Identifier: 1000 0005 2328 Plan Sequence Number: 1000102067

Process Chemicals

Program Level: Program Level 3 process Chemical Name: Ammonia (anhydrous)

CAS Number: 7664-41-7 Flammable/Toxic: Toxic

Process NAICS

42491 NAICS Code:

NAICS Description: Farm Supplies Merchant Wholesalers

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

Imperial County Fire Dept.

(760) 353-5222

Yes

Yes

Yes

Yes