

Section 1. Registration Information

Source Identification

Facility Name:	Kodak Park Site - 12/12/2005 Revision
Parent Company #1 Name:	Eastman Kodak Company
Submission Type:	Resubmission
Receipt Date:	December 2005
Status:	Deregistered
Deregistration Effective Date:	December 2006

Facility Identification

Facility ID:	1000 0006 7045
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	135588689
----------------	-----------

Facility Location Address

Street 1:	1669 Lake Avenue
Street 2:	N/A
City:	Rochester
State:	NY
ZIP:	14652
ZIP4:	4779
County:	Monroe

Facility Latitude and Longitude

Latitude (decimal):	43.201580
Longitude (decimal):	-077.645100

Local Emergency Planning Committee and Regulations

LEPC:	Monroe County LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 1 process
Chemical Name:	Vinylidene chloride [Ethene, 1,1-dichloro-]
CAS Number:	75-35-4
Flammable/Toxic:	Flammable

Process NAICS

NAICS Code:	325992
NAICS Description:	Photographic Film, Paper, Plate, Chemical, and Copy Toner Manufacturing

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency
with which the facility ER plan or
response activities are coordinated):

Rochester Fire Department

Agency Phone Number (Phone number
of local agency with which the facility
ER plan or response activities are
coordinated):

(585) 428-6739