Facility Name: Spring Branch Plant

EPA Facility Identifier: 1000 0008 3456

Plan Sequence Number: 1000115066

Section 1. Registration Information

Source Identification

Facility Name: Spring Branch Plant

Parent Company #1 Name: N/A

Submission Type: Resubmission Receipt Date: June 2024

Facility Identification

Facility ID: 1000 0008 3456

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 9400 Kempwood

 Street 2:
 N/A

 City:
 Houston

 State:
 TX

 ZIP:
 77080

 ZIP4:
 2839

 County:
 Harris

Facility Latitude and Longitude

Latitude (decimal): 29.822167 Longitude (decimal): -95.525206

Local Emergency Planning Committee and Regulations

LEPC: Harris County/Houston LEPC

 OSHA PSM:
 N/A

 EPCRA 302:
 Yes

 CAA Title V:
 N/A

Facility Name: Spring Branch Plant EPA Facility Identifier: 1000 0008 3456 Plan Sequence Number: 1000115066

Process Chemicals

Program Level 2 process Program Level:

Chlorine Chemical Name: 7782-50-5 CAS Number: Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 22131

NAICS Description: Water Supply and Irrigation Systems

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

City of Houston Fire Department

(911) 000-0000

Yes

Yes

Yes