

## Section 1. Registration Information

### Source Identification

---

Facility Name:	VaporCatcher at the Kodak South Pad
Parent Company #1 Name:	Pioneer Energy
Submission Type:	First Time
Receipt Date:	March 2018
Status:	Deregistered
Deregistration Effective Date:	February 2019

### Facility Identification

---

Facility ID:	1000 0023 8165
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	N/A
----------------	-----

### Facility Location Address

---

Street 1:	Litho Plate Dr
Street 2:	N/A
City:	Windsor
State:	CO
ZIP:	80550
ZIP4:	N/A
County:	Weld

### Facility Latitude and Longitude

---

Latitude (decimal):	40.45303
Longitude (decimal):	-104.86394

### Local Emergency Planning Committee and Regulations

---

LEPC:	Weld County LEPC
OSHA PSM:	N/A
EPCRA 302:	N/A
CAA Title V:	N/A

## Process Chemicals

---

Program Level:	Program Level 2 process
Chemical Name:	Flammable Mixture
CAS Number:	00-11-11
Flammable/Toxic:	Flammable

### Flammable Mixture Chemical Components

Chemical Name:	Isopentane [Butane, 2-methyl-]
CAS Number:	78-78-4
Flammable/Toxic:	Flammable

Chemical Name:	Ethane
CAS Number:	74-84-0
Flammable/Toxic:	Flammable

Chemical Name:	Propane
CAS Number:	74-98-6
Flammable/Toxic:	Flammable

Chemical Name:	Isobutane [Propane, 2-methyl]
CAS Number:	75-28-5
Flammable/Toxic:	Flammable

Chemical Name:	Butane
CAS Number:	106-97-8
Flammable/Toxic:	Flammable

Chemical Name:	Pentane
CAS Number:	109-66-0
Flammable/Toxic:	Flammable

## Process NAICS

---

NAICS Code:	211112
NAICS Description:	Natural Gas Liquid Extraction

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	N/A
Facility Plan (Does facility have its own written emergency response plan?):	N/A
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	N/A
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	N/A
Healthcare (Does facility's ER plan include information on emergency health care?):	N/A

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	Windsor Severance Fire Rescue
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(970) 686-2626