

CyberQuest User Guide

Play the game, manage progress, and work with the built-in content editor in an exported PC build.

How to use this guide. Sections 1-7 cover play. Sections 8-10 cover the content editor. The final sections provide checks and troubleshooting.

This edition reflects the public CyberQuest source and included content as inspected in September 2026. An exported build was not run for this guide. Screen appearance, external services, and platform behavior may differ in a particular build.

The guide assumes the game has already been built and supplied with its required content and dependencies. Project setup and build preparation are covered by the repository README.

Contents

1. Choose a route	3
2. Start, load, and leave a game	3
3. Navigate the game	4
4. Complete quests and tasks	4
5. Use the in-game tools	5
6. Track and protect progress	5
7. Change settings	6
8. Enter and navigate the content editor	6
9. Edit courses, units, and quests	7
10. Edit supporting content	7
11. Troubleshooting	8
12. Quick reference and validation boundary	9

Reading convention. Bold names are controls or screens shown by the source. Instructions describe intended behavior; verify them in the exact build you distribute.

1. Choose a route

CyberQuest combines a globe-based course game with a separate content editor. Use the route that matches your goal.

Goal	Route
Begin a unit	Main Menu > Courses > choose course > choose unit > Start Game.
Continue a saved unit	Main Menu > Load Game > choose a saved game.
Work on a quest	In game: read the active task; use the globe, quest tree, mail, and tools as directed.
Edit content	Main Menu > Editor > choose a content area. Save through each editor's documented control.

Typical play sequence Course > Unit > Quest > Task > completion panel > next task or quest.

Typical authoring sequence Editor > Courses > Course > Unit > Quest > Task. Return through the editor screens to write changes.

What is included in this source

The public content tree contains one course and an authored Unit 01 quest set. Other courses or units shown in a custom build depend on the content supplied with that build. The menu displays courses and units from loaded content, and entries marked as placeholders are presented as locked.

Build-specific check. If a screen or item described here is absent, check the game's actual content and build configuration. Do not assume that every optional training site or external service is bundled.

2. Start, load, and leave a game

Start a new unit

- Open **Courses** from the main menu. Read the course description and select an available course.
- On the unit screen, use the unit buttons or navigation controls to select a unit. Review its title and description.
- Choose **Start Game**. The game loads the globe scene for the selected course and unit.

A grayed or locked unit is a placeholder in the source UI. Select an available unit instead. Starting a new game creates separate player progress for that selected unit.

Resume an existing save

- Choose **Load Game** from the main menu.
- Review each card's unit, current mission, save time, and save ID, then choose the desired card.
- If a card says it cannot be loaded, the source checks whether its course and unit still exist in loaded content. Restore the matching content or use another save.

Pause, return, and quit

In gameplay, open the menu or exit control to show **Game Paused**. Its actions are **Resume Game**, **Settings**, and **Main Menu**. In the main menu, **Quit** opens a confirmation dialog.

Deletion is permanent. The Load Game screen has a Delete Game confirmation. Confirming deletes both the save data and its list entry; the dialog says the action cannot be undone.

3. Navigate the game

Globe and quest tree

The globe is the game's location view. The current quest has a city reference, and the **Quests** screen can select a quest and use **Fly to City** to move the globe camera to that quest's city. Some activities and points of interest use markers on the globe. Follow the active task's directions to decide which location matters.

Open **Quests** to inspect the unit's quest tree. Its details panel shows a quest title, description, and a status such as **LOCKED**, **READY TO START**, **IN PROGRESS**, or **COMPLETED**. Locked quests require earlier progression. The screen also offers a reset action for an already reached quest.

Screen and window controls

Area	Use
Active task	Read its description, question or action instruction, and any linked text or video before answering.
Top/status controls	Open Quests, Progress, Mail, Videos, Settings, Notepad, Marketplace, and related panels where shown.
Action controls	Open the browser, command line, mail, videos, and available simulated applications.
Windows	Bring a window forward by selecting it; drag or resize where the window exposes those controls. Use its window button to restore it after minimization.
Tutorial	Use the tutorial control where shown to replay the current screen's tutorial sequence.

The settings include rotation and zoom sensitivity. Exact globe input behavior depends on the installed globe component and build; the source establishes the UI routes above but does not substitute for a hands-on control check.

4. Complete quests and tasks

A unit contains ordered quests, and a quest contains ordered tasks. The active task panel supplies the narrative context, prompt, and task-specific answer area. On a correct answer, the game marks the active task complete and shows a completion state with a button to continue. A wrong answer produces a notification and leaves the task open.

Task type	What to do in play
Single choice	Read the prompt and choose one displayed option.
True / false	Choose the answer that fits the statement.
Text input	Type the requested answer into the task field and submit it; the input UI also handles Return.
Website	Use the in-game browser to reach the requested page, then use the task's browser check action.
Action	Perform the named in-game action, such as opening a linked item or mail. The panel describes the expected action.
Decision	Choose a presented path when the quest reaches a decision. Its effects may influence later progress.
Minigame	Start the minigame from the task panel and follow its own on-screen objective and result flow.

Use the task's supporting material

Task descriptions may contain interactive links. A task with an assigned video enables its video button. Mail can arrive at task start or end. Read each new message and inspect its source when the task asks for that evidence.

Skip and continue

The active task has a **Skip** confirmation. The dialog warns that a skipped task gives no points. After completing or skipping, use the completion panel's next control to advance. The next screen may be another task, the quest tree, or the progress screen depending on where you are in the unit.

Answer checks. The guide does not print answer keys. Input matching and scoring are defined by each task's content; use the task prompt and its supporting evidence.

5. Use the in-game tools

Mail

Open **Mail** from the action controls. Select a message from the inbox to read it; opening it marks it as read. The message options include a source view. Opening a message or requesting its source can satisfy a task that is waiting for that action.

Command line

Open the in-game command line, type a supported command, and press Return. The response appears in the simulated console. Its command set comes from the content shipped with the build; this is a game simulation, not the host computer's shell. Closing the window clears the visible console history.

Browser

Open the in-game browser from the action controls or a task link. It has an address field, Back, and Home controls. A website task can check the active in-game address. The browser maps training addresses through game configuration, so a requested site may require separately hosted training content.

Notepad and simulated apps

Use **Notepad** to create or select a note and keep observations during a unit. Its save control updates the note in current player progress; the progress must also be written by a game save to persist between sessions. App buttons open the simulated applications made available for the unit. Included application examples use guided images and scenario frames; they do not function as full installations of the named real-world products.

Videos, marketplace, and leaderboard

Use **Videos** for available educational clips and task-linked video material. The source includes UI routes for **Marketplace** and **Leaderboard**; availability of populated data or external integration must be confirmed in the particular build.

6. Track and protect progress

Quest status and player progress

The quest tree identifies the current state of each reached quest. The top progress label counts quests that have started or completed against all quest IDs in the active unit. Open **Progress** for the available unit and persona presentation. Treat displayed values as the game's current UI; a custom build may present different or incomplete fields.

Saving

The source writes a save when an active task is completed and after certain progress changes. On a standalone build, saves are stored under Unity's persistent data directory in a **Saves** subfolder. Each save has a player data JSON file and a separate summary JSON file used by Load Game. The exact operating-system directory depends on the build's company and product settings.

Before relying on a long session, return to **Load Game** and verify that the expected unit and mission appear. Keep a backup of the save directory before replacing content or experimenting with resets.

Reset to an earlier quest

In **Quests**, select a reached quest and choose its reset action. The confirmation states that all progress after that quest will be lost. Resetting clears task completion in the selected quest and later quests and can reverse recorded decisions. Confirm only if you intend to replay from that point.

Content compatibility. A save card becomes unavailable when its saved course or unit cannot be found in the content loaded by the build. Keep stable IDs and a backup when editing or replacing course data.

7. Change settings

Open **Settings** from the main menu or the in-game controls. Change a value, then choose **Save** to apply and persist it. Choose **Cancel** or Back to leave without applying the temporary changes in that screen.

Group	Controls shown by the source
General	Language selector; globe rotation and zoom sensitivity.
Display	Fullscreen mode, resolution, refresh rate, and vertical sync.
Quality	Texture quality, map quality, post-processing, and quality presets.
Audio	General, music, effects, and UI volume.

If a value makes the interface difficult to use, return to Settings from the main menu and choose a suitable display mode or quality preset. Available resolutions and refresh rates depend on the machine running the build.

8. Enter and navigate the content editor

The main menu's **Editor** action loads the included content editor scene. Its first screen offers **Courses**, **Commands**, **Links Editor**, **Apps Editor**, **Open Content Directory**, and a minigame test scene. Back returns to the main menu.

Editor area	Primary job
Courses	Edit course details, units, quests, tasks, unit apps, quest tree, and points of interest.
Commands	Create and edit simulated command-line definitions.
Links	Edit the training link list used by the game.
Apps	Edit simulated app definitions, scenarios, stages, and frames.
Content directory	Open the actual content folder used by the running build.
Minigame tests	Open the included development test scene; it is an authoring aid.

In a standalone build, the editor reads and writes **_CONTENT** under the game's Unity data directory (the folder normally named after the executable with **_Data**). Use **Open Content Directory** to find the exact location in your build.

Back up before editing. Many editor screens write files when you leave with Back. Make a copy of the content folder before editing, especially before changing IDs, deleting entries, or replacing images.

9. Edit courses, units, and quests

Course and unit workflow

- Open **Courses**. Select an existing course or use the add control to create one with a unique ID.
- In the course editor, inspect the course's fields and unit list. Add a unit or select one to edit.
- In the unit editor, inspect the unit fields and ordered quest list. Add a normal quest or a decision quest as needed. The unit can also associate an available app and open its POI and quest-tree editors.
- Return with **Back** through unit and course screens to write the course data.

Quest and task workflow

- Select a quest from its unit. Edit the quest fields and its ordered task list.
- Use the quest editor's task-type controls to add a task, then enter a unique ID suffix. The editor prefixes it with the quest ID.
- Select the task to edit its fields in the inspector. The task editor has mail lists for messages sent on task start and task end, plus a visible content-validation message.
- Use **Back** from the task editor to write the task file, then **Back** from the quest editor to write the quest file.

The quest editor exposes add controls for Single Choice, True / False, Input, Website, Action, and Minigame tasks. Decision quests are added at the unit level. The runtime has a Decision task type, but the inspected quest editor does not expose a separate Add Decision Task method; do not assume that button exists.

Quest tree and POIs

The quest-tree editor changes layout size and offset, individual quest fan settings, and order/dependency placement. Use its explicit save controls for layout and quest adjustments. The POI editor supports place and line entries and saves POI data when leaving the screen.

10. Edit supporting content

Mail and task references

From a task editor, add mail for task start or task end, then edit the new message. The mail editor writes the message on Back. Check that every referenced mail exists and that the game's mailbox shows it at the intended stage.

Commands and links

In **Commands**, create or select a command, edit its inspector fields, and leave its editor with Back to write it. In **Links Editor**, edit the link list and use Back to save it. Test command output and browser navigation in the game after making changes.

Simulated applications

In **Apps Editor**, select or add an application. Within an app, create scenarios; within a scenario, create stages; within a stage, inspect and manage image frames and links. Back from app, scenario, or stage screens saves the corresponding file. A stage offers a Play Stage action for a local check.

The public source contains guided Zenmap and eMailTrackerPro materials and a WinHTTrack app definition without a guided scenario. Actual availability in a build depends on the files included with it.

Editor checks before returning to play

- Check IDs and references: course to unit, unit to quest, quest to task, and task to mail, app, link, video, or other referenced content.
- Return through each relevant editor screen to trigger its save, and verify the files in Open Content Directory.
- Start a new game or load an appropriate save and play the affected flow. Check the quest tree, task prompts, simulated tools, app frames, and completion path.

Deletion and overwrite. Editor save methods write content files at their existing paths; several delete actions remove a file or a whole content directory. Keep a separate backup and test changes with a disposable save.

11. Troubleshooting

Symptom	Check
Course or unit missing	Confirm the build's _CONTENT folder contains the expected content; placeholder entries are locked.
Save card cannot load	Check that its course and unit IDs still exist; restore matching content if they were edited or replaced.
Task will not advance	Read the current prompt and linked material; use the specific task action, answer control, browser check, or minigame result.
Browser site unavailable	Check the game's link configuration and whether the requested training website is actually hosted for this build.
Command gives unexpected output	Use a command supplied by the build's content and the syntax expected by the simulated command definition.
Editor change disappeared	Return through the relevant editor screen's Back or explicit Save control, then inspect the content file and retry in play.
App frame or image missing	Check the referenced content image in the build's content folder and test the stage in the editor and game.
Display or sound problem	Open Settings and review fullscreen, resolution, refresh rate, quality, and the four volume controls.

If a custom build behaves differently, record its version, platform, selected course and unit, the exact task or editor screen, and the action that failed. Compare that build's content and configuration with the source used to create it.

12. Quick reference and validation boundary

Action	Where
New game	Main Menu > Courses > course > unit > Start Game
Resume	Main Menu > Load Game > save card
Quest status / city	Gameplay > Quests > quest details / Fly to City
Mail and source	Gameplay > Mail > message > source option
Simulated tools	Gameplay action controls > browser / command line / available app
Notes	Gameplay status controls > Notepad
Settings	Main Menu or Gameplay > Settings > Save
Edit content	Main Menu > Editor > content area
Find edited files	Editor > Open Content Directory

Validation boundary. This guide was checked against the current public scripts, scene list, README, and included content. No exported PC build was launched or played during its preparation. It documents source-defined controls and data flow, not a certification of a particular build's visuals, external websites, Steam services, or runtime compatibility.

Source areas reviewed. Main menu and gameplay UI; player and save controllers; task and quest interfaces; in-game windows; content loader; editor screens and content write utilities; enabled build scenes and public README.