


# ADAS COVERAGE GUIDE

## Calibrations & wheel alignment adjustments

2006 – 2024



Access the latest guide online for free from anywhere at anytime with your HunterNet® 2 shop portal!



Visit [hunter.com/shop](https://hunter.com/shop) to order select genuine Hunter® alignment consumable parts online.  
Outside the U.S.? Use the link to get in touch with your local Hunter team.



ADAS Calibration	
	Dynamic Procedure Coverage
	Static Procedure Coverage
!	Support Coming Soon
	Required Procedure after wheel alignment - Standard Feature
	Required Procedure after wheel alignment - Optional Feature
UA	Ultimate ADAS Target Placement
DS	DAS3000 Target Placement
CL	CodeLink Support
AL	ADASLink Coverage

ADAS Reset Options	
SSR	Steering System Reset
FFC	Front Facing Camera
FFC CAL.	Front Facing Camera Calibration (Subaru)
FFC Reset	Front Facing Camera Reset (Subaru)
FFR	Front Facing Radar
SVC	Surround View Camera
BUC	Back-Up Camera
Lane Watch	Lane Watch System (Honda)
BSM Front	Blind Spot Monitoring Front
BSM Rear	Blind Spot Monitoring Rear
4WS	Four-Wheel Steering
AFS	Adaptive Front Steering
NVS	Night Vision System

Wheel Alignment Adjustments	
4	4-Wheel Alignment, Equipped with standard factory adjustments
4D	4-Wheel Alignment, May require additional parts/ procedures
4S	4-Wheel Alignment, Aftermarket full contact rear shims for rear adjustment
T	Thrust-line Alignment (no rear adjustments)
TD	Thrust-line Alignment (no rear adjustments), May required additional parts/ procedures
	Adjustable Factory
	Adjustable with additional parts
	Not Adjustable

---

ACURA.....	1	JEEP.....	38	SCION.....	59
ALFA ROMEO.....	1	KIA.....	39	SMART.....	60
ASTON MARTIN.....	2	LAMBORGHINI.....	41	SUBARU.....	60
AUDI.....	2	LAND ROVER.....	41	SUZUKI.....	62
BENTLEY.....	9	LEXUS.....	43	TESLA.....	62
BMW.....	9	LINCOLN.....	47	TOYOTA.....	62
BMW.....	20	LUCID MOTORS.....	48	VINFEST.....	66
BRIGHTDROP.....	20	MASERATI.....	48	VOLKSWAGEN.....	66
BUICK.....	20	MAZDA.....	49	VOLVO.....	69
CADILLAC.....	21	MCLAREN.....	49		
CHEVROLET.....	22	MERCEDES-BENZ.....	50		
CHRYSLER.....	25	MERCURY.....	52		
DODGE/RAM/SRT....	25	MINI.....	52		
FERRARI.....	26	mitsubishi.....	53		
FIAT.....	27	NISSAN.....	54		
FORD.....	27	POLESTAR.....	57		
GMC.....	30	PONTIAC.....	57		
GENESIS.....	31	PORSCHE.....	58		
HONDA.....	32	RIVIAN.....	59		
HYUNDAI.....	34	ROLLS-ROYCE.....	59		
INFINITI.....	36	SABB.....	59		
JAGUAR.....	37	SATURN.....	59		

---

ACURA		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
3.5RL	06-06	AL★		UA   DS								4				✓	
ILX	16-22	AL CL★	UA   DS	UA   DS				UA				4D			+	✓	
ILX	13-15	AL CL★										4D			+	✓	
INTEGRA	24-24	AL CL★	UA   DS					AL				4D					
INTEGRA	23-23	AL CL★	UA   DS					AL				4D					
MDX	17-24	AL CL★	UA   DS	UA   DS	UA   DS			UA				4				✓	
MDX	14-16	AL CL★	UA   DS	UA   DS	UA   DS			UA				4D			+	✓	
MDX	10-13	AL CL★		UA   DS				AL				4D			+	✓	
MDX	06-09	AL CL★										4D			+	✓	
NSX	17-22	★										4D					
RDX	19-24	AL CL★	UA   DS	UA   DS	UA   DS			UA				4D					
RDX	17-18	AL CL★	UA   DS	UA   DS				UA				4D			+	✓	
RDX	16-16	AL CL★	UA   DS	UA   DS				UA				4D			+	✓	
RDX	07-15	AL CL★										4D			+	✓	
RL	07-12	AL CL★		UA   DS								4				✓	
RLX	17-20	AL CL★	UA   DS	UA   DS	UA   DS			UA				4				✓	
RLX	15-16	AL CL★	UA   DS	UA   DS	UA   DS			UA				4				✓	
RLX	14-14	AL CL★	UA   DS	UA   DS	UA			UA				4				✓	
RSX	06-06	AL										4D			+	✓	
TL	12-14	AL CL★						AL				4D			+	✓	
TL	09-11	AL CL★										4D			+	✓	
TL	06-08	AL										4D	+	+	+	✓	
TLX	24-24	CL★	UA	UA	UA							4				✓	
TLX	16-23	AL CL★	UA   DS	UA   DS	UA   DS			UA				4				✓	
TLX	15-15	AL CL★	UA   DS	UA   DS	UA   DS			UA				4D			+	✓	
TSX	06-14	AL										4D	+	+	+	✓	
ZDX	13-13	AL CL★	DS	DS				AL				4D			+	✓	
ZDX	10-12	AL CL★						AL				4D			+	✓	

ALFA ROMEO		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
GIULIA	17-24	AL★	DS	DS★								4			✓	✓	
STELVIO	18-24	AL★	DS	DS★								4			✓	✓	
STELVIO	17-17	CL★		★								4			✓	✓	
TONALE	23-24	★		★								4D				✓	

ASTON MARTIN		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
DB11	17-23	★										4	✓	✓	✓	✓	Ibs
DB12	24-24	★										4	✓	✓	✓	✓	Ibs
DBS	19-23	★										4	✓	✓	✓	✓	Ibs
DBX	21-24	★										4D	✓	✓	✓	✓	
VANTAGE AM612	25-25	★										4	✓	✓	✓	✓	Ibs
VANTAGE COUPE A/T	18-19	★										4	✓	✓	✓	✓	Ibs
VANTAGE COUPE M/T	20-23	★										4	✓	✓	✓	✓	Ibs

AUDI		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
A3	24-24	★	★	★								4D			✓	✓	
A3	22-23	AL★	DS★	DS★	DS		DS					4D			✓	✓	
A3	15-20	AL CL★	DS★	DS★	DS		DS	DS				4D			✓	✓	
A3	13-13	AL CL★		DS	DS			DS				4D			✓	✓	
A3	09-12	AL CL★		DS	DS							4D			✓	✓	
A3	06-08	AL CL★		DS								4D			✓	✓	
A3 QUATTRO	22-23	AL★	DS★	DS★	DS							4D			✓	✓	
A3 QUATTRO	17-20	AL CL★	DS★	DS★	DS				DS			4D			✓	✓	
A3 QUATTRO	15-16	AL CL★	DS★	DS★	DS				DS			4D			✓	✓	
A3 QUATTRO	06-07	AL CL★		DS								4D			✓	✓	
A3 SPORTBACK E-TRON	16-18	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
A3/S3/RS 3 QUATTRO	24-24	★	★	★								4D			✓	✓	
A4	21-24	CL★								★		4D			✓	✓	
A4	17-20	AL CL★	UA   DS★	DS★	UA   DS			DS	DS   !			4D			✓	✓	
A4	10-16	AL CL★	★	DS★	DS			DS	DS			4D			✓		
A4	09-09	AL CL★	★	DS★	DS			DS	DS			4D			✓		
A4	06-08	AL CL★		DS								4D	+		✓	✓	7

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼		▼		▲		▼		▲		▼		▲		▼		▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools							
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
								lbs	Requires loading of vehicle before alignment							

AUDI		ADAS Calibrations											Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
A4 ALLROAD	23-23	CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A4 ALLROAD	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A4 ALLROAD	17-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A4 ALLROAD QUATTRO	24-24	CL★								★		4D			✓	✓		
A4 ALLROAD QUATTRO	13-16	CL★	★	★						★		4D			✓			
A4 QUATTRO	23-23	CL★	UA   DS★	DS★	UA   DS		DS	DS		★		4D			✓	✓		
A4 QUATTRO	21-22	AL CL★	UA   DS★	DS★	UA   DS		DS	DS		★		4D			✓	✓		
A4 QUATTRO	17-20	AL CL★	UA   DS★	DS★	UA   DS		DS	DS		★		4D			✓	✓		
A4 QUATTRO	10-16	AL CL★	★	DS★	DS		DS	DS		★		4D			✓			
A4 QUATTRO	09-09	AL CL★	★	DS★	DS		DS	DS		★		4D			✓			
A4 QUATTRO	06-08	AL CL★		DS								4D	+		✓	✓	7	
A4/S4/RS 4 QUATTRO	24-24	CL★	UA★		UA			!		★		4D			✓	✓		
A4/S4/RS 4 QUATTRO	17-17	CL★								★		4D			✓	✓		
A5	10-14	AL CL★	★	DS★	DS			DS		★		4D			✓			
A5 QUATTRO	23-23	CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A5 QUATTRO	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A5 QUATTRO	18-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A5 QUATTRO	14-15	AL CL★	★	DS★	DS			DS		★		4D			✓			
A5 QUATTRO	09-17	AL CL★	★	DS★	DS			DS		★		4D			✓			
A5 QUATTRO	08-08	AL CL★	★	DS★				DS	DS	★		4D			✓			
A5 SPORTBACK	23-23	CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A5 SPORTBACK	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A5 SPORTBACK	18-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
A6	12-18	AL CL★	DS★	DS★	DS		DS	DS		★	★	4D			✓			
A6	11-11	AL CL★	★	DS★	DS		DS	DS				4D			✓	✓	7	
A6	09-10	AL CL★	★	DS★	DS				DS			4D			✓	✓	7	
A6	06-08	AL CL★	★	DS★				DS				4D			✓	✓	7	
A6 ALLROAD	23-23	AL★					DS			★	★	4D			✓	✓		
A6 ALLROAD	21-22	AL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A6 ALLROAD	20-20	AL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A6 ALLROAD QUATTRO	24-24	★	★	★						★	★	4D			✓	✓		
A6 QUATTRO	23-23	CL★					DS			★	★	4D			✓	✓		
A6 QUATTRO	21-22	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A6 QUATTRO	20-20	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A6 QUATTRO	12-19	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A6 QUATTRO	11-11	AL CL★	★	DS★	DS		DS	DS				4D			✓	✓	7	
A6 QUATTRO	09-10	AL CL★	★	DS★	DS			DS				4D			✓	✓	7	
A6 QUATTRO	06-08	AL CL★	★	DS★				DS				4D			✓	✓	7	
A6/S6/RS 6 QUATTRO	25-25	★	★	★						★	★	4D			✓	✓		
A7 QUATTRO	21-21	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A7 QUATTRO	20-20	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		
A7 QUATTRO	12-19	AL CL★	DS★	DS★	DS		DS			★	★	4D			✓	✓		

AUDI		ADAS Calibrations											Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
A7 SPORTBACK	22-22	AL CL★	DS★	DS★	DS				★	★	★	4D			✓	✓		
A7 SPORTBACK	21-21	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
A8 QUATTRO	21-23	AL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
A8 QUATTRO	10-20	AL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
A8 QUATTRO	09-09	AL CL★	DS★	DS★	DS			DS				4D	+		✓	✓	7	
A8 QUATTRO	08-08	AL CL★	DS★	DS★								4D	+		✓	✓	7	
A8 QUATTRO	06-07	AL CL★	★	DS★								4D	+		✓	✓	7	
A8/S8	24-24	★	★	★					★	★	★	4D			✓	✓		
A8/S8	10-10	CL★	★	★								4D	+		✓	✓	7	
ALLROAD	16-16	AL CL★	★	DS★	DS			DS		★		4D			✓			
ALLROAD	14-15	AL CL★	★	DS★						★		4D			✓			
ALLROAD	13-13	AL CL★	★	DS★	DS			DS		★		4D			✓			
E-TRON GT	24-24	★	★	★							★	4D			✓	✓		
E-TRON GT	23-23	AL★	DS★				DS				★	4D			✓	✓		
E-TRON GT	22-22	AL★	DS★	DS★	DS		DS				★	4D			✓	✓		
E-TRON QUATTRO	23-23	AL CL★	DS★				DS				★	4D			✓	✓		
E-TRON QUATTRO	22-22	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
E-TRON QUATTRO	21-21	AL CL★	DS★	DS★	DS						★	4D			✓	✓		
E-TRON QUATTRO	19-20	AL CL★	DS★	DS★	DS		DS	DS			★	4D			✓	✓		
E-TRON S	22-23	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
E-TRON S SPORTBACK	22-23	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
E-TRON SPORTBACK	23-23	AL CL★	DS★				DS				★	4D			✓	✓		
E-TRON SPORTBACK	22-22	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
E-TRON SPORTBACK	21-21	AL CL★	DS★	DS★	DS						★	4D			✓	✓		
E-TRON SPORTBACK	20-20	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes			
▼		▼		▲			▼		▲			
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools		
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.		
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.		
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment		
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment		
									Ibs	Requires loading of vehicle before alignment		

AUDI		ADAS Calibrations											Wheel Alignment Adjustments				
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
Q3	24-24	★	★	★								4D			✓	✓	
Q3	23-23	★	UA★		UA							4D			✓	✓	
Q3	21-22	AL★	UA★	UA   DS★	UA   DS							4D			✓	✓	
Q3	19-20	AL★	UA★	UA   DS★	UA   DS							4D			✓	✓	
Q3	18-18	AL CL★	★	DS	DS			DS	DS			4D			✓	✓	
Q3	16-17	AL CL★	DS★	DS	DS			DS	DS			4D			✓	✓	
Q3	15-15	AL CL★	★	DS	DS			DS	DS			4D			✓	✓	
Q3 4X4 SPORT SUSP G03	24-24	★	UA★	UA★	UA							4D			✓	✓	
Q3 QUATTRO	18-18	AL CL★	★	DS	DS			DS	DS			4D			✓	✓	
Q3 QUATTRO	16-17	AL CL★	DS★	DS	DS			DS	DS			4D			✓	✓	
Q3 QUATTRO	15-15	AL CL★	★	DS	DS			DS	DS			4D			✓	✓	
Q4 E-TRON	24-24	★	★	★								4			✓	✓	
Q4 E-TRON	23-23	★		AL★				DS				4			✓	✓	
Q4 E-TRON	22-22	AL★	DS★	DS★	DS			DS				4			✓	✓	
Q4 E-TRON SPORTBACK	23-23	★		AL★				DS				4			✓	✓	
Q4 E-TRON SPORTBACK	22-22	AL★	DS★	DS★	DS			DS				4			✓	✓	
Q5	23-23	CL★	UA   DS★	DS★	UA   DS			DS	DS   !		★	4D			✓	✓	
Q5	21-22	AL CL★	UA   DS★	DS★	UA   DS			DS	DS   !		★	4D			✓	✓	
Q5	17-20	AL CL★	UA   DS★	DS★	UA   DS			DS	DS   !		★	4D			✓	✓	
Q5	13-16	AL CL★	★	DS★	DS			DS	DS		★	4D			✓		
Q5	09-12	AL CL★	★	DS★	DS			DS	DS		★	4D			✓		
Q5 PHEV	22-23	AL CL★	UA   DS★	DS★	UA   DS			DS	DS   !		★	4D			✓	✓	
Q5 PHEV	21-21	AL CL★	UA   DS★	DS★	UA   DS				DS   !		★	4D			✓	✓	
Q5 PHEV	20-20	AL CL★	UA   DS★	DS★	UA   DS			DS	DS   !		★	4D			✓	✓	
Q5 SPORTBACK	22-23	AL CL★	UA   DS★	DS★	UA   DS				DS   !		★	4D			✓	✓	
Q5 SPORTBACK	21-21	AL CL★	UA   DS★	DS★	UA   DS				DS   !		★	4D			✓	✓	
Q5/SQ5 QUATTRO	24-24	CL★	UA★		UA				!		★	4D			✓	✓	
Q7	23-23	AL CL★	DS★	DS★	DS			DS			★	4D			✓	✓	
Q7	21-22	AL CL★	DS★	DS★	DS			DS			★	4D			✓	✓	
Q7	17-20	AL CL★	DS★	DS★	DS			DS			★	4D			✓	✓	
Q7	09-15	AL CL★	★	DS★	DS			DS	DS			4	✓	✓	✓	✓	
Q7	07-08	AL CL★	★	DS★				DS	DS			4	✓	✓	✓	✓	
Q7/SQ7	24-24	CL★		CL★							★	4D			✓	✓	
Q8	23-23	AL CL★	DS★	DS★	DS			DS		★	★	4			✓	✓	
Q8	22-22	AL CL★	DS★	DS★	DS			DS		★	★	4			✓	✓	
Q8	21-21	AL CL★	DS★	DS★	DS			DS		★	★	4			✓	✓	
Q8	19-20	AL CL★	DS★	DS★	DS			DS		★	★	4			✓	✓	
Q8/SQ8/RS Q8	24-24	CL★		CL★						★	★	4			✓	✓	
R8	21-23	AL★		DS	DS			DS		★	4D				✓		
R8	20-20	AL★		DS	DS			DS		★	4D				✓		
R8	09-18	AL★		DS	DS			DS		★	4D				✓		
R8	08-08	AL★						DS			4		✓	✓	✓		

AUDI		ADAS Calibrations											Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
RS E-TRON GT	22-23	AL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS Q8	23-23	AL CL★	DS★				DS		★		★	4			✓	✓		
RS Q8	21-22	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓		
RS Q8	20-20	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓		
RS3	22-23	AL★	DS★	DS★	DS		DS					4D			✓	✓		
RS3	18-20	AL	DS★	DS★	DS			DS				4D			✓	✓		
RS3	17-17	AL	★	DS★	DS			DS				4D			✓	✓		
RS4	07-08	AL CL★		DS								4D	+		✓	✓	7	
RS5	23-23	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS5	21-22	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS5	19-19	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS5	18-18	AL CL★		DS★	DS		DS				★	4D			✓	✓		
RS5	14-15	AL CL★	★	DS★			DS				★	4D			✓			
RS5	13-13	AL CL★	★	DS★	DS		DS	DS			★	4D			✓			
RS5 SPORTBACK	23-23	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS5 SPORTBACK	21-22	AL CL★	DS★	DS★	DS		DS				★	4D			✓	✓		
RS5 SPORTBACK	19-19	AL CL★	DS★	DS★	DS						★	4D			✓	✓		
RS6 AVANT	23-23	CL★	DS★				DS		★	★	★	4D			✓	✓		
RS6 AVANT	21-22	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
RS7	14-18	AL CL★	DS★	DS★	DS		DS	DS	★	★	★	4D			✓			
RS7 SPORTBACK	23-23	CL★	DS★				DS		★	★	★	4D			✓	✓		
RS7 SPORTBACK	21-22	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S3	22-23	AL★	DS★	DS★	DS		DS					4D			✓	✓		
S3	17-20	AL CL★	DS★	DS★	DS			DS				4D			✓	✓		
S3	16-16	AL CL★	DS★	DS★	DS		DS	DS				4D			✓	✓		
S3	15-15	AL CL★	★	DS★			DS					4D			✓	✓		

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼		▼		▲		▼		▲		▼		▲		▼		▲	
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

AUDI		ADAS Calibrations											Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
S4	23-23	CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
S4	21-22	AL CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
S4	18-20	AL CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
S4	10-16	AL CL★	★	DS★	DS		DS	DS		★		4D			✓			
S4	09-09	AL CL★	★	DS★			DS	DS		★		4D			✓			
S4	06-08	AL CL★		DS								4D	+		✓	✓	7	
S5	23-23	CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S5	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S5	18-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S5	09-17	AL CL★	★	DS★	DS		DS			★		4D			✓			
S5	08-08	AL CL★	★	DS★			DS	DS		★		4D			✓			
S5 SPORTBACK	23-23	CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S5 SPORTBACK	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S5 SPORTBACK	18-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
S6	23-23	AL CL★	DS★				DS		★	★	★	4D			✓	✓		
S6	21-22	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S6	20-20	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S6	13-18	AL CL★	DS★	DS★	DS		DS	DS		★	★	4D			✓			
S6	11-11	AL CL★	★	DS★	DS		DS	DS				4D			✓	✓	7	
S6	09-10	AL CL★	★	DS★	DS			DS				4D			✓	✓	7	
S6	07-08	AL CL★	★	DS★				DS				4D			✓	✓	7	
S7	21-22	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S7	20-20	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S7	13-18	AL CL★	DS★	DS★	DS		DS	DS		★	★	4D			✓			
S7 SPORTBACK	23-23	CL★	DS★						★	★	★	4D			✓	✓		
S7 SPORTBACK	22-22	AL CL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S8	22-23	AL★	DS★	DS★	DS		DS		★	★	★	4D			✓	✓		
S8	21-21	AL★	DS★	DS★	DS				★	★	★	4D			✓	✓		
S8	20-20	AL★	DS★	DS★	DS				★	★	★	4D			✓	✓		
S8	13-18	AL CL★	DS★	DS★	DS		DS	DS		★	★	4D			✓			
S8	09-09	AL CL★	★	DS★	DS			DS				4D	+		✓	✓	7	
S8	07-08	AL CL★	★	DS★								4D	+		✓	✓	7	
SQ5	23-23	CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
SQ5	21-22	AL CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
SQ5	17-20	AL CL★	UA   DS★	DS★	UA   DS		DS	DS   !		★		4D			✓	✓		
SQ5	16-16	AL CL★	★	DS★	DS		DS	DS		★		4D			✓			
SQ5	14-15	AL CL★	★	DS★			DS			★		4D			✓			
SQ5 SPORTBACK	22-23	AL CL★	UA   DS★	DS★	UA   DS			DS   !		★		4D			✓	✓		
SQ5 SPORTBACK	21-21	AL CL★	UA★	DS★	UA   DS			DS   !		★		4D			✓	✓		
SQ7	23-23	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
SQ7	21-22	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		
SQ7	20-20	AL CL★	DS★	DS★	DS		DS			★		4D			✓	✓		

AUDI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
SQ8	23-23	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓	
SQ8	22-22	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓	
SQ8	21-21	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓	
SQ8	20-20	AL CL★	DS★	DS★	DS		DS		★		★	4			✓	✓	
TT	10-14	CL★										4		✓	✓	✓	
TT	09-09	AL CL★		DS	DS							4		✓	✓	✓	
TT	08-08	AL CL★										4		✓	✓	✓	
TT	06-06	AL CL★										4D	+	✓	+		
TT QUATTRO	23-23	AL CL★	DS★	DS			DS	DS				4D			✓	✓	
TT QUATTRO	21-22	AL CL★	DS★	DS	DS		DS	DS				4D			✓	✓	
TT QUATTRO	19-20	AL CL★	DS★	DS	DS		DS	DS				4D			✓	✓	
TT QUATTRO	16-18	AL CL★	★	DS	DS		DS	DS				4D			✓	✓	
TT QUATTRO	15-15	AL CL★		DS	DS			DS				4		✓	✓	✓	
TT QUATTRO	14-14	CL★										4		✓	✓	✓	
TT QUATTRO	11-11	CL★										4		✓	✓	✓	
TT QUATTRO	09-14	AL CL★		DS	DS							4		✓	✓	✓	
TT QUATTRO	08-08	AL CL★										4		✓	✓	✓	
TT QUATTRO	06-06	AL CL★										4D	+	✓	✓		
TT RS QUATTRO	22-22	AL CL★	DS★	DS	DS		DS	DS				4D			✓	✓	
TT RS QUATTRO	21-21	AL CL★	DS★	DS	DS			DS				4D			✓	✓	
TT RS QUATTRO	20-20	AL CL★	DS★	DS	DS		DS	DS				4D			✓	✓	
TTS QUATTRO	23-23	AL CL★	DS★	DS				DS				4D			✓	✓	
TTS QUATTRO	21-22	AL CL★	DS★	DS	DS			DS				4D			✓	✓	
TTS QUATTRO	20-20	AL CL★	DS★	DS	DS			DS				4D			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▲	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

**BENTLEY****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
<b>BENTAYGA</b>	<b>17-24</b>	★	★	★							★	4D			✓	✓	
<b>BENTAYGA V6 PHEV</b>	<b>24-24</b>	★	★	★							★	4D			✓	✓	
<b>CONTINENTAL FLYING SPUR</b>	<b>12-13</b>	★		★								4D			✓	✓	7
<b>CONTINENTAL GT</b>	<b>14-14</b>	★		★								4D			✓	✓	7
<b>CONTINENTAL GT</b>	<b>06-11</b>	★		★								4D	+		✓	✓	7
<b>CONTINENTAL GT MSB</b>	<b>20-24</b>	★	★	★							★	4D			✓	✓	
<b>CONTINENTAL GT SPEED/V8 S</b>	<b>14-18</b>	★		★								4D			✓	✓	7
<b>CONTINENTAL GTC</b>	<b>18-18</b>	★		★								4D			✓	✓	7
<b>MULSANNE</b>	<b>11-20</b>	★		★								4	✓	✓	✓	✓	

Model	ADAS Calibrations											Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
<b>1 SERIES M (E82)</b>	<b>11-11</b>	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
<b>128I (E82/E88)</b>	<b>08-13</b>	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
<b>135I (E82/E88)</b>	<b>08-13</b>	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
<b>135IS (E82/E88)</b>	<b>13-13</b>	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
<b>2 SERIES GRAN COUPE F44</b>	<b>24-24</b>	CL★		★								4D			✓	✓	5 lbs
<b>228I (F22)</b>	<b>14-14</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>228I (F22/F23)</b>	<b>15-16</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>228I GRAN COUPE (F44)</b>	<b>23-23</b>	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
<b>228I GRAN COUPE (F44)</b>	<b>22-22</b>	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
<b>228I GRAN COUPE (F44)</b>	<b>21-21</b>	AL CL★	AL	★								4D			✓	✓	5 lbs
<b>228I XDRIVE (F22/F23)</b>	<b>16-16</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>228I XDRIVE GRAN COUPE (F44)</b>	<b>23-23</b>	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
<b>228I XDRIVE GRAN COUPE (F44)</b>	<b>21-22</b>	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
<b>228I XDRIVE GRAN COUPE (F44)</b>	<b>20-20</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>230I (F22/F23)</b>	<b>21-21</b>	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
<b>230I (F22/F23)</b>	<b>19-20</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>230I (F22/F23)</b>	<b>17-18</b>	AL CL★	AL	★	AL	AL	AL					4D			✓	✓	5 lbs
<b>230I (G42)</b>	<b>23-23</b>	AL★	AL	DS★	AL	AL	AL					4D					5 lbs
<b>230I XDRIVE (F22)</b>	<b>21-21</b>	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
<b>230I XDRIVE (F22/F23)</b>	<b>19-20</b>	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
<b>230I XDRIVE (F22/F23)</b>	<b>17-18</b>	AL CL★	AL	★	AL	AL	AL					4D			✓	✓	5 lbs
<b>230I XDRIVE (G42)</b>	<b>23-23</b>	AL★	AL	DS★	AL	AL	AL					4D					5 lbs

BMW		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
320I (F30)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
320I (F30)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
320I (F30)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
320I (F30)	15-15	AL CL★	AL	DS★								4D			✓	✓	5 lbs
320I (F30)	14-14	AL CL★	AL	DS★								4D			✓	✓	5 lbs
320I SEDAN (F30)	13-13	AL★	AL	DS★						★		4D	+		✓	✓	5 lbs
320I XDRIVE (F30)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
325CI (E46)	06-06	AL★		★						★		4D	+		✓	✓	5 lbs
325I (E90/E91)	06-06	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
325XI (E90/E91)	06-06	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
328D (F30)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
328D (F30)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
328D (F30)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328D (F30/F31)	15-15	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328D (F30/F31)	14-14	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
328D XDRIVE (F30)	18-18	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328D XDRIVE (F30/F31)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
328D XDRIVE (F30/F31)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328I (E90/E91/E92/E93)	07-11	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
328I (F30)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328I (F30/F31)	15-15	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328I (F30/F31)	14-14	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
328I GT (F34)	15-15	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328I GT (F34)	14-14	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
328I GT XDRIVE (F34)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328I XDRIVE (F30/F31)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
328XI (E90/E91)	07-07	AL★		DS★	AL				★			4D	+		✓	✓	5 lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
10								lbs	Requires loading of vehicle before alignment							

**ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
328XI (E90/E91/E92)	08-08	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
330CI (E46)	06-06	AL★		★						★		4D	+		✓	✓	5 lbs
330E (F30)	18-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330E (F30)	17-17	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330E (F30)	16-16	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
330E (G20)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
330E (G20)	22-22	AL CL★	AL	DS★	AL							4D					5 lbs
330E (G20)	21-21	AL CL★	AL	DS★								4D					5 lbs
330E XDRIVE (G20)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
330E XDRIVE (G20)	22-22	AL CL★	AL	DS★	AL							4D					5 lbs
330E XDRIVE (G20)	21-21	AL CL★	AL	DS★								4D					5 lbs
330I (E90)	06-06	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
330I (F30)	18-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330I (F30)	17-17	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330I (G20)	21-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
330I (G20/G21)	20-20	AL CL★	AL	★	AL	AL	AL					4D					5 lbs
330I GT XDRIVE (F34)	19-19	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
330I GT XDRIVE (F34)	17-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330I XDRIVE (F30)	18-18	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
330I XDRIVE (F30/F31)	17-17	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
330I XDRIVE (G20)	21-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
330I XDRIVE (G20/G21)	20-20	AL CL★	AL	★	AL	AL	AL					4D					5 lbs
330XI (E90)	06-06	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335D (E90 LCI)	11-11	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335D (E90)	09-10	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335I (E90/E92)	09-10	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335I (E90/E92/E93)	11-11	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335I (E90/E92/E93)	07-08	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335I (F30)	15-15	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
335I (F30)	14-14	AL CL★	AL	DS★								4D			✓	✓	5 lbs
335I GT (F34)	15-15	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
335I GT (F34)	14-14	AL CL★	AL	DS★								4D			✓	✓	5 lbs
335I GT XDRIVE (F34)	16-16	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
335IS (E92/E93)	11-11	AL★		DS★						★		4D	+		✓	✓	5 lbs
335IS COUPE/CONV (E92/E93)	12-13	AL★		DS★						★		4D	+		✓	✓	5 lbs
335XI (E90)	07-07	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
335XI (E90/E92)	08-08	AL★		DS★	AL					★		4D	+		✓	✓	5 lbs
340I (F30)	17-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
340I (F30)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
340I GT XDRIVE (F34)	19-19	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
340I GT XDRIVE (F34)	17-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs

BMW		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
340I XDRIVE (F30)	18-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
340I XDRIVE (F30)	17-17	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
340I XDRIVE (F30)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
428I (F32/F33)	14-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
428I GRAN COUPE (F36)	15-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
428I XDRIVE (F32/F33)	16-16	AL CL★	AL	★								4D			✓	✓	5 lbs
428I XDRIVE GRAN COUPE (F36)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
430I (F32/F33)	19-20	AL CL★	AL	DS★			AL					4D			✓	✓	5 lbs
430I (F32/F33)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
430I (F32/F33)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
430I (G22)	21-21	AL CL★	AL	DS★			AL					4D					5 lbs
430I (G22/G23)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
430I GRAN COUPE (F36)	19-20	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
430I GRAN COUPE (F36)	17-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
430I GRAN COUPE (G26)	23-23	AL★	AL	DS★	AL	AL	AL					4D					5 lbs
430I GRAN COUPE (G26)	22-22	AL★	AL	DS★	AL		AL					4D					5 lbs
430I XDRIVE (F32/F33)	19-20	AL CL★	AL	DS★			AL					4D			✓	✓	5 lbs
430I XDRIVE (F32/F33)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
430I XDRIVE (F32/F33)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
430I XDRIVE (G22)	21-21	AL CL★	AL	DS★			AL					4D					5 lbs
430I XDRIVE (G22/G23)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
430I XDRIVE (G22/G23)	22-22	AL CL★	AL	DS★	AL		AL					4D					5 lbs
430I XDRIVE GRAN COUPE (F36)	19-20	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
430I XDRIVE GRAN COUPE (F36)	17-18	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
430I XDRIVE GRAN COUPE (G26)	23-23	AL★	AL	DS★	AL	AL	AL					4D					5 lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes				
★	Required procedure after wheel alignment - Standard Feature	▼	UA	Ultimate ADAS target placement	▲	4	4-wheel alignment, equipped with standard factory adjustments	▼	✓	Adjustable factory	▲	4.	May require special OEM procedures/tools
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.				
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable	6	Requires Spreader Bar to measure and set front toe.				
	Coverage - Static Procedure	AL	ADASLink Coverage	T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment				
!	Support Coming Soon			TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment				
								lbs	Requires loading of vehicle before alignment				

**ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
435I (F32/F33)	16-16	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
435I (F32/F33)	14-15	AL CL★	AL	DS★			AL					4D			✓	✓	5 lbs
435I GRAN COUPE (F36)	15-16	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
435I XDRIVE (F32/F33)	16-16	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
435I XDRIVE GRAN COUPE (F36)	16-16	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
440I (F32/F33)	19-20	AL CL★	AL	DS★								4D			✓	✓	5 lbs
440I (F32/F33)	18-18	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
440I (F32/F33)	17-17	AL CL★	AL	DS★		AL	AL					4D			✓	✓	5 lbs
440I GRAN COUPE (F36)	19-20	AL CL★	AL	DS★								4D			✓	✓	5 lbs
440I GRAN COUPE (F36)	17-18	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
440I XDRIVE (F32/F33)	19-20	AL CL★	AL	DS★								4D			✓	✓	5 lbs
440I XDRIVE (F32/F33)	18-18	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
440I XDRIVE (F32/F33)	17-17	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
440I XDRIVE GRAN COUPE (F36)	19-20	AL CL★	AL	DS★								4D			✓	✓	5 lbs
440I XDRIVE GRAN COUPE (F36)	17-18	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
525I (E60)	06-07	AL★		DS★							★	4			✓	✓	5 lbs
525XI (E60)	06-07	AL★		DS★							★	4			✓	✓	5 lbs
528I (E60)	08-10	AL★	AL	DS★							★	4			✓	✓	5 lbs
528I (F10)	11-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
528I XDRIVE (F10)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
528XI (E60)	08-08	AL★	AL	DS★						★		4			✓	✓	5 lbs
530E (G30)	23-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
530E (G30)	22-22	AL★	AL	DS★	AL				★	★		4D			✓	✓	5 lbs
530E (G30)	21-21	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
530E (G30)	18-20	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
530E XDRIVE (G30)	18-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
530I (E60/E61)	06-07	AL★		DS★						★		4			✓	✓	5 lbs
530I (G30)	18-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
530I (G30)	17-17	★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
530I XDRIVE (G30)	18-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
530I XDRIVE (G30)	17-17	★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
530XI (E60/E61)	06-07	AL★		DS★						★		4			✓	✓	5 lbs
535D (F10)	14-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
535D XDRIVE (F10)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
535I (E60)	08-10	AL★	AL	DS★						★		4			✓	✓	5 lbs
535I (E60/E61)	09-09	AL★	AL	DS★						★		4			✓	✓	5 lbs
535I (F10)	11-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
535I GT (F07)	17-17	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
535I GT (F07)	10-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs

BMW		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
535I GT XDRIVE (F07)	17-17	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
535I GT XDRIVE (F07)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
535I XDRIVE (F10)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
535XI (E60/E61)	08-08	AL★	AL	DS★						★		4			✓	✓	5 lbs
540D XDRIVE (G30)	18-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
540I (G30)	18-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
540I (G30)	17-17	★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
540I XDRIVE (G30)	18-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
540I XDRIVE (G30)	17-17	★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
550I (E60)	08-10	AL★	AL	DS★						★		4			✓	✓	5 lbs
550I (E60)	06-07	AL★		DS★						★		4			✓	✓	5 lbs
550I (F10)	11-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
550I GT (F07)	10-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
550I GT XDRIVE (F07)	17-17	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
550I GT XDRIVE (F07)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
550I XDRIVE (F10)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
640I GRAN TURISMO (G32)	18-18	AL	AL	DS★	AL				★	★		4D			✓	✓	5 lbs
640I (F12/F13)	17-18	AL★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
640I (F12/F13)	12-16	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
640I GRAN COUPE (F06)	17-18	AL★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
640I GRAN COUPE (F06)	13-16	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
640I XDRIVE (F12/F13)	17-18	AL★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
640I XDRIVE (F12/F13)	16-16	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
640I XDRIVE GRAN COUPE (F06)	19-19	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
640I XDRIVE GRAN COUPE (F06)	17-18	AL★	AL	DS★		AL	AL		★	★		4D			✓	✓	5 lbs
640I XDRIVE GRAN COUPE (F06)	16-16	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼	▼	▼	▼	▲	▼	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools					
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.					
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.					
	Coverage - Static Procedure								7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment				
!	Support Coming Soon	AL	ADASLink Coverage	T	Thrust-line alignment (no rear adjustments)	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment					
									lbs	Requires loading of vehicle before alignment					

**ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
640I XDRIVE GRAN TURISMO (G32)	19-19	AL	AL	DS★	AL				★	★		4D			✓	✓	5 lbs
650I (E63/E64)	08-10	AL★	AL	DS★					★			4D			✓	✓	5 lbs
650I (E63/E64)	06-07	AL★		DS★					★			4D			✓	✓	5 lbs
650I (F12/F13)	17-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
650I (F12/F13)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
650I (F12/F13)	12-15	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
650I GRAN COUPE (F06)	19-19	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
650I GRAN COUPE (F06)	17-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
650I GRAN COUPE (F06)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
650I GRAN COUPE (F06)	13-15	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
650I XDRIVE (F12/F13)	17-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
650I XDRIVE (F12/F13)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
650I XDRIVE GRAN COUPE (F06)	19-19	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
650I XDRIVE GRAN COUPE (F06)	17-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
650I XDRIVE GRAN COUPE (F06)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
740E XDRIVE (G12)	17-19	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
740I (F01)	11-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
740I (G12)	16-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
740I (G70)	23-23	★	AL	DS		AL	AL					4D			✓	✓	5 lbs
740I XDRIVE (G12)	17-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
740LD (F02)	15-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
740LI (F02)	11-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
745E XDRIVE (G12)	20-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
750I (E65)	06-08	AL CL★		DS★								4D			✓	✓	5 lbs
750I (F01)	09-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
750I (F01/F04)	11-12	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
750I (G12)	16-19	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
750I XDRIVE (G12)	16-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
750LI (E66)	06-08	AL CL★		DS★								4D			✓	✓	5 lbs
750LI (F02)	09-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
750LI (F02/F04)	11-12	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
760I (E65)	06-06	AL CL★		DS★								4D			✓	✓	5 lbs
760I XDRIVE (G70)	23-23	★	AL	DS		AL	AL					4D			✓	✓	5 lbs
760LI (E66)	06-08	AL CL★		DS★								4D			✓	✓	5 lbs
760LI (F02)	10-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
840I (G14/G15)	20-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
840I GRAN COUPE (G16)	20-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
840I XDRIVE (G14/G15)	20-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs

BMW		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
840I XDRIVE GRAN COUPE (G16)	20-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
ACTIVEHYBRID 3 (F30)	15-15	AL CL★	AL	DS★								4D			✓	✓	5 lbs
ACTIVEHYBRID 3 (F30)	14-14	AL CL★	AL	DS★								4D			✓	✓	5 lbs
ACTIVEHYBRID 3 (F30)	13-13	AL★	AL	DS★					★			4D	+		✓	✓	5 lbs
ACTIVEHYBRID 5 (F10)	16-16	AL★		DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ACTIVEHYBRID 5 (F10)	13-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ACTIVEHYBRID 7 (F04)	13-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ALPINA B6 GRAN COUPE (F06)	15-15	AL★	AL	DS★					★	★		4D			✓	✓	5 lbs
ALPINA B6 XDRIVE GRAN COUPE (F06)	19-19	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ALPINA B6 XDRIVE GRAN COUPE (F06)	17-18	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
ALPINA B6 XDRIVE GRAN COUPE (F06)	16-16	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ALPINA B7 (E65)	07-08	AL CL★		DS★								4D			✓	✓	5 lbs
ALPINA B7 (F01)	11-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ALPINA B7 (G12)	17-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
ALPINA B7L (F02)	11-15	AL★	AL	DS★	AL		AL		★	★		4D			✓	✓	5 lbs
ALPINA B8 GRAN COUPE (G16)	22-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
ALPINA XB7 (G07)	23-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
ALPINA XB7 (G07)	21-22	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
I3 (I01)	19-21	AL	AL		AL							4D			✓	✓	lbs
I3 (I01)	17-18	AL	AL		AL	AL	AL					4D			✓	✓	lbs
I3 (I01)	14-16	AL	AL		AL							4D			✓	✓	lbs
I3S (I01)	19-21	AL	AL		AL							4D			✓	✓	lbs
I3S (I01)	18-18	AL	AL		AL	AL	AL					4D			✓	✓	lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼	▼	▼	▼	▲	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼	
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
									lbs	Requires loading of vehicle before alignment							

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
I4 (G26)	23-23	AL★	AL	★	AL							4D					5 lbs
I4 (G26)	22-22	AL★	AL	DS★	AL							4D					5 lbs
I7 (G70)	23-23	★	AL	DS★			AL	AL				4D					5 lbs
I8 (I12)	17-17	AL	AL				AL	AL				4D			✓	✓	lbs
I8 (I12)	15-20	AL	AL									4D			✓	✓	lbs
IX (I20)	23-23	★		DS								4D					5 lbs
IX (I20)	23-23	★	AL	DS			AL	AL				4D					5 lbs
M2 (F87)	21-21	AL CL★	AL	DS	AL							4D			✓	✓	5 lbs
M2 (F87)	19-20	AL CL★	AL		AL							4D			✓	✓	5 lbs
M2 (F87)	17-18	AL CL★	AL		AL		AL	AL				4D			✓	✓	5 lbs
M2 (F87)	16-16	AL CL★	AL		AL							4D			✓	✓	5 lbs
M2 (G87)	23-23	AL★	AL	DS★	AL			AL				4D			✓	✓	5 lbs
M235i (F22)	14-14	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
M235i (F22/F23)	15-16	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
M235i XDRIVE (F22/F23)	16-16	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
M235i XDRIVE GRAN COUPE (F44)	23-23	AL CL★	AL	DS★	AL		AL	AL				4D			✓	✓	5 lbs
M235i XDRIVE GRAN COUPE (F44)	21-22	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
M235i XDRIVE GRAN COUPE (F44)	20-20	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
M240i (F22/F23)	21-21	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
M240i (F22/F23)	19-20	AL CL★	AL	★	AL							4D			✓	✓	5 lbs
M240i (F22/F23)	17-18	AL CL★	AL	★	AL		AL	AL				4D			✓	✓	5 lbs
M240i (G42)	23-23	★	AL	DS★								4D					5 lbs
M240i XDRIVE (F22)	22-22	AL★	AL	DS★	AL							4D					5 lbs
M240i XDRIVE (F22/F23)	21-21	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
M240i XDRIVE (F22/F23)	17-20	AL CL★	AL	★	AL		AL	AL				4D			✓	✓	5 lbs
M3 (E46)	06-06	AL★		★							★	4D	+		✓	✓	5 lbs
M3 (E90/E92/E93)	08-11	AL★		DS★	AL						★	4D	+		✓	✓	5 lbs
M3 (E92/E93)	12-13	AL★		DS★							★	4D	+		✓	✓	5 lbs
M3 (F80)	18-18	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
M3 (F80)	17-17	AL CL★	AL	DS★			AL	AL				4D			✓	✓	5 lbs
M3 (F80)	16-16	AL CL★	AL	DS★								4D			✓	✓	5 lbs
M3 (F80)	15-15	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
M3 (G80)	23-23	AL CL★	AL	DS★	AL		AL	AL				4D					5 lbs
M3 (G80)	22-22	AL CL★	AL	DS★	AL			AL				4D					5 lbs
M3 (G80)	21-21	AL CL★	AL	★				AL				4D					5 lbs
M340i (G20)	21-23	AL CL★	AL	DS★	AL		AL	AL				4D					5 lbs
M340i (G20)	20-20	AL CL★	AL	★	AL		AL	AL				4D					5 lbs
M340i XDRIVE (G20)	21-23	AL CL★	AL	DS★	AL		AL	AL				4D					5 lbs
M340i XDRIVE (G20)	20-20	AL CL★	AL	★	AL		AL	AL				4D					5 lbs

BMW		ADAS Calibrations										Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
M4 (F82/F83)	19-20	AL CL★	AL		AL		AL					4D			✓	✓	5 lbs	
M4 (F82/F83)	18-18	AL CL★	AL		AL	AL	AL					4D			✓	✓	5 lbs	
M4 (F82/F83)	17-17	AL CL★	AL			AL	AL					4D			✓	✓	5 lbs	
M4 (F82/F83)	15-16	AL CL★	AL									4D			✓	✓	5 lbs	
M4 (G82)	21-21	AL★	AL	★			AL					4D			✓	✓	5 lbs	
M440I (G22/G23)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs	
M440I (G23)	21-21	AL CL★	AL	DS★			AL					4D					5 lbs	
M440I GRAN COUPE (G26)	23-23	AL★	AL	DS★	AL	AL	AL					4D					5 lbs	
M440I XDRIVE (G22/G23)	23-23	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs	
M440I XDRIVE (G22/G23)	22-22	AL CL★	AL	DS★	AL		AL					4D					5 lbs	
M440I XDRIVE (G22/G23)	21-21	AL CL★	AL	DS★			AL					4D					5 lbs	
M440I XDRIVE GRAN COUPE (G26)	23-23	AL★	AL	DS★	AL	AL	AL					4D					5 lbs	
M440I XDRIVE GRAN COUPE (G26)	22-22	AL★	AL	DS★	AL		AL					4D					5 lbs	
M5 (E60)	08-10	AL★	AL	DS★								★	4		✓	✓	5 lbs	
M5 (E60)	06-07	AL★		DS★								★	4		✓	✓	5 lbs	
M5 (F10)	13-16	AL★	AL	DS★	AL		AL					★	★	4D		✓	✓	5 lbs
M5 (F90)	18-23	AL★	AL	DS★	AL	AL	AL					★	★	4D		✓	✓	5 lbs
M550I XDRIVE (G30)	18-23	AL★	AL	DS★	AL	AL	AL					★	★	4D		✓	✓	5 lbs
M6 (E63/E64)	08-10	AL★	AL	DS★								★	4D		✓	✓	5 lbs	
M6 (E63/E64)	06-07	AL★		DS★								★	4D		✓	✓	5 lbs	
M6 (F12)	18-18	AL★	AL	DS★			AL	AL				★	★	4D		✓	✓	5 lbs
M6 (F12/F13)	17-17	AL★	AL	DS★			AL	AL				★	★	4D		✓	✓	5 lbs
M6 (F12/F13)	12-16	AL★	AL	DS★								★	★	4D		✓	✓	5 lbs
M6 GRAN COUPE (F06)	19-19	AL★	AL	DS★								★	★	4D		✓	✓	5 lbs
M6 GRAN COUPE (F06)	17-18	AL★	AL	DS★			AL	AL				★	★	4D		✓	✓	5 lbs
M6 GRAN COUPE (F06)	14-16	AL★	AL	DS★								★	★	4D		✓	✓	5 lbs
M760I XDRIVE (G12)	17-22	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼	▼	▼	▼	▲	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
									Ibs	Requires loading of vehicle before alignment							

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
M8 (F91/F92)	23-23	AL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
M8 GRAN COUPE (F93)	20-23	AL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
M850I XDRIVE (G14/G15)	19-23	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
M850I XDRIVE GRAN COUPE (G16)	20-23	AL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
X1 (E84)	13-15	AL CL★		DS★	AL							4D	+		✓	✓	5 lbs
X1 (F48)	23-23	AL★	AL		AL							4D			✓	✓	5 lbs
X1 (F48)	21-22	AL CL★	AL	DS	AL							4D			✓	✓	5 lbs
X1 (F48)	19-20	AL CL★	AL		AL							4D			✓	✓	5 lbs
X1 (F48)	18-18	AL CL★	AL		AL	AL	AL					4D			✓	✓	5 lbs
X1 (F48)	16-17	AL CL★	AL		AL							4D			✓	✓	5 lbs
X2 (F39)	23-23	AL CL★	AL		AL							4D			✓	✓	5 lbs
X2 (F39)	21-22	CL★	AL	DS	AL							4D			✓	✓	5 lbs
X2 (F39)	20-20	AL CL★	AL		AL							4D			✓	✓	5 lbs
X2 (F39)	19-19	CL★	AL		AL							4D			✓	✓	5 lbs
X2 (F39)	18-18	CL★	AL		AL							4D			✓	✓	5 lbs
X3 (E83)	06-10	AL CL★										4D			✓		5 lbs
X3 (F25)	17-17	AL	AL	DS	AL	AL	AL					4D			✓	✓	5 lbs
X3 (F25)	12-16	AL	AL	DS	AL		AL					4D			✓	✓	5 lbs
X3 (F25)	11-11	AL		DS	AL		AL					4D			✓	✓	5 lbs
X3 (G01)	19-19	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
X3 (G01)	18-18	AL CL★	AL	DS★	AL	AL	AL					4D					5 lbs
X4 (F26)	15-18	AL	AL	DS	AL		AL					4D			✓	✓	5 lbs
X5 (E53)	06-06	AL CL★										4D			✓	✓	5 lbs
X5 (E70)	13-13	AL★	AL	DS★	AL					★		4D			✓	✓	5 lbs
X5 (E70)	08-12	AL★	AL	DS★	AL					★		4D			✓	✓	5 lbs
X5 (E70)	07-07	AL★		DS★	AL					★		4D			✓	✓	5 lbs
X5 (F15)	14-14	AL CL★	AL	DS★	AL							4D			✓	✓	5 lbs
X5 (F15/F85)	15-17	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
X5 (G05)	19-19	AL CL★	AL	UA   DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
X6 (E71)	08-14	AL★	AL	DS★	AL					★		4D			✓	✓	5 lbs
X6 (F16/F86)	15-15	AL CL★	AL	DS★	AL		AL					4D			✓	✓	5 lbs
X7	24-24	★		★						★	★	4D			✓	✓	5 lbs
X7 (G07)	23-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
X7 (G07)	21-22	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
X7 (G07)	19-20	AL CL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
XM	24-24	★		★						★	★	4D			✓	✓	5 lbs
XM (G09)	23-23	AL★	AL	DS★	AL	AL	AL		★	★		4D			✓	✓	5 lbs
Z4 (E89)	09-16	AL CL★		DS	AL							4D			✓		5 lbs
Z4 (G29)	21-23	AL CL★	AL	DS★	AL	AL	AL					4D			✓	✓	5 lbs
Z4 (G29)	19-20	AL CL★	AL	★	AL	AL	AL					4D			✓	✓	5 lbs

BMW i		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
I4	24-24	★		★								4D					5 lbs
I5	24-25	★		★								4D					5 lbs
I7	24-24	★		★								4D					5 lbs
IX	22-24	★										4D					5 lbs

BRIGHTDROP		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ZEVO 600	24-24	★										TD					

BUICK		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CASCADA	16-19	AL CL★	AL									TD					lbs
ENCLAVE	23-24	CL★	AL	AL	AL							4D	+		✓	✓	
ENCLAVE	20-22	AL CL★	AL	AL	AL							4D	+		✓	✓	
ENCLAVE	18-19	AL CL★	AL	AL	UA   DS							4D	+		✓	✓	
ENCLAVE	14-17	AL CL★	AL									4D	+		✓	✓	
ENCLAVE	08-13	AL CL★										4D	+		✓	✓	
ENCORE	13-22	AL CL★	AL									TD			+	+	
ENCORE GX	20-24	AL CL★	AL		AL							TD					
ENVISION	23-23	CL★	AL									4D			✓	✓	
ENVISION	21-22	AL CL★	AL	AL								4D			✓	✓	
ENVISION	16-20	AL CL★	AL	AL	UA   DS							4D			✓	✓	
ENVISTA	24-24	★										TD					
LACROSSE	18-19	AL CL★	AL	AL	DS							4D			✓	✓	
LACROSSE	14-17	AL CL★	AL	AL								4D			✓	✓	
LACROSSE	10-13	AL CL★										4D					
LACROSSE	09-09	AL★										4D			+	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼		▼		▲			▼		▲			▲				
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
									lbs	Requires loading of vehicle before alignment						

## 21 BUICK

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
LACROSSE/ALLURE	10-10	CL★										4D					
LACROSSE/ALLURE	09-09	★										4D			+ ✓		
LUCERNE	08-11		AL									4D		✓	+ ✓		
REGAL	14-17	AL CL★	AL	AL								4D					
REGAL	11-13	AL CL★										4D					
REGAL SPORTBACK	18-20	AL CL★	AL	AL								4			✓ ✓		
REGAL TOURX	18-20	AL CL★	AL	AL								4			✓ ✓		
VERANO	17-17	AL CL★	AL	AL								TD			+ +		
VERANO	14-16	AL CL★	AL									TD			+ +		
VERANO	12-13	AL CL★										TD			+ +		

## CADILLAC

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ATS	13-19	AL CL★	AL	AL								4D		✓			
CT4	22-24	AL CL★	AL	AL								4D					
CT4	20-21	AL CL★	AL	AL								4D					
CT5	22-24	AL CL★	AL	AL								4D		✓			
CT5	21-21	AL CL★	AL	AL								4D		✓			
CT5	20-20	AL CL★	AL	AL	AL							4D		✓			
CT6	19-20	AL CL★	AL	AL	AL							4	✓	✓		✓	
CT6	16-18	AL CL★	AL	AL	UA   DS							4	✓	✓		✓	
CTS	16-19	AL CL★	AL	AL	UA   DS							4D		✓			
CTS	14-15	AL CL★	AL	AL								4D		✓			
DTS	08-11		AL									4D		✓	+ ✓		
ELR	15-16	AL CL★	AL	AL								TD			+ +		
ELR	14-14	AL CL★	AL									TD			+ +		
ESCALADE	21-24	AL★	AL	AL	DS							4	✓	✓	✓ ✓		
ESCALADE	15-20	AL CL★	AL	AL	UA   DS							TD	✓	✓			
ESCALADE ESV	24-24	★	AL	AL	DS							4	✓	✓	✓ ✓		
ESCALADE ESV	21-23	AL CL★	AL	AL	UA   DS							TD	✓	✓			
LYRIQ	23-25	★										4D			✓ ✓		
SRX	13-16	AL CL★	AL	AL								4D			✓ ✓		
SRX	10-12	AL CL★										4D			✓ ✓		
STS	08-11		AL									4D			✓ ✓		
XLR	07-09	AL★										4	✓	✓	✓ ✓		
XT4	24-24	AL CL★	AL									4D			✓ ✓		
XT4	19-23	AL CL★	AL	AL	AL							4D			✓ ✓		
XT5	20-24	AL CL★	AL	AL	AL							4D	+		✓ ✓		
XT5	17-19	AL CL★	AL	AL	UA   DS							4D	+		✓ ✓		
XT6	20-24	AL CL★	AL	AL	AL							4D	+		✓ ✓		

CADILLAC		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
XTS	16-19	AL CL★	AL	AL	UA   DS							4D			✓	✓	
XTS	13-15	AL CL★	AL	AL								4D			✓	✓	

CHEVROLET		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
BLAZER	19-24	AL CL★	AL	AL	AL							4D	+		✓	✓	
BLAZER EV	24-24	★										4D			✓	✓	
BOLT EUV	23-23		AL		AL							T					
BOLT EUV	22-22	AL	AL		AL							T					
BOLT EV	20-23	AL CL★	AL		AL							T					
BOLT EV	17-19	AL CL★	AL		UA   DS							T					
CAMARO	19-24	AL CL★	AL									4D		✓			
CAMARO	10-18	AL CL★										4D		✓			
CAPRICE	11-17	AL CL★										4D		✓	✓		
CAPTIVA SPORT	12-15	AL CL★										4D		✓	✓		
CITY EXPRESS	15-18	AL CL★										TD	+				
COBALT	08-10	AL CL★										4S					
COLORADO	24-24	AL★	AL									T	✓	✓			
COLORADO	23-23	★	AL									T	✓	✓			
COLORADO	15-22	AL CL★	AL									TD	✓	✓			
CORVETTE	20-24	★										4	✓	✓	✓	✓	4
CORVETTE	16-19	AL CL★			UA							4	✓	✓	✓	✓	4
CORVETTE	09-15	AL CL★										4	✓	✓	✓	✓	4
CRUZE	16-19	AL CL★	AL	AL								T					
CRUZE	14-15	AL CL★										TD		+	+		
CRUZE (INCL. LIMITED)	11-13	CL★										TD		+	+		
CRUZE LIMITED	16-16	AL CL★										T					

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▲	▼	▼	▲	▼	▲	▼	▲	▼	▲	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
								lbs	Requires loading of vehicle before alignment							

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
EQUINOX	23-24	CL★	AL		AL							4D			✓	✓	
EQUINOX	20-22	AL CL★	AL		AL							4D			✓	✓	
EQUINOX	19-19	AL CL★	AL	AL	UA							4D			✓	✓	
EQUINOX	18-18	AL CL★	AL	AL	UA   DS							4D			✓	✓	
EQUINOX	12-17	AL CL★	AL									4D			✓	✓	
EQUINOX	10-11	AL CL★										4D			✓	✓	
EXPRESS 2500	24-24	CL★	AL									TD	✓	✓		+ 4	
EXPRESS 2500	19-23	AL CL★	AL									TD	✓	✓		+ 4	
EXPRESS 2500	18-18	AL CL★										TD	✓	✓		+ 4	
EXPRESS 3500	24-24	CL★	AL									TD	✓	✓		+ 4	
EXPRESS 3500	19-23	AL CL★	AL									TD	✓	✓		+ 4	
EXPRESS 3500	18-18	AL CL★										TD	✓	✓		+ 4	
EXPRESS/VAN	18-24	CL★										4D	+		✓	✓	
HHR	09-11	AL CL★										4S					
HHR	08-08	AL CL★										4S					
IMPALA	14-20	AL CL★	AL	AL								4D					
IMPALA	13-13	AL CL★										4D			+	✓	
IMPALA LIMITED	14-16	AL CL★										4D					
MALIBU	23-24	CL★	AL	AL								4D					
MALIBU	18-22	AL CL★	AL	AL								4D					
MALIBU	17-17	AL CL★	AL	AL	DS							4D					
MALIBU	16-16	AL CL★	AL	AL								4D					
MALIBU	13-15	AL CL★	AL									4D					
MALIBU	06-12	AL CL★										4D			✓	✓	
MALIBU LIMITED	16-16	AL CL★	AL									4D					
SILVERADO 1500	24-24	AL★	AL									TD	✓	✓			
SILVERADO 1500	22-23	AL★	AL									TD	✓	✓			
SILVERADO 1500	19-21	AL CL★	AL		AL							TD	✓	✓			
SILVERADO 1500	16-18	AL CL★	AL									TD	✓	✓			
SILVERADO 1500	15-15	AL CL★	AL	AL								TD	✓	✓			
SILVERADO 1500	14-14	AL CL★	AL									TD	✓	✓			
SILVERADO 1500 LD	19-19	AL CL★	AL		AL							TD	✓	✓			
SILVERADO 1500 LTD	22-22	AL★	AL		AL							TD	✓	✓			
SILVERADO 2500	15-18	CL★										TD	✓	✓			
SILVERADO 2500 HD	24-24	★	AL									TD	✓	✓			
SILVERADO 2500 HD	22-23	AL★	AL		AL							TD	✓	✓			
SILVERADO 2500 HD	20-21	AL CL★	AL		AL							TD	✓	✓			
SILVERADO 2500 HD	16-19	AL CL★	AL									TD	✓	✓			
SILVERADO 2500 HD	15-15	AL CL★	AL	AL								TD	✓	✓			
SILVERADO 2500 HD	14-14	AL CL★										TD	✓	✓			

CHEVROLET		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
SILVERADO 3500 HD	24-24	★	AL									TD	✓	✓			
SILVERADO 3500 HD	22-23	AL★	AL			AL						TD	✓	✓			
SILVERADO 3500 HD	20-21	AL CL★	AL			AL						TD	✓	✓			
SILVERADO 3500 HD	16-19	AL CL★	AL									TD	✓	✓			
SILVERADO 3500 HD	15-15	AL CL★	AL	AL								TD	✓	✓			
SILVERADO 3500 HD	14-14	AL CL★										TD	✓	✓			
SILVERADO EV	24-24	★										4D	✓		✓	✓	4
SONIC	14-20	AL CL★	AL									TD			+	+	
SONIC	12-13	AL CL★										TD			+	+	
SPARK	16-22	AL CL★	AL									T					
SPARK	13-15	AL CL★										TD		+	+	+	
SPARK EV	14-16	AL★										TD		+	+	+	
SS	14-17	AL CL★	AL									4D			✓	✓	
SUBURBAN	15-24	AL CL★	AL	AL								4	✓	✓	✓	✓	
SUBURBAN 3500 HD	16-19	AL	AL	AL								T	✓	✓			
TAHOE	15-24	AL CL★	AL	AL								4	✓	✓	✓	✓	
TRAILBLAZER	24-24	CL★	AL									TD					
TRAILBLAZER	21-23	AL CL★	AL									TD					
TRAVERSE	20-23	AL CL★	AL	AL	AL							4D	+		✓	✓	
TRAVERSE	18-19	AL CL★	AL	AL	UA   DS							4D	+		✓	✓	
TRAVERSE	14-17	AL CL★	AL									4D	+		✓	✓	
TRAVERSE	09-13	AL CL★										4D	+		✓	✓	
TRAVERSE LIMITED	24-24	CL★	AL	AL	AL							4D	+		✓	✓	
TRAX	24-24	★										TD					
TRAX	15-22	AL CL★	AL									TD			+	+	
TRAX	13-14	CL★										TD			+	+	
VOLT	16-19	AL CL★	AL	AL								T					
VOLT	13-15	AL CL★	AL									TD			+	+	
VOLT	11-12	AL CL★										TD			+	+	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼		▼		▲			▼		▲			▲				
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
									Ibs	Requires loading of vehicle before alignment						

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
200	15-17	CL★	AL	AL   CL★								4D			✓	✓	
300	19-23	AL	AL	AL★								4D				✓	
300	16-18	AL	AL	AL   CL★								4D			✓		
300	13-14	AL		AL   CL★								4D			✓		
300	11-12			AL   CL★								4D			✓		
PACIFICA	19-24	AL	AL	AL★	AL		AL					4D			✓	✓	
PACIFICA	17-18	AL	AL	AL   CL★	AL							4D			✓	✓	
TOWN & COUNTRY	13-14						AL					4S					
VOYAGER	23-24		AL	AL★	AL							4D			✓	✓	
VOYAGER	22-22	AL	AL	AL★	AL							4D			✓	✓	
VOYAGER	21-21	AL	AL	AL★								4D			✓	✓	
VOYAGER	20-20	AL		AL★	AL							4D			✓	✓	

DODGE/RAM/SRT	ADAS Calibrations										Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
1500	24-24	AL★	AL	AL	AL		AL					TD	✓	✓			
1500	19-23	AL★	AL	AL	AL							TD	✓	✓			
1500	13-18	AL★										TD	✓	✓			
1500 CLASSIC	24-24	★	AL	AL	AL		AL					TD	✓	✓			
1500 CLASSIC	20-23	AL★	AL	AL	AL							TD	✓	✓			
1500 CLASSIC	19-19	AL★										TD	✓	✓			
2500	24-24		AL	AL	AL		AL			★		T	✓				
2500	20-23	AL	AL	AL	AL					★		T	✓				
2500	19-19		AL	AL	AL					★		T	✓				
2500	13-13	AL										T	✓	✓			
3500	24-24	AL	AL	AL	AL		AL			★		TD	✓				
3500	20-23	AL	AL	AL	AL					★		TD	✓				
3500	19-19		AL	AL	AL					★		TD	✓				
3500	13-13	AL										TD	✓				
CHALLENGER	19-23	AL		AL★			AL					4D				✓	
CHALLENGER	15-22	AL		AL★								4D				✓	
CHALLENGER	15-17	AL		AL   CL★								4D			✓		
CHALLENGER	14-14			AL								4D			+	✓	
CHARGER	19-23	AL	AL	AL★								4D				✓	
CHARGER	16-18	AL	AL	AL   CL★								4D				✓	
CHARGER	13-14	AL		AL   CL★								4D				✓	
CHARGER	11-12			AL   CL★								4D				✓	
DART	14-14	AL CL★					AL					4D				✓	✓
DART	13-13	CL★					AL					4D				✓	✓

DODGE/RAM/SRT		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
DURANGO	24-24	AL	AL	AL★			AL					4D	✓	✓	✓	✓	
DURANGO	19-23	AL	AL	AL★								4D	✓	✓	✓	✓	
DURANGO	16-18	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
DURANGO	14-15	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
DURANGO	11-13			AL   CL★								4D	✓	✓	✓	✓	
GRAND CARAVAN	13-14						AL					4S					
HORNET	23-24	★		★								4D					✓
PROMASTER 1500	24-24		DS	AL★	AL		AL					4D					
PROMASTER 1500	22-23	AL	DS	AL★	AL							4D					
PROMASTER 1500	21-21		DS	AL★								4D					
PROMASTER 2500	24-24		DS	AL★	AL		AL					4D					
PROMASTER 2500	22-23	AL	DS	AL★	AL							4D					
PROMASTER 2500	21-21		DS	AL★								4D					
PROMASTER 3500	24-24		DS	AL★	AL		AL					4D					
PROMASTER 3500	22-23	AL	DS	AL★	AL							4D					
PROMASTER 3500	21-21		DS	AL★								4D					

FERRARI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
812 SUPERFAST (INCL. GTS)	18-24								★			4D					4 lbs
F12TDF	16-17								★			4D					4 lbs
GTC4LUSSO	17-20								★			4D					4 lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▲	▼	▼	▼	▲	▼	▲	▼	▲	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
500E BEV	24-24			★								T					lbs
500X	16-23	AL★	DS	DS★								4				✓	
500L	14-20	AL★										T					
500	13-19	AL CL★										TD		+	+	+	
500	12-12	AL CL★										TD		+	+	+	

## FORD

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
BRONCO	24-24		AL★	AL	AL		AL					T	✓	✓			
BRONCO	22-23		AL★	AL	AL							T	✓	✓			
BRONCO	21-21		AL★		AL							T	✓	✓			
BRONCO SPORT	24-24		AL   CL★	AL	AL		AL					4D				✓	
BRONCO SPORT	21-23		AL   CL★	AL	AL							4D				✓	
E-250/E-350/E-450/E-SUPER DUTY	25-25	★										TD					4
E-350 SUPER DUTY	21-24		AL★	AL								TD					4
ECOSPORT	19-19				AL							T					
EDGE	24-24		AL   CL★	AL			AL					4D				✓	✓
EDGE	18-20		AL   CL★	AL	DS							4D			✓	✓	
EDGE	15-23		AL   CL★	AL								4D			✓	✓	
EDGE	11-14			AL								4D			✓	✓	
ESCAPE	24-24		AL★	AL	AL		AL					4D		+	✓		
ESCAPE	23-23		AL★	AL	AL							4D		+	✓		
ESCAPE	21-22		AL   CL★	AL								4D		+	✓		
ESCAPE	19-20		AL   CL★	AL	AL							4D		+	✓		
ESCAPE	17-18		AL   CL★	AL								4D				✓	
ESCAPE	08-12	AL CL★										4D	✓		+	✓	
E-TRANSIT	24-24		AL★	AL			AL					4D				✓	
E-TRANSIT	22-23		AL★	AL								4D				✓	
EXPEDITION	24-24		AL   CL★	AL	AL		AL					4D			✓	✓	
EXPEDITION	22-23		AL   CL★	AL	AL							4D			✓	✓	
EXPEDITION	18-21		AL   CL★	AL	UA   DS							4D			✓	✓	
EXPLORER	24-24		AL   CL★	AL	AL		AL					4D			✓	✓	
EXPLORER	20-23		AL   CL★	AL	AL							4D			✓	✓	
EXPLORER	13-19		AL   CL★	AL								4D			✓	✓	
EXPLORER	11-12			AL								4D			✓	✓	
F-150	24-24		AL★	AL	AL		AL					TD					
F-150	21-23		AL★	AL	AL						★	TD					
F-150	15-20		AL   CL★	AL	UA   DS							TD					

FORD		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
F-150 LIGHTNING	24-24		AL★	AL			AL					4D				✓	
F-150 LIGHTNING	22-23		AL★	AL								4D				✓	
F-250 SUPER DUTY	24-24		AL★	AL	AL		AL					TD					
F-250 SUPER DUTY	20-23		AL★	AL	AL							TD					
F-250 SUPER DUTY	17-19		AL   CL★	AL	UA   DS						CL★	TD					
F-350 SUPER DUTY	24-24		AL★		AL		AL					TD					
F-350 SUPER DUTY	20-23		AL★	AL	AL							TD					
F-350 SUPER DUTY	17-19		AL   CL★	AL	UA   DS						CL★	TD					
FLEX	10-19			AL								4D			✓	✓	
FOCUS	15-18		AL   CL★									4D				✓	
FUSION	13-20		AL   CL★	AL								4D			✓	✓	
MAVERICK	22-24		AL★									TD			+	+	
MUSTANG	24-24		AL★	AL			AL					4		✓	✓	✓	
MUSTANG	21-23		AL   CL★	AL								4D		✓	✓	✓	
MUSTANG	18-20		AL   CL★									4D		✓	✓	✓	
MUSTANG	15-17			AL								4D		✓	✓	✓	
MUSTANG MACH-E	24-24		AL★	AL								4D			✓	✓	
MUSTANG MACH-E	21-23		AL★	AL	AL							4D			✓	✓	
POLICE INTERCEPTOR SEDAN	19-19		AL   CL★	AL								4D			✓	✓	
POLICE INTERCEPTOR SEDAN	17-18		CL★	AL								4D			✓	✓	
POLICE INTERCEPTOR SEDAN	13-16		AL   CL★	AL								4D			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes					
▼	▼	▼	▼	▲	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools					
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.					
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.					
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment					
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment					
								lbs	Requires loading of vehicle before alignment					

**ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
POLICE INTERCEPTOR UTILITY	22-24		AL   CL★	AL			AL					4D			✓	✓	
POLICE INTERCEPTOR UTILITY	20-21		AL   CL★	AL	AL							4D			✓	✓	
POLICE INTERCEPTOR UTILITY	19-19		AL   CL★	AL								4D			✓	✓	
POLICE INTERCEPTOR UTILITY	18-18		CL★	AL								4D			✓	✓	
POLICE INTERCEPTOR UTILITY	14-17		AL   CL★	AL								4D			✓	✓	
POLICE INTERCEPTOR UTILITY	13-13		AL   CL★									4D			✓	✓	
POLICE RESPONDER HYBRID	19-20		AL   CL★	AL								4D			✓	✓	
RANGER	24-24		AL★	AL			AL					T	✓	✓			
RANGER	21-23		AL   CL★	AL								TD	✓	✓			
RANGER	20-20		AL   CL★	AL								TD	✓	✓			
RANGER	19-19		AL   CL★	AL	AL							TD	✓	✓			
SPECIAL SERVICE POLICE SEDAN	14-16		AL   CL★									4D			✓	✓	
SSV PLUG-IN HYBRID	19-20		AL   CL★	AL								4D			✓	✓	
TAURUS	13-19		AL   CL★	AL								4D			✓	✓	
TAURUS	12-12		AL	AL								4D			✓	✓	
TAURUS	10-11			AL								4D			✓	✓	
TRANSIT CONNECT	19-23		AL   CL★	AL								TD					
TRANSIT CONNECT	10-13	AL CL★										TD					
TRANSIT-150	24-24		AL   CL★	AL			AL					TD					
TRANSIT-150	20-23		AL   CL★	AL								TD					
TRANSIT-150	15-19		AL   CL★									TD					
TRANSIT-250	24-24		AL   CL★	AL			AL					TD					
TRANSIT-250	20-23		AL   CL★	AL								TD					
TRANSIT-250	15-19		AL   CL★									TD					
TRANSIT-350	24-24		AL   CL★	AL			AL					TD					
TRANSIT-350	22-23		AL   CL★	AL								TD					
TRANSIT-350	21-21		AL   CL★									TD					
TRANSIT-350	20-20		AL   CL★	AL								TD					
TRANSIT-350	15-19		AL   CL★									TD					

FORD		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
TRANSIT-350 HD	24-24		AL   CL★	AL			AL					TD					
TRANSIT-350 HD	22-23		AL   CL★	AL								TD					
TRANSIT-350 HD	21-21		AL   CL★									TD					
TRANSIT-350 HD	20-20		AL   CL★	AL								TD					
TRANSIT-350 HD	15-19		AL   CL★									TD					

GMC		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ACADIA	20-23	AL CL★	AL	AL	AL							4D	+		✓	✓	
ACADIA	17-19	AL CL★	AL	AL	UA   DS							4D	+		✓	✓	
ACADIA	14-16	AL CL★	AL									4D	+		✓	✓	
ACADIA	07-13	AL CL★										4D	+		✓	✓	
ACADIA LIMITED	17-17	AL CL★	AL									4D	+		✓	✓	
CANYON	24-24	AL★	AL									T	✓	✓			
CANYON	23-23	★	AL									T	✓	✓			
CANYON	15-22	AL CL★	AL									TD	✓	✓			
HUMMER EV PKUP	22-24	★										4D				✓	4
HUMMER EV SUV	24-24	★										4D				✓	4
SAVANA 2500	23-24	CL★	AL									TD	✓	✓		+	4
SAVANA 2500	19-22	AL CL★	AL									TD	✓	✓		+	4
SAVANA 2500	18-18	AL CL★										TD	✓	✓		+	4
SAVANA 3500	23-24	CL★	AL									TD	✓	✓		+	4
SAVANA 3500	19-22	AL CL★	AL									TD	✓	✓		+	4
SAVANA 3500	18-18	AL CL★										TD	✓	✓		+	4

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼	▼	▼	▼	▲	▼	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools					
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.					
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.					
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment					
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment					
				lbs				Requires loading of vehicle before alignment							

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
SIERRA 1500	24-24	AL★	AL		AL							TD	✓	✓			
SIERRA 1500	22-23	AL★	AL		AL							TD	✓	✓			
SIERRA 1500	21-21	AL CL★	AL		AL							TD	✓	✓			
SIERRA 1500	19-20	AL CL★	AL	AL	AL							TD	✓	✓			
SIERRA 1500	17-18	AL CL★	AL									TD	✓	✓			
SIERRA 1500	15-16	AL CL★	AL	AL								TD	✓	✓			
SIERRA 1500	14-14	AL CL★	AL									TD	✓	✓			
SIERRA 1500 LIMITED	19-19	CL★	AL		AL							TD	✓	✓			
SIERRA 2500	15-21	CL★										TD	✓	✓			
SIERRA 2500 HD	24-24	AL★	AL									TD	✓	✓			
SIERRA 2500 HD	22-23	AL★	AL		AL							TD	✓	✓			
SIERRA 2500 HD	21-21	AL CL★	AL		AL							TD	✓	✓			
SIERRA 2500 HD	20-20	AL CL★	AL	AL	AL							TD	✓	✓			
SIERRA 2500 HD	18-19	AL CL★	AL									TD	✓	✓			
SIERRA 2500 HD	15-17	AL CL★	AL	AL								TD	✓	✓			
SIERRA 3500 HD	24-24	AL★	AL									TD	✓	✓			
SIERRA 3500 HD	22-23	AL★	AL		AL							TD	✓	✓			
SIERRA 3500 HD	21-21	AL CL★	AL		AL							TD	✓	✓			
SIERRA 3500 HD	20-20	AL CL★	AL	AL	AL							TD	✓	✓			
SIERRA 3500 HD	17-19	AL CL★	AL									TD	✓	✓			
SIERRA 3500 HD	15-16	AL CL★	AL	AL								TD	✓	✓			
TERRAIN	23-24	CL★	AL		AL							4D			✓	✓	
TERRAIN	20-22	AL CL★	AL		AL							4D			✓	✓	
TERRAIN	19-19	AL CL★	AL	AL	UA							4D			✓	✓	
TERRAIN	18-18	AL CL★	AL	AL	UA   DS							4D			✓	✓	
TERRAIN	12-17	AL CL★	AL									4D			✓	✓	
TERRAIN	10-11	AL CL★										4D			✓	✓	
YUKON	15-24	AL CL★	AL	AL								4	✓	✓	✓	✓	
YUKON XL	24-24	CL★	AL									4	✓	✓	✓	✓	
YUKON XL	15-23	AL CL★	AL	AL								4	✓	✓	✓	✓	

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ELECTRIFIED G80	23-24	AL★	UA   DS	UA   DS			AL					4			✓	✓	
ELECTRIFIED GV70	23-24	AL★	UA   DS	UA   DS	UA							4			✓	✓	
G70	19-24	AL★	UA   DS	UA   DS	!		AL					4D			✓	✓	
G80	24-24	★	UA   DS	UA   DS								4			✓	✓	
G80	21-23	AL★	UA   DS	UA   DS			AL					4			✓	✓	
G80	19-20	★	UA   DS									4			✓	✓	
G80	17-18	★	UA   DS	AL								4			✓	✓	

GENESIS		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
G90	24-24	AL★	UA	UA   DS	UA			AL				4			✓	✓	
G90	23-23	AL★	UA	UA	UA			AL				4			✓	✓	
G90	17-22	★	UA	AL	!							4			✓	✓	
GV60	23-24	AL★	AL	UA   DS	UA			AL				4			✓	✓	
GV70	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
GV70	22-23	AL★	UA   DS	UA   DS	UA			AL				4			✓	✓	
GV80	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
GV80	21-23	AL★	UA   DS	UA   DS	UA			AL				4			✓	✓	

HONDA		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	Lane Watch	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ACCORD	23-24	AL CL★	UA   DS	UA   DS				AL				4D					
ACCORD	18-22	AL CL★	UA   DS	UA   DS			UA	UA				4D			+		
ACCORD	16-17	AL CL★	UA   DS	UA   DS			UA					4D			+	✓	
ACCORD	15-15	AL CL★	UA   DS	UA   DS			UA					4D			+	✓	
ACCORD	14-14	AL CL★	UA   DS	UA			UA					4D			+	✓	
ACCORD	13-13	AL CL★	UA   DS	UA			UA					4D			+	✓	
ACCORD	06-12	AL										4D	+	+	+	✓	
ACCORD CROSSTOUR	10-11	AL										4D	+	+	+	✓	
CIVIC	23-24	AL CL★	UA   DS				UA	AL				4D					
CIVIC	22-22	AL CL★	UA   DS				UA	AL				4D					
CIVIC	20-21	AL CL★	UA   DS	UA   DS			UA	AL				4D					
CIVIC	17-19	AL CL★	UA   DS	UA   DS			UA					4D					
CIVIC	16-16	AL CL★	UA   DS	UA   DS			UA					4D					
CIVIC	13-15	AL CL★	DS				UA					4D			+	✓	
CIVIC	12-12	AL CL★										4D			+	✓	
CIVIC	06-11	AL										4D			+	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
								lbs	Requires loading of vehicle before alignment							

Model	Years	SSR	FFC	FFR	SVC	Lane Watch	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CLARITY	18-21	AL★	UA	UA   DS			UA					4D					
CLARITY	17-17	AL★	UA	UA   DS			UA					4D					
CROSSTOUR	13-15	AL	DS				UA					4D	+	+	+	✓	
CROSSTOUR	12-12	AL										4D	+	+	+	✓	
CR-V	23-24	AL★	UA   DS	UA   DS			UA	AL				4D					
CR-V	17-22	AL CL★	UA   DS	UA   DS			UA	UA				4D			+		
CR-V	15-16	AL CL★	UA   DS	UA   DS			UA					4D			+	✓	
CR-V	12-14	AL CL★										4D			+	✓	
CR-V	06-11	AL										4D			+	✓	
CR-Z	16-16	AL CL★					UA					TD					
CR-Z	11-15	AL										TD					
ELEMENT	06-11	AL										4D			+	✓	
FIT	18-20	AL CL★	UA   DS	UA   DS			UA					4S					
FIT	15-17	AL CL★					UA					4S					
FIT	07-14	AL										TD					
HR-V	23-24	AL CL★	UA   DS				UA	AL				4D					
HR-V	22-22	AL CL★	UA   DS	UA   DS			UA	AL				TD					
HR-V	19-21	AL CL★	UA   DS	UA   DS			UA					TD					
HR-V	16-18	AL CL★	DS				UA					TD					
INSIGHT	22-22	AL CL★	UA   DS	UA   DS			UA	UA				4D					
INSIGHT	19-21	AL CL★	UA   DS	UA   DS			UA	UA				4D					
INSIGHT	10-14	AL										TD					
INSIGHT	06-06	AL										TD					
ODYSSEY	18-24	AL CL★	UA   DS	UA   DS			UA	UA				4D			+	✓	
ODYSSEY	13-17	AL	DS				UA	UA				4D			+	✓	
ODYSSEY	11-12	AL						UA				4D			+	✓	
ODYSSEY	06-10	AL										4D			+	✓	
PASSPORT	24-24	AL★	UA   DS	UA   DS			UA	UA				4D	+	+	+	✓	
PASSPORT	19-23	AL CL★	UA   DS	UA   DS			UA	UA				4D			+	✓	
PILOT	23-24	AL CL★	UA   DS	UA   DS	UA			AL				4D				✓	
PILOT	16-22	AL CL★	UA   DS	UA   DS			UA	UA				4D			+	✓	
PILOT	06-15	AL										4D		✓	+	✓	
PROLOGUE	24-24	★										4D			✓	✓	
RIDGELINE	17-24	AL CL★	DS	DS				AL				4D			+	✓	
RIDGELINE	06-14	AL CL★										4D		✓	+	✓	
S2000	06-09	AL										4D	✓	✓	✓	✓	

HYUNDAI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ACCENT	20-22	AL CL★										T					
ACCENT	18-19	AL CL★			DS							T					
AZERA	15-17	AL CL★	DS	AL				AL				4D			✓	✓	
AZERA	12-14	AL CL★										4D			✓	✓	
ELANTRA	24-24	★	UA   DS	UA   DS	UA							T					
ELANTRA	21-23	AL★	UA   DS	UA   DS			AL					T					
ELANTRA	18-20	AL CL★	UA   DS	UA   DS			AL					T					
ELANTRA	17-17	AL CL★	DS				AL					T					
ELANTRA	09-16	AL CL★										4S		+			
ELANTRA (HD)	07-08	AL CL★										4D		+	+	+	✓
ELANTRA COUPE	13-14	AL CL★										4S		+			
ELANTRA GT	18-20	AL CL★	DS	DS			AL					T					
ELANTRA GT	17-17	AL CL★	DS									TD		+			
ELANTRA GT	13-16	AL CL★										TD		+			
ELANTRA HYBRID	24-24	★	UA	UA	UA							T					
ELANTRA N	22-23	AL★	UA   DS				AL					T					
EQUUS	14-16		DS	AL			AL					4			✓	✓	
EQUUS	11-13		DS	AL								4			✓	✓	
GENESIS	15-16	★	DS	AL			AL					4			✓	✓	
GENESIS	12-14		DS	AL								4D			✓	✓	
GENESIS	10-11			AL								4D			✓	✓	
IONIQ	17-22	AL★	UA   DS	AL			AL					T					
IONIQ 5	22-24	AL★	AL	UA   DS	UA		AL					4			✓	✓	
IONIQ 5 N	23-23	★	UA	UA								4			✓	✓	
IONIQ 6	24-24	★	UA	UA	UA							T					
KONA	24-24	★	UA	UA	UA							4			✓	✓	
KONA	23-23	AL CL★	UA   DS	UA								T					
KONA	22-22	AL CL★	UA   DS	UA   DS			AL					T					
KONA	18-21	AL CL★	UA   DS	UA   DS			AL					T					

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

HYUNDAI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
KONA ELECTRIC	23-23	★	UA   DS	UA								4			✓	✓	
KONA ELECTRIC	22-22	AL★	UA   DS	UA   DS			AL					4			✓	✓	
KONA ELECTRIC	20-21	AL★	UA   DS	UA   DS			AL					4			✓	✓	
KONA ELECTRIC	19-19	AL★	UA   DS	UA								4			✓	✓	
KONA N	23-23	AL CL★	UA   DS	UA								T					
KONA N	22-22	AL CL★	UA   DS	UA   DS			AL					T					
NEXO	23-24	★	UA   DS	UA   DS	UA							T					
NEXO	20-22	★	UA   DS	UA	UA							T					
PALISADE	24-24	AL★	UA	UA   DS	UA		AL					4			✓	✓	
PALISADE	20-23	AL★	UA   DS	UA   DS	UA		AL					4			✓	✓	
SANTA CRUZ	24-24	★	DS	UA   DS★	UA							4			✓	✓	
SANTA CRUZ	22-23	AL★	DS	UA   DS★	UA		AL					4			✓	✓	
SANTA FE	20-23	AL★	UA   DS	UA   DS	UA		AL					4D			✓	✓	
SANTA FE	19-19	AL★	UA   DS	UA   DS	UA		AL					4D			✓	✓	
SANTA FE	17-18	AL CL★	DS	AL			AL					4D			✓	✓	
SANTA FE	13-16	AL CL★					AL					4D			✓	✓	
SANTA FE XL	19-19	AL★	DS	AL			AL					4D			✓	✓	
SONATA	18-23	AL★	UA   DS	UA   DS	UA		AL					4			✓	✓	
SONATA	15-17	AL CL★	DS	DS			AL					4D		+	✓	✓	
SONATA	14-14	AL CL★					AL					4D		+	✓	✓	
SONATA	11-13	AL CL★										4D		+	✓	✓	
TUCSON	22-24	AL★	UA   DS	UA   DS★	UA		AL					4			✓	✓	
TUCSON	21-21	AL CL★	UA   DS	AL	!		AL					4D			✓	✓	
TUCSON	19-20	AL CL★	UA   DS		!		AL					4D			✓	✓	
TUCSON	18-18	AL CL★	DS	AL			AL					4D			✓	✓	
TUCSON	16-17	AL CL★	DS	AL			AL					4D			✓	✓	
TUCSON	15-15	AL CL★										4D		+	✓	✓	
TUCSON	10-14	AL CL★										4D		+	✓	✓	
VELOSTER	21-21	AL CL★	UA   DS	UA			AL					4			✓	✓	
VELOSTER	19-20	AL CL★	UA   DS	UA   DS			AL					4			✓	✓	
VELOSTER	12-17	AL CL★										4S		+			
VELOSTER N	21-22	AL CL★	DS				AL					4			✓	✓	
VELOSTER N	19-20	AL CL★										4			✓	✓	
VENUE	24-24	CL★	UA   DS	DS								T					
VENUE	20-23	AL CL★	UA   DS	DS			AL					T					

INFINITI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
EX35	08-12	AL CL★	DS									4D	+	+	✓	✓	
EX37	13-13	AL CL★	DS									4D	+	+	✓	✓	
FX35	06-12	AL CL★	DS									4			✓	✓	
FX37	13-13	AL CL★	DS		DS							4			✓	✓	
FX45	06-08	AL CL★	DS									4			✓	✓	
FX50	13-13	AL CL★	DS		DS							4			✓	✓	
FX50	09-12	AL CL★	DS									4			✓	✓	
G25	11-12	AL CL★										4D	+	+	✓	✓	
G35 SEDAN	07-08	AL CL★										4D	+	+	✓	✓	
G37	08-13	AL CL★										4D	+	+	✓	✓	
JX35	13-13	AL CL★	DS	DS	DS							4D	+	+	✓	✓	
M35	06-10	AL CL★	DS									4D	+	+	✓	✓	
M35H	12-13	AL CL★	DS									4			✓	✓	
M37	12-13	AL CL★	DS									4			✓	✓	
M37	11-11	AL CL★	DS									4			✓	✓	
M45	06-10	AL CL★	DS									4D	+	+	✓	✓	
M56	12-13	AL CL★	DS									4			✓	✓	
M56	11-11	AL CL★	DS									4			✓	✓	
Q40	15-15	AL CL★										4D	+	+	✓	✓	
Q45	06-06	AL CL★	DS									4D	+	+	✓	✓	
Q50	24-24	★	UA   DS	UA   DS	UA   DS			AL				★	4			✓	✓
Q50	14-23	AL★	UA   DS	UA   DS	UA   DS							★	4			✓	✓
Q60	17-22	AL★	UA   DS	UA   DS	DS   !							★	4			✓	✓
Q60	14-15	AL CL★										4D	+	+	✓	✓	
Q70	17-19	AL CL★	DS	DS	DS							4			✓	✓	
Q70	15-16	AL CL★	DS	DS	DS							4			✓	✓	
Q70	14-14	AL CL★	DS									4			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes					
▼		▼		▲			▼		▲			▲		
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools				
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.				
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.				
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment				
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment				
									Ibs	Requires loading of vehicle before alignment				

**INFINITI****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
Q70L	17-19	AL CL★	DS	DS	DS							4			✓	✓	
Q70L	16-16	AL CL★	DS	DS	DS							4			✓	✓	
Q70L	15-15	AL CL★	DS	DS								4			✓	✓	
QX30	19-19	AL	DS									4		✓		✓	
QX30	18-18	AL	DS									4		✓		✓	
QX30	17-17	AL	DS									4		✓		✓	
QX50	24-24	AL★	UA   DS	UA   DS	UA   DS			AL				4			✓	✓	
QX50	19-23	AL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
QX50	14-17	AL CL★	DS		DS							4D	+	+	✓	✓	
QX55	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
QX55	22-23	AL★	UA   DS	UA   DS	UA							4			✓	✓	
QX56	13-13	AL CL★	DS	DS	DS							4D	✓	✓	✓	✓	
QX56	11-12	AL CL★	DS	DS								4D	✓	✓	✓	✓	
QX56	06-10	AL CL★		DS								4D	✓	✓	✓	✓	
QX60	22-24	AL★	UA   DS	UA   DS	UA							4			✓	✓	
QX60	14-20	AL CL★	UA   DS	UA   DS	DS !!							4D	+	+	✓	✓	
QX70	17-17	AL CL★	DS	DS	DS							4			✓	✓	
QX70	14-16	AL CL★	DS		DS							4			✓	✓	
QX80	24-24	CL★	UA	UA	UA							4D	✓	✓	✓	✓	
QX80	15-23	AL CL★	UA   DS	UA   DS	UA   DS							4D	✓	✓	✓	✓	
QX80	14-14	AL CL★	DS		DS							4D	✓	✓	✓	✓	

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
E-PACE	23-24	★										4D				✓	
E-PACE	21-22	AL★	AL									4D				✓	
E-PACE	18-20	AL★	AL	AL								4D				✓	
F-PACE	21-22		AL									4				✓	
F-PACE	17-20		AL	AL								4				✓	
F-TYPE	19-22		AL									4	✓	✓		✓	
F-TYPE	18-18		AL	AL								4	✓	✓		✓	
F-TYPE	17-17			AL								4	✓	✓		✓	
I-PACE	21-22		AL									4D				✓	
I-PACE	19-20		AL	AL								4D				✓	
XE	20-20	AL	AL	AL								4				✓	
XE	19-19	AL★	AL	AL								4		+	+	✓	
XE	17-18		AL	AL								4				✓	
XF	21-22		AL									4				✓	
XF	16-20		AL	AL								4				✓	
XF	09-15			AL								4	✓	✓		✓	

JAGUAR		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
XFR	10-15			AL								4	✓	✓		✓	
XFR-S	14-15			AL								4	✓	✓		✓	
XJ	18-19		AL	AL								4	✓	✓		✓	
XJ	10-17			AL								4	✓	✓		✓	
XJR	14-17			AL								4	✓	✓		✓	
XJR575	19-19		AL	AL								4	✓	✓		✓	
XJR575	18-18			AL								4	✓	✓		✓	
XK	07-15			AL								4	✓	✓		✓	
XKR	06-15			AL								4	✓	✓		✓	
XKR-S	12-15			AL								4	✓	✓		✓	
X-TYPE	06-08	AL										4				✓	

JEEP		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CHEROKEE	23-23	★	AL	AL★								4D			✓	✓	
CHEROKEE	18-22	AL★	AL	AL★								4D			✓	✓	
CHEROKEE	15-17	AL CL★	AL	AL   CL★								4D			✓	✓	
CHEROKEE	14-14	CL★	AL	AL   CL★								4D			✓	✓	
COMPASS	24-24	★	AL	AL★				AL				4D			✓	✓	
COMPASS	19-23	AL★	AL	AL★								4D			✓	✓	
COMPASS	17-18	AL CL★	AL	AL   CL★								4D			✓	✓	
GLADIATOR	24-24		AL	AL	AL							TD	+	+			
GLADIATOR	20-23	AL	AL	AL	AL							TD	+	+			

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼		▼		▲				▼		▲					
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools						
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
								lbs	Requires loading of vehicle before alignment						

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
GRAND CHEROKEE L	23-24		AL									4D			✓	✓	
GRAND CHEROKEE L	22-22		AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE L	21-21		AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	23-24		AL									4D			✓	✓	
GRAND CHEROKEE WK	22-22	AL	AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	19-21	AL	AL	AL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	18-18	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	15-17	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	14-14	AL	AL	AL   CL★				AL				4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	11-13			AL   CL★								4D	✓	✓	✓	✓	
GRAND WAGONEER	22-24	★	AL									4	✓	✓	✓	✓	
GRAND WAGONEER L	23-24	★	AL									4	✓	✓	✓	✓	
RENEGADE	24-24	★		★								4				✓	
RENEGADE	15-23	AL★	DS	DS★								4				✓	
WAGONEER	22-24	★	AL									4	✓	✓	✓	✓	
WAGONEER L	23-24	★	AL									4	✓	✓	✓	✓	
WRANGLER	24-24		AL	AL	AL		AL					TD	+	+	+		
WRANGLER	21-23	AL	AL	AL	AL							TD	+	+	+		
WRANGLER	18-20	AL	AL	AL								TD	+	+	+		

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CADENZA	20-20	AL★	UA   DS				AL					4D			✓	✓	
CADENZA	17-19	AL★	UA   DS	AL★	UA		AL					4D			✓	✓	
CADENZA	14-16	AL CL★	DS	AL★	UA		AL					4D			✓	✓	
CARNIVAL	22-24	AL★	UA   DS	UA   DS	UA		AL					4			✓	✓	
EV6	22-24	AL★	AL	UA   DS	UA		AL					4			✓	✓	
EV9	24-24	★	UA	UA	UA							4			✓	✓	
FORTE	24-24	★	UA   DS									T					
FORTE	22-23	AL★	UA   DS				AL					T					
FORTE	19-21	AL★	UA   DS	UA   DS★			AL					T					
FORTE	17-18	AL CL★	UA   DS	DS★			AL					TD		+			
FORTE	14-16	AL CL★		★								TD		+			
FORTE	10-13	AL★										4S		+			
FORTE 2.0L	20-24	★		★								T					
FORTE KOUP	14-16	AL CL★		★								TD		+			
FORTE KOUP	10-13	AL★										4S		+			
FORTE5	17-18	AL CL★	UA   DS	DS★			AL					TD		+			
FORTE5	14-16	AL CL★		★								TD		+			

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
GRAND CHEROKEE	23-24		AL									4D			✓	✓	
GRAND CHEROKEE	22-22		AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE	19-21	AL	AL	AL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE	18-18	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE	15-17	AL	AL	AL   CL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE	14-14	AL	AL	AL   CL★				AL				4D	✓	✓	✓	✓	
GRAND CHEROKEE	11-13			AL   CL★								4D	✓	✓	✓	✓	
GRAND CHEROKEE L	23-24		AL									4D			✓	✓	
GRAND CHEROKEE L	22-22		AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE L	21-21		AL	★								4D	✓	✓	✓	✓	
GRAND CHEROKEE WK	22-22	AL	AL	★								4D	✓	✓	✓	✓	
GRAND WAGONEER	22-24	★	AL									4	✓	✓	✓	✓	
GRAND WAGONEER L	23-24	★	AL									4	✓	✓	✓	✓	
RENEGADE	24-24	★		★								4				✓	
RENEGADE	15-23	AL★	DS	DS★								4				✓	
WAGONEER	22-24	★	AL									4	✓	✓	✓	✓	
WAGONEER L	23-24	★	AL									4	✓	✓	✓	✓	
WRANGLER	24-24		AL	AL	AL		AL					TD	+	+	+		
WRANGLER	21-23	AL	AL	AL	AL							TD	+	+	+		
WRANGLER	18-20	AL	AL	AL								TD	+	+	+		

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CADENZA	20-20	AL★	UA   DS				AL					4D			✓	✓	
CADENZA	17-19	AL★	UA   DS	AL★	UA		AL					4D			✓	✓	
CADENZA	14-16	AL CL★	DS	AL★	UA		AL					4D			✓	✓	
CARNIVAL	22-24	AL★	UA   DS	UA   DS	UA		AL					4			✓	✓	
EV6	22-24	AL★	AL	UA   DS	UA		AL					4			✓	✓	
EV9	24-24	★	UA	UA	UA							4			✓	✓	
FORTE	24-24	★	UA   DS									T					
FORTE	22-23	AL★	UA   DS				AL					T					
FORTE	19-21	AL★	UA   DS	UA   DS★			AL					T					
FORTE	17-18	AL CL★	UA   DS	DS★			AL					TD		+			
FORTE	14-16	AL CL★		★								TD		+			
FORTE	10-13	AL★										4S		+			
FORTE 2.0L	20-24	★		★								T					
FORTE KOUP	14-16	AL CL★		★								TD		+			
FORTE KOUP	10-13	AL★										4S		+			
FORTE5	17-18	AL CL★	UA   DS	DS★			AL					TD		+			
FORTE5	14-16	AL CL★		★								TD		+			

KIA		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
K5	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
K5	21-23	AL★	UA   DS	UA   DS	UA		AL					4			✓	✓	
K900	19-20	AL★	DS	DS	UA		AL					4D			✓	✓	
K900	16-17	AL	DS	AL	UA		AL					4D			✓	✓	
K900	15-15	AL	DS	AL	UA		AL					4D			✓	✓	
NIRO	23-24	AL★	UA   DS	UA   DS			AL					4			✓	✓	
NIRO	21-22	AL★	DS	★			AL					4			✓	✓	
NIRO	20-20	AL★	DS	AL★			AL					4			✓	✓	
NIRO	19-19	AL★	DS	AL★			AL					4			✓	✓	
NIRO	17-18	AL CL★	DS	AL★			AL					4			✓	✓	
NIRO EV	23-24	AL★	UA   DS	UA   DS			AL					4			✓	✓	
NIRO EV	21-21	AL★	UA   DS	UA★								4			✓	✓	
NIRO EV	20-22	AL★	UA   DS	UA   DS★								4			✓	✓	
NIRO EV	19-19	AL★	UA   DS	UA   DS★								4			✓	✓	
OPTIMA	17-20	AL CL★	UA   DS	UA   DS★	UA		AL					4D			✓	✓	
OPTIMA	16-16	AL CL★	UA   DS	UA   DS★	UA		AL					4D			✓	✓	
OPTIMA	14-15	AL CL★					AL					4D		+	✓	✓	
OPTIMA	11-13	AL CL★										4D		+	✓	✓	
RIO	23-23	CL★	UA   DS	UA   DS★			AL					T					
RIO	21-22	AL CL★	UA   DS	UA★								T					
RIO	20-20	AL CL★	UA	UA★								T					
RIO	18-19	AL CL★	UA	UA   DS★								T					
RIO	12-17	AL CL★										4S		+			
SEDONA	21-21	AL CL★	DS	★			AL					4D		+	✓	✓	
SEDONA	15-20	AL CL★	DS	DS★			AL					4D		+	✓	✓	
SELTOS	24-24	★	UA	UA								T					
SELTOS	22-23	AL★	UA   DS	UA   DS			AL					T					
SELTOS	21-21	AL★	UA   DS	UA   DS								T					

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼		▼		▲		▼		▼		▲		▼		▼		▼	
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure								7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	T	Thrust-line alignment (no rear adjustments)	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
									lbs	Requires loading of vehicle before alignment							

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
SORENTO	24-24	★	DS	DS   !	!							4			✓	✓	
SORENTO	21-23	AL★	UA   DS	UA   DS	UA			AL				4			✓	✓	
SORENTO	20-20	AL CL★	UA   DS	UA★	UA			AL				4D			✓	✓	
SORENTO	16-19	AL CL★	UA   DS	UA   DS★	UA			AL				4D			✓	✓	
SORENTO	14-15	AL CL★						AL				4D	+	✓	✓	✓	
SOUL	24-24	★	UA   DS	UA   DS				AL				T					
SOUL	20-23	AL★	UA   DS	UA   DS				AL				T					
SOUL	18-19	AL CL★	UA   DS	UA   DS★				AL				TD	+				
SOUL	17-17	AL CL★	UA   DS	UA   DS				AL				TD	+				
SOUL	16-16	AL CL★	UA   DS									TD	+				
SOUL	12-15	AL CL★										TD	+				
SOUL	10-11	AL										4S	+				
SOUL EV	20-20	AL★	DS	DS				AL				4			✓	✓	
SOUL EV	19-21	AL★	DS									4			✓	✓	
SOUL EV	15-23	★										4			✓	✓	
SPORTAGE	23-24	AL★	UA   DS	UA	UA							4			✓	✓	
SPORTAGE	22-22	AL CL★	UA   DS	AL★				AL				4D			✓	✓	
SPORTAGE	21-21	AL CL★	UA   DS	★				AL				4D			✓	✓	
SPORTAGE	17-20	AL CL★	UA   DS	AL   CL★				AL				4D			✓	✓	
SPORTAGE	16-16	AL CL★		AL				AL				4D	+	✓	✓	✓	
SPORTAGE	11-15	AL CL★										4D	+	✓	✓	✓	
STINGER	18-23	AL★	UA   DS	UA   DS	UA			AL				4D			✓	✓	
TELLURIDE	24-24	★	UA   DS	UA	UA							4			✓	✓	
TELLURIDE	23-23	AL★	UA   DS	UA   DS	UA			AL				4			✓	✓	
TELLURIDE	20-22	AL★	UA   DS	UA   DS	UA			AL				4			✓	✓	

## LAMBORGHINI

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CENTENARIO	17-17	★										4D				✓	
HURACÁN (INCL. EVO, STO, STERRATO)	15-24	★										4D				✓	
URUS	19-24	★	★	★							★	4					

## LAND ROVER

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
DEFENDER 110	20-20			AL								4D				✓	
DEFENDER 90	21-21			AL								4D				✓	
DISCOVERY	22-22		AL									4D				✓	
DISCOVERY	17-20		AL	AL								4				✓	

LAND ROVER		ADAS Calibrations									Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
DISCOVERY	22-22		AL									4D				✓	
DISCOVERY	17-20		AL	AL								4				✓	
DISCOVERY SPORT	23-24	★										4D				✓	
DISCOVERY SPORT	22-22	AL★	AL									4D				✓	
DISCOVERY SPORT	21-21	AL★										4D				✓	
DISCOVERY SPORT	18-18	CL★	AL	AL								4				✓	
DISCOVERY SPORT	17-17	AL CL★	AL	AL	AL							4				✓	
DISCOVERY SPORT	15-20	AL★	AL	AL								4D				✓	
LR2	08-15	★										4				✓	
LR3	06-09	★	AL									4	✓	✓		✓	
LR4	10-16	AL CL★										4	✓	✓		✓	
RANGE ROVER	22-22	AL	AL									4D				✓	
RANGE ROVER	19-21	AL	AL	AL								4D				✓	
RANGE ROVER	16-18		AL	AL								4D				✓	
RANGE ROVER	13-15			AL								4				✓	
RANGE ROVER	10-12	CL★										4D				✓✓	
RANGE ROVER	06-09	CL★		AL								4D				✓✓	
RANGE ROVER EVOQUE	23-24	★										4D				✓	
RANGE ROVER EVOQUE	22-22	AL★	AL									4D				✓	
RANGE ROVER EVOQUE	21-21	AL★										4D				✓	
RANGE ROVER EVOQUE	18-20	AL★	AL	AL								4D				✓	
RANGE ROVER EVOQUE	14-15	AL CL★		AL	AL							4				✓	
RANGE ROVER EVOQUE	13-13	AL CL★			AL							4				✓	
RANGE ROVER EVOQUE	12-12	AL CL★										4				✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes			
▼		▼		▲			▼		▲			
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools		
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.		
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.		
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment		
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures		lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment		
									lbs	Requires loading of vehicle before alignment		

**LAND ROVER****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
RANGE ROVER SPORT	22-22	AL	AL									4D				✓	
RANGE ROVER SPORT	19-21	AL	AL	AL								4D				✓	
RANGE ROVER SPORT	18-18	AL	AL	AL	AL							4D				✓	
RANGE ROVER SPORT	17-17	AL	AL	AL								4				✓	
RANGE ROVER SPORT	15-16	AL	AL	AL	AL							4				✓	
RANGE ROVER SPORT	14-14	AL		AL	AL							4				✓	
RANGE ROVER SPORT	13-13	AL CL★			AL							4	✓	✓		✓	
RANGE ROVER SPORT	10-12	AL CL★										4	✓	✓		✓	
RANGE ROVER SPORT	06-09	★	AL									4	✓	✓		✓	
RANGE ROVER VELAR	22-22		AL									4				✓	
RANGE ROVER VELAR	18-20		AL	AL								4				✓	

**LEXUS****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CT200H	11-17	AL CL★		DS   !					UA   DS			4D			+	✓	
ES 330	06-06	AL CL★										4D			+	✓	
ES 350	07-07	AL CL★		DS   !								4D			+	✓	
ES250	22-24	AL CL★	UA   DS	UA   DS	DS   !			UA   DS	UA   DS			4D				✓	
ES250	21-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
ES300H	22-24	AL CL★	UA   DS	UA   DS	DS   !			UA   DS	UA   DS			4D				✓	
ES300H	19-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
ES300H	16-18	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
ES300H	13-15	AL CL★	UA★	UA   DS				UA   DS	DS			4D			+	✓	
ES350	22-24	AL CL★	UA   DS	UA   DS	DS   !			UA   DS	UA   DS			4D				✓	
ES350	19-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
ES350	16-18	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
ES350	13-15	AL CL★	UA★	UA   DS				UA   DS	DS			4D			+	✓	
ES350	08-12	AL CL★		UA   DS								4D			+	✓	
GS 300	06-06	AL CL★										4D		+	+	✓	
GS 350	07-07	AL CL★		DS								4D		+	+	✓	
GS 430	06-07	AL CL★		DS								4D		+	+	✓	
GS 450H	07-07	AL CL★		DS						★		4D		+	+	✓	
GS F	16-20	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
GS200T	16-17	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS300	18-19	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS350	16-20	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS350	14-15	AL★	DS★	DS				DS	DS	★	★	4D			+	✓	
GS350	13-13	AL★	DS★	DS					DS	★	★	4D			+	✓	
GS350	08-11	AL CL★		DS								4D		+	+	✓	

LEXUS		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
GS 450H	07-07	AL CL★			DS					★		4D		+	+	✓	
GS F	16-20	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
GS200T	16-17	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS300	18-19	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS350	16-20	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS350	14-15	AL★	DS★	DS				DS	DS	★		★	4D		+	✓	
GS350	13-13	AL★	DS★	DS					DS	★	★	4D			+	✓	
GS350	08-11	AL CL★		DS								4D		+	+	✓	
GS450H	16-18	AL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4D			+	✓	
GS450H	15-15	AL★	DS★	DS				DS	DS	★	★	4D			+	✓	
GS450H	14-14	AL CL★	DS★	DS				DS			★	4D			+	✓	
GS450H	13-13	AL CL★	DS★	DS							★	4D			+	✓	
GS450H	08-11	AL CL★		DS						★	4D			+	+	✓	
GS460	08-11	AL CL★		DS							4D			+	+	✓	
GX (460/470/550)	24-24	★	!	!			!	!				T	✓	✓			
GX 470	06-07	AL CL★										TD	✓	✓		+	
GX460	20-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	DS			TD	✓	✓		+	
GX460	16-19	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			TD	✓	✓		+	
GX460	14-15	AL CL★	UA★	UA   DS				UA   DS	UA   DS			TD	✓	✓		+	
GX460	12-13	AL CL★	DS★	DS								TD	✓	✓		+	
GX460	10-11	AL CL★	DS★	DS	DS							TD	✓	✓		+	
GX470	08-09	AL CL★										TD	✓	✓		+	
HS250H	10-12	AL CL★	DS★	DS								4D			+	✓	
IS 250	06-07	AL CL★			DS							4D		+	+	✓	
IS 350	06-07	AL CL★			DS							4D		+	+	✓	
IS F	13-14	AL★	UA	UA   DS					DS			4D				✓	
IS F	08-12	AL★			DS							4D				✓	
IS200T	17-17	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
IS200T	16-16	AL CL★	UA★	UA   DS				DS	UA   DS			4D			+	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼		▼		▲			▼		▲			▲				
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments		✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures		+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)				7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures				8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
									Ibs	Requires loading of vehicle before alignment						

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
IS250	14-15	AL CL★	UA★	UA   DS				DS	DS			4D			+	✓	
IS250	13-13	AL CL★			DS				DS			4D		+	+	✓	
IS250	08-12	AL CL★			DS							4D		+	+	✓	
IS300	24-24	AL CL★	UA   DS	UA	UA			UA	UA			4D				✓	
IS300	21-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
IS300	17-20	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
IS300	16-16	AL CL★	UA★	UA   DS				DS	UA   DS			4D			+	✓	
IS350	24-24	AL CL★	UA   DS	UA	UA			UA	UA			4D				✓	
IS350	21-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
IS350	17-20	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
IS350	16-16	AL CL★	UA★	UA   DS				DS	UA   DS			4D			+	✓	
IS350	14-15	AL CL★	UA★	UA   DS				DS	DS			4D			+	✓	
IS350	13-13	AL CL★			DS				DS			4D		+	+	✓	
IS350	08-12	AL CL★			DS							4D		+	+	✓	
IS500	24-24	AL CL★	UA   DS	!	UA   DS			UA	UA   DS			4D				✓	
IS500	23-23	AL CL★	UA   DS	DS   !	UA   DS			UA   DS	UA   DS			4D				✓	
IS500	22-22	AL CL★	UA   DS	!	UA   DS			UA   DS	UA   DS			4D				✓	
LC500	24-24	AL CL★	UA   DS	UA				UA	UA   DS	★		4				✓	
LC500	21-23	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4				✓	
LC500	18-20	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS	★		4				✓	
LC500H	24-24	AL CL★	UA   DS★	UA				UA	UA   DS	★		4				✓	
LC500H	18-23	AL CL★	UA★	UA   DS				UA   DS	UA   DS	★		4				✓	
LFA	12-12	AL★										4	✓	✓	✓	✓	
LS (400/430/460(L)/500)	24-24	★	UA	UA	UA	UA	UA		★			4				✓	
LS 430	06-06	AL CL★		DS								4D		✓		✓	
LS 460	07-07	AL CL★	DS★	DS								4D				✓	
LS460	13-17	AL CL★	UA★	DS   !				UA   DS	UA   DS		★	4D				✓	
LS460	08-12	AL CL★	DS★	DS								4D				✓	
LS500	23-23	AL★	UA   DS	UA   DS	UA	UA	UA   DS	DS	★			4				✓	
LS500	22-22	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS500	21-21	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS500	18-20	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS500H	24-24	AL★	UA	UA	UA	UA	UA	UA	★			4				✓	
LS500H	23-23	AL★	UA   DS	UA   DS	UA	UA	UA   DS	DS	★			4				✓	
LS500H	22-22	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS500H	21-21	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS500H	18-20	AL★	UA   DS	UA   DS	UA   DS	UA	UA   DS	DS	★			4				✓	
LS600H	13-16	AL CL★	UA★	DS   !				UA   DS	UA   DS	★	CL★	4D	✓	✓		✓	
LS600H	08-12	AL★	DS★	DS						★		4D	✓	✓		✓	
LX 470	06-07	AL CL★										TD	✓	✓	✓	+	

LEXUS		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
LX570	17-21	AL CL★	UA   DS	UA   DS	DS			UA   DS				TD	✓	✓			
LX570	16-16	AL	UA   DS	UA   DS	DS			UA   DS				CL★	TD	✓	✓		
LX570	08-15	AL		DS   !								CL★	TD	✓	✓		
LX600	22-24	AL★	UA   DS	UA   DS				UA				T	✓	✓			
NX200T	15-17	AL CL★	UA★	UA   DS				UA   DS	DS			4D			+	✓	
NX250	22-24	AL CL★	UA   DS	UA			UA	UA				4D			+	✓	
NX300	18-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D			+	✓	
NX300H	18-21	AL★	UA   DS	UA   DS	UA   DS			UA   DS	UA			4D			+	✓	
NX300H	15-17	AL★	UA★	UA   DS				UA   DS				4D			+	✓	
NX350	22-24	AL CL★	UA   DS	UA			UA	UA				4D			+	✓	
NX350H	22-24	AL★	UA   DS	UA			UA	UA				4D			+	✓	
NX450H+	22-24	AL★	UA   DS	UA			UA	UA				4D			+	✓	
RC F	24-24	AL★	UA   DS	UA				UA				4D				✓	
RC F	23-23	AL★	UA   DS	UA				UA	DS			4D				✓	
RC F	18-22	AL★	UA   DS	UA   DS				UA   DS	DS			4D				✓	
RC F	15-17	AL★	UA★	UA   DS				UA   DS	UA   DS			4D				✓	
RC300	24-24	AL★	UA   DS	UA				UA		★		4D				✓	
RC300	23-23	AL★	UA   DS	UA				UA	DS	★		4D				✓	
RC300	18-22	AL★	UA   DS	UA   DS				UA   DS	DS	★		4D				✓	
RC300	16-17	AL★	UA★	UA   DS				UA   DS	UA	★		4D				✓	
RC350	24-24	AL★	UA   DS	UA				UA		★		4D				✓	
RC350	23-23	AL★	UA   DS	UA				UA	DS	★		4D				✓	
RC350	18-22	AL★	UA   DS	UA   DS				UA   DS	DS	★		4D				✓	
RC350	15-17	AL★	UA★	UA   DS				UA   DS	UA	★		4D				✓	
RX 350	07-07	AL CL★										4D			+	✓	
RX 400H	06-07	AL CL★										4D			+	✓	
RX HYBRID (350H/400H/450H(+)/450HL/500H)	24-24	★	UA	UA				UA	UA			4D				✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
				lbs	Requires loading of vehicle before alignment										

**LEXUS****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
RX330	06-06	AL CL★										4D			+	✓	
RX350	24-24	AL★	UA   DS	UA				UA	UA			4D				✓	
RX350	23-23	AL★	UA   DS	UA				UA	UA   DS			4D				✓	
RX350	16-22	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
RX350	13-15	AL CL★		UA   DS				DS	UA   DS			4D			+	✓	
RX350	10-12	AL CL★		UA   DS				UA				4D			+	✓	
RX350	08-09	AL CL★										4D			+	✓	
RX350H	23-24	AL★	UA   DS	UA				UA	UA   DS			4D				✓	
RX350L	18-22	AL CL★	UA   DS	UA   DS	DS			UA   DS	UA			4D				✓	
RX400H	08-08	AL CL★										4D			+	✓	
RX450H	17-22	AL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
RX450H	16-16	AL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
RX450H	13-15	AL CL★		DS				DS	DS			4D			+	✓	
RX450H	10-12	AL CL★		DS								4D			+	✓	
RX450HL	18-22	AL★	UA   DS	UA   DS	DS			UA   DS	UA			4D				✓	
RX500H	24-24	AL★	UA   DS	UA				UA	UA			4D				✓	
RX500H	23-23	AL★	UA   DS	UA				UA	UA   DS			4D				✓	
RZ300E	24-24	AL★	UA	UA			UA	UA	UA			4D				✓	
RZ450E	24-24	AL★	UA	UA			UA	UA	UA			4D				✓	
RZ450E	23-23	AL★	UA	UA			UA	UA	UA   DS			4D				✓	
SC 430	06-07	AL CL★										4D	+	✓	✓	✓	
SC430	08-10	AL CL★										4D	+	✓	✓	✓	
TX 350	24-24	★	UA	UA			UA	UA				4D				✓	
TX HYBRID (500H/550H+)	24-24	★	UA	UA			UA	UA				4D				✓	
UX200	19-22	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D				✓	
UX250H	23-24	AL CL★	UA   DS	UA				UA	UA   DS			4D				✓	
UX250H	19-22	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D				✓	

**LINCOLN****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
AVIATOR	24-24		AL★	AL	AL		AL			★		4D			✓	✓	
AVIATOR	20-23		AL★	AL	AL					★		4D			✓	✓	
CONTINENTAL	17-20		AL   CL★	AL	UA   DS					★		4D			✓	✓	
CORSAIR	23-24		AL★	AL			AL					4			✓	✓	
CORSAIR	21-22		AL★	AL								4			✓	✓	
CORSAIR	20-20		AL★	AL	AL							4			✓	✓	
MKC	15-19		AL   CL★	AL								4D				✓	
MKS	13-16		AL   CL★	AL								4D			✓	✓	
MKS	12-12		AL	AL								4D			✓	✓	
MKS	09-11			AL								4D			✓	✓	

LINCOLN		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
MKT	13-19		AL   CL★	AL								4D			✓	✓	
MKT	10-12			AL								4D			✓	✓	
MKX	16-18		AL   CL★	AL	UA   DS							4D			✓	✓	
MKX	13-15		AL	AL								4D			✓	✓	
MKX	11-12			AL								4D			✓	✓	
MKZ	13-20		AL★	AL								4D			✓	✓	
NAUTILUS	24-24		★									4D				✓	
NAUTILUS	19-23		AL   CL★	AL	UA   DS							4D			✓	✓	
NAVIGATOR	24-24		AL★	AL	AL		AL					4D			✓	✓	
NAVIGATOR	22-23		AL★	AL	AL							4D			✓	✓	
NAVIGATOR	18-21		AL★	AL	UA   DS							4D			✓	✓	

LUCID MOTORS		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
AIR	22-24	★										4		✓		✓	

MASERATI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
GHIBLI	14-24		★	★								4		✓	✓	✓	lbs
GRANTURISMO / GRANCABRIO	24-24			★								4			✓	✓	lbs
GRECALE	23-24			★								4			✓	✓	lbs
LEVANTE	17-24		★	★								4		✓	✓	✓	lbs
QUATTROPORTE	14-24		★	★								4		✓	✓	✓	lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▲	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools							
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
								lbs		Requires loading of vehicle before alignment							

**MAZDA**

## ADAS Calibrations

## **Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CX-3	16-21		DS	DS								T					
CX-30	20-24		DS	AL	DS   !	AL	AL					T					
CX-5	24-24		DS	DS   !	DS   !							4D			+	✓	
CX-5	22-23		DS	DS	DS							4D			+	✓	
CX-5	17-21		DS	DS   !	DS   !			DS   !				4D			+	✓	
CX-5	16-16		DS	DS				DS				4D		+	+	✓	
CX-5	13-15		DS					DS				4D		+	+	✓	
CX-50	23-24		DS	AL	DS   !			AL				T					
CX-7	10-12							DS				4D	✓				✓
CX-9	21-23		DS	DS	DS			DS				4					✓
CX-9	16-20		DS	DS	DS			DS				4					✓
CX-9	08-15							DS				4D			✓		✓
MAZDA3	19-24		DS	AL	DS   !	AL	AL					T					
MAZDA3	17-18		DS	DS   !	DS			DS				4D			+	✓	
MAZDA3	14-16		DS	DS				DS				4D			+	✓	
MAZDA3	12-13							DS				4D			+	✓	
MAZDA6	18-21		DS		DS			DS				4					✓
MAZDA6	17-17		DS					DS				4					✓
MAZDA6	14-16		DS	DS				DS				4					✓
MAZDA6	11-11							DS				4D	+	+	+	✓	
MX-5 MIATA	23-23		DS	DS								4	✓	✓	✓	✓	
MX-5 MIATA	19-22		DS									4	✓	✓	✓	✓	
MX-5 MIATA	16-18		DS									4	✓	✓	✓	✓	
TRIBUTE	08-11	ALICL★										4D	✓		+	✓	

MCLAREN

## ADAS Calibrations

## Wheel Alignment Adjustments

MERCEDES-BENZ		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
A-CLASS (177)	22-22						AL					T					4 5
A-CLASS (177)	20-21		DS									T					4 5
A-CLASS (177)	19-19						AL	DS				T					4 5
AMG GT-CLASS (190)	16-18			AL			AL					4D				✓	4 5
B-CLASS (246)	16-17						AL	DS				4		✓		✓	4 5
B-CLASS (246)	15-15		DS					DS				4		✓		✓	4 5
C-CLASS (204)	15-15			AL	AL		AL	DS				4D			+	✓	4 5
C-CLASS (204)	12-14		DS	AL	AL			DS				4D		+	✓	4 5	
C-CLASS (204)	08-11			AL	AL			DS				4D		+	✓	4 5	
C-CLASS (205)	22-22			AL	AL		AL	DS				4D				✓	4 5
C-CLASS (205)	15-21		DS	AL	AL		AL	DS				4D				✓	4 5
CLA-CLASS (117)	15-19		DS	AL			AL	DS				4		✓		✓	4 5
CLA-CLASS (117)	14-14		DS	AL				DS				4		✓		✓	4 5
CLA-CLASS (118)	22-22			AL			AL	DS				4				✓	4 5
CLA-CLASS (118)	21-21			AL			AL					4				✓	4 5
CLA-CLASS (118)	20-20		DS	AL			AL					4				✓	4 5
CL-CLASS (216)	07-14		DS	AL								4D				✓	4 5
CL-CLASS (216)	06-06			AL								4D				✓	4 5
CLS-CLASS (218)	15-18		DS	AL	AL		AL	DS				4D			+	✓	4 5
CLS-CLASS (218)	12-14		DS	AL	AL			DS				4D			+	✓	4 5
CLS-CLASS (219)	06-10			AL								4D			+	✓	4 5
CLS-CLASS (257)	22-23						AL					4D				✓	4 5
CLS-CLASS (257)	20-20		DS	AL			AL					4D				✓	4 5
CLS-CLASS (257)	19-21		DS				AL					4D				✓	4 5
E-CLASS (207)	15-17		DS	AL	AL		AL	DS				4D			+	✓	4 5
E-CLASS (211)	09-09		DS	AL								4D				✓	4 5
E-CLASS (211)	06-09			AL								4D				✓	4 5
E-CLASS (212)	15-16		DS	AL	AL		AL	DS				4D			+	✓	4 5
E-CLASS (212)	10-14		DS	AL	AL			DS				4D			+	✓	4 5

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes						
▼	▼	▼	▼	▲	▼	▲	▼	▼	▲	▼	▲	▼	▲	▼	▲
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+ CL	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure		Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment		Not Adjustable	6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure	AL	ADASLink Coverage	T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon			TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
								Ibs	Requires loading of vehicle before alignment						

MERCEDES-BENZ		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
E-CLASS (213)	19-22		DS	AL			AL					4D				✓	4 5
E-CLASS (213)	17-18		DS				AL					4D				✓	4 5
E-CLASS (238)	22-22			AL			AL					4D				✓	4 5
G-CLASS (463)	20-20		DS	AL								TD					4 5
G-CLASS (463)	17-22		DS	AL			AL	DS				TD					4 5
G-CLASS (463)	15-16			AL			AL	DS				T					4 5 6
G-CLASS (463)	07-14			AL				DS				T					4 5 6
GLA-CLASS (156)	20-20		DS	AL								4		✓		✓	4 5
GLA-CLASS (156)	15-19		DS	AL			AL	DS				4		✓		✓	4 5
GLA-CLASS (247)	23-23						AL					4					✓ 4 5
GLA-CLASS (247)	22-22			AL			AL	DS				4				✓	4 5
GLA-CLASS (247)	21-21		DS	AL			AL	DS				4				✓	4 5
GLB-CLASS (247)	22-23						AL					4				✓	4 5
GLB-CLASS (247)	21-21		DS				AL					4				✓	4 5
GLB-CLASS (247)	20-20		DS	AL								4				✓	4 5
GLC-CLASS (253)	21-22		DS	AL			AL	DS				4D				+	✓ 4 5
GLC-CLASS (253)	16-20		DS	AL	AL		AL	DS				4D				+	✓ 4 5
GL-CLASS (164)	12-12		DS	AL								4D				✓	✓ 4 5
GL-CLASS (164)	07-12			AL								4D				✓	✓ 4 5
GL-CLASS (166)	15-16		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GL-CLASS (166)	13-14		DS	AL	AL			DS				4D				✓	✓ 4 5
GLE-CLASS (166)	16-19		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GLE-CLASS (167)	23-23			AL	AL		AL	DS				4D				✓	✓ 4 5
GLE-CLASS (167)	22-22		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GLE-CLASS (167)	21-21		DS				AL					4D				✓	✓ 4 5
GLE-CLASS (167)	20-22		DS	AL	AL		AL					4D				✓	✓ 4 5
GLE-CLASS (292)	16-19		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GLK-CLASS (X204)	15-15		DS	AL	AL		AL	DS				4D					✓ 4 5
GLK-CLASS (X204)	12-14		DS	AL	AL			DS				4D					✓ 4 5
GLK-CLASS (X204)	10-11			AL	AL			DS				4D					✓ 4 5
GLS-CLASS (166)	17-19		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GLS-CLASS (167)	22-22		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
GLS-CLASS (167)	21-21		DS				AL					4D				✓	✓ 4 5
GLS-CLASS (167)	20-20		DS	AL	AL							4D				✓	✓ 4 5
METRIS (447)	21-22						AL					4					4 5
METRIS (447)	20-20		DS									4					4 5
METRIS (447)	16-19		DS				AL					4					4 5
ML-CLASS (164)	06-11			AL								4D				✓	✓ 4 5
ML-CLASS (166)	15-15		DS	AL	AL		AL	DS				4D				✓	✓ 4 5
ML-CLASS (166)	12-14		DS	AL	AL			DS				4D				✓	✓ 4 5
R-CLASS (251)	06-12			AL								4D				✓	✓ 4 5
S-CLASS (221)	07-13		DS	AL								4D				✓	4 5

MERCEDES-BENZ		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
S-CLASS (222)	14-20		DS	AL	AL			AL	DS			4D				✓	4 5
SLC-CLASS (172)	20-20		DS	AL								4D				✓	4 5
SLC-CLASS (172)	17-19		DS	AL				AL	DS			4D				✓	4 5
SL-CLASS (230)	06-12			AL								4D				✓	4 5
SL-CLASS (231)	20-20		DS	AL								4D				✓	4 5
SL-CLASS (231)	13-19		DS	AL					DS			4D				✓	4 5
SLK-CLASS (171)	11-11		DS	AL								4D			+	✓	4 5
SLK-CLASS (172)	15-16		DS	AL				AL	DS			4D				✓	4 5
SLK-CLASS (172)	12-14		DS	AL					DS			4D				✓	4 5
SLS-CLASS (197)	15-15							AL				4D				✓	4 5
SPRINTER (906)	10-18		DS									TD		✓			4 5
SPRINTER (907)	20-22		DS					AL				TD					4 5
SPRINTER (907)	20-20		DS									TD					4 5
SPRINTER (907)	19-19		DS					AL	DS			TD					4 5

MERCURY		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
MARINER	08-11	AL CL★										4D	✓		+	✓	

MINI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
COOPER (F55/F56/F57)	20-20	AL CL★	AL									4D			✓	✓	5 lbs
COOPER (F55/F56/F57)	19-19	AL CL★	AL									4D			✓	✓	5 lbs
COOPER (R50/R52/R53)	06-06	AL CL★										4D	+	+	✓		5 lbs

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes						
▼	▼	▼	▼	▲	▼	▲	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
								lbs		Requires loading of vehicle before alignment						

**MINI****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
COOPER CLUBMAN (F54)	23-23	AL CL★	AL		AL							4D			✓	✓	5 lbs
COOPER CLUBMAN (F54)	22-22	AL CL★	AL									4D			✓	✓	5 lbs
COOPER CLUBMAN (F54)	21-21	AL CL★	AL	DS	AL							4D			✓	✓	5 lbs
COOPER CLUBMAN (F54)	18-20	AL CL★	AL			AL						4D			✓	✓	5 lbs
COOPER CLUBMAN (F54)	16-17	AL CL★				AL						4D			✓	✓	5 lbs
COOPER COUNTRYMAN (F60)	23-23	AL CL★	AL			AL						4D			✓	✓	5 lbs
COOPER COUNTRYMAN (F60)	21-22	AL CL★	AL	DS	AL							4D			✓	✓	5 lbs
COOPER COUNTRYMAN (F60)	18-20	AL CL★	AL			AL						4D			✓	✓	5 lbs
COOPER COUNTRYMAN (F60)	17-17	AL CL★				AL						4D			✓	✓	5 lbs
COOPER COUNTRYMAN (R60)	11-16	AL CL★										4D			✓		5 lbs
COOPER PACEMAN (R61)	13-16	AL CL★										4D			✓		5 lbs
F54 CLUBMAN	24-24	CL★										4D			✓	✓	5 lbs
F55 5DR HATCH/HDTP 15" WHL	24-24	★										4D			✓	✓	5 lbs
F60 COUNTRYMAN	24-24	CL★										4D			✓	✓	5 lbs

**MITSUBISHI****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ECLIPSE	06-12	AL CL★										4D			✓	✓	
ECLIPSE CROSS	18-24	AL★	DS	AL	DS		DS					4D		+	+	✓	
ENDEAVOR	24-24	★	UA	UA	UA							4			✓	✓	
ENDEAVOR	06-11	AL CL★										4D			✓	✓	
GALANT	10-12	AL CL★										4D			✓	✓	
I-MIEV	16-17	AL CL★										T					
I-MIEV	14-14	AL CL★										T					
I-MIEV	12-12	AL CL★										T					
LANCER	08-17	AL CL★										4D	+	+	+	✓	
MIRAGE	22-24	AL CL★	DS									TD	+				
MIRAGE	21-21	AL CL★	DS									TD	+				
MIRAGE	14-20	AL CL★										TD	+				
MIRAGE G4	22-24	AL CL★	DS									TD	+				
MIRAGE G4	21-21	AL CL★	DS									TD	+				
MIRAGE G4	17-20	AL CL★										TD	+				
OUTLANDER	22-24	AL★	UA   DS	UA   DS	UA							4			✓	✓	
OUTLANDER	17-20	AL CL★	DS	AL	DS		DS					4D	+	+	+	✓	
OUTLANDER	14-16	AL CL★	AL	AL								4D	+	+	+	✓	
OUTLANDER	07-13	AL CL★										4D	+	+	+	✓	

MITSUBISHI		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
OUTLANDER PHEV	23-23	AL★	UA   DS	UA   DS	UA							4			✓	✓	
OUTLANDER PHEV	18-22	AL CL★	UA   DS	UA	UA   DS			DS				4D		+	+	✓	
OUTLANDER SPORT	23-24	AL CL★	DS					DS				4D		+	+	✓	
OUTLANDER SPORT	19-22	AL CL★	DS	AL				DS				4D		+	+	✓	
OUTLANDER SPORT	18-18	AL CL★	DS	AL								4D		+	+	✓	
OUTLANDER SPORT	17-17	AL CL★	AL									4D		+	+	✓	
OUTLANDER SPORT	11-16	AL CL★										4D		+	+	✓	
OUTLANDER SPORT/RVR	11-24	CL★										4D		+	+	✓	
NISSAN		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
350Z	06-09	AL CL★										4D	+	+	✓	✓	
370Z	20-20	AL CL★		DS								4D	+	+	✓	✓	
370Z	19-19	AL CL★										4D	+	+	✓	✓	
370Z	18-18	AL CL★		DS								4D	+	+	✓	✓	
370Z	09-17	AL CL★										4D	+	+	✓	✓	
ALTIMA	24-24	CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
ALTIMA	19-23	AL CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
ALTIMA	16-18	AL CL★		UA   DS								4D		+	✓	✓	
ALTIMA	15-15	AL CL★										4D		+	✓	✓	
ALTIMA	13-14	AL CL★						DS				4D		+	✓	✓	
ALTIMA	12-12	AL CL★										4D		+	✓	✓	
ALTIMA	10-11	AL CL★										4D		+	✓	✓	
ALTIMA	08-09	AL CL★										4D		+	✓	✓	
ALTIMA	07-07	AL CL★										4D		+	✓	✓	
ALTIMA	06-06	AL										4D		+	✓	✓	
ARIYA	23-24	★	!	!	!							4			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools							
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.							
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.							
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment							
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment							
								lbs	Requires loading of vehicle before alignment							

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ARMADA	24-24	CL★	UA	UA	UA							4D	✓	✓	✓	✓	
ARMADA	17-23	AL CL★	UA   DS	UA   DS	UA   DS							4D	✓	✓	✓	✓	
ARMADA	06-15	AL CL★										4D	✓	✓	✓	✓	
CUBE	09-14	AL CL★										4S		+			
FRONTIER	24-24	AL CL★	UA   DS	UA	!		AL					T	✓	✓			
FRONTIER	23-23	AL CL★	UA   DS	UA	!							T	✓	✓			
FRONTIER	22-22	AL CL★	UA   DS	UA   DS	!							T	✓	✓			
FRONTIER	19-19	AL CL★										TD	✓	✓			
FRONTIER	17-21	AL CL★		DS								TD	✓	✓			
FRONTIER	06-16	AL CL★										TD	✓	✓			
GT-R	21-24	★										4D		✓	✓	✓	
GT-R	20-20	AL★		DS								4D		✓	✓	✓	
GT-R	13-19	AL★										4D		✓	✓	✓	
GT-R	09-12	AL CL★										4D		✓	✓	✓	
JUKE	15-17	AL CL★			DS							TD		+			
JUKE	11-14	AL CL★										TD		+			
KICKS	24-24	AL CL★	UA   DS	UA   DS	DS   !		AL					T					
KICKS	22-23	AL CL★	UA   DS	UA   DS	!							T					
KICKS	20-21	AL CL★	UA   DS	UA   DS	DS   !							T					
KICKS	18-19	AL CL★		DS	DS   !							T					
LEAF	24-24	AL CL★	UA   DS	UA   DS	UA   DS		AL					T					
LEAF	18-23	AL CL★	UA   DS	UA   DS	UA   DS							T					
LEAF	17-17	AL CL★		DS	DS							4S		+			
LEAF	13-16	AL CL★			DS							4S		+			
LEAF	11-12	AL CL★										4S		+			
MAXIMA	22-23	AL CL★	UA   DS	UA   DS	UA							4			✓	✓	
MAXIMA	19-21	AL CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
MAXIMA	16-18	AL CL★		UA   DS	UA   DS							4			✓	✓	
MAXIMA	06-14	AL CL★										4D		+	✓	✓	
MURANO	24-24	CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
MURANO	19-23	AL CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
MURANO	17-18	AL CL★		DS	DS							4			✓	✓	
MURANO	16-16	AL CL★		DS	DS							4			✓	✓	
MURANO	15-15	AL CL★		DS	DS							4			✓	✓	
MURANO	06-14	AL CL★										4D		+	✓	✓	
NV1500	17-21	AL CL★		DS								TD	✓	✓			
NV1500	12-16	AL CL★										TD	✓	✓			
NV200	17-21	AL★		DS								TD		+			
NV200	13-16	AL CL★										TD		+			
NV2500	17-21	AL CL★		DS								TD	✓	✓			
NV2500	12-16	AL CL★										TD	✓	✓			

NISSAN		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
NV3500	17-21	AL CL★		DS								TD	✓	✓			
NV3500	12-16	AL CL★										TD	✓	✓			
PATHFINDER	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
PATHFINDER	22-23	AL★	UA   DS	UA   DS	UA							4			✓	✓	
PATHFINDER	17-20	AL CL★		DS	UA   DS							4D	+	+	✓	✓	
PATHFINDER	16-16	AL CL★			UA   DS							4D	+	+	✓	✓	
PATHFINDER	15-15	AL CL★		DS	UA   DS							4D	+	+	✓	✓	
PATHFINDER	13-14	AL CL★			UA   DS							4D	+	+	✓	✓	
PATHFINDER	06-12	AL CL★										4D	✓	✓	✓	✓	
QASHQAI	17-22	AL	DS	DS	DS							4			✓	✓	
QUEST	17-17	AL CL★		DS								4D		+	✓	✓	
QUEST	13-16	AL CL★			DS							4D		+	✓	✓	
QUEST	06-12	AL CL★										4D		+	✓	✓	
ROGUE	21-24	AL CL★	UA   DS	UA   DS	UA							4			✓	✓	
ROGUE	17-20	AL CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
ROGUE	16-16	AL CL★		DS	UA   DS							4			✓	✓	
ROGUE	14-15	AL CL★		DS	UA   DS					DS		4			✓	✓	
ROGUE	12-13	AL CL★			DS							4D		+	✓	✓	
ROGUE	08-11	AL CL★										4D		+	✓	✓	
ROGUE SELECT	15-15	AL CL★		DS	DS					DS		4D		+	✓	✓	
ROGUE SELECT	14-14	AL CL★		DS	DS							4D		+	✓	✓	
ROGUE SPORT	22-22	AL CL★	UA   DS	UA   DS	UA							4			✓	✓	
ROGUE SPORT	17-21	AL CL★	UA   DS	UA   DS	UA   DS							4			✓	✓	
SENTRA	24-24	★	UA   DS	UA   DS	UA							4			✓	✓	
SENTRA	20-23	AL★	UA   DS	UA   DS	UA							4			✓	✓	
SENTRA	17-19	AL CL★		DS								4S		+			
SENTRA	10-16	AL CL★										4S		+			
SENTRA	06-09	AL										4S		+			

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼		▼		▲				▼		▲					
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools					
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.					
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.					
	Coverage - Static Procedure								7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment				
!	Support Coming Soon	AL	ADASLink Coverage	T	Thrust-line alignment (no rear adjustments)	lbs		8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment					
				TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures					Requires loading of vehicle before alignment					

NISSAN		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
TITAN	24-24	AL CL★	UA   DS	UA   DS	UA   DS			AL				TD	✓	✓			
TITAN	20-23	AL CL★	UA   DS	UA   DS	UA   DS							TD	✓	✓			
TITAN	19-19	AL CL★			UA   DS							TD	✓	✓			
TITAN	18-18	AL CL★		DS	UA   DS							TD	✓	✓			
TITAN	17-17	AL CL★			UA   DS							TD	✓	✓			
TITAN	06-15	AL CL★										TD	✓	✓			
TITAN XD	24-24	AL CL★	UA   DS	UA   DS	UA   DS			AL				TD	✓	✓			
TITAN XD	20-23	AL CL★	UA   DS	UA   DS	UA   DS							TD	✓	✓			
TITAN XD	19-19	AL CL★			UA   DS							TD	✓	✓			
TITAN XD	18-18	AL CL★		DS	UA   DS							TD	✓	✓			
TITAN XD	16-17	AL CL★			UA   DS							TD	✓	✓			
VERSA	24-24	CL★	UA   DS	UA   DS	DS			AL				T					
VERSA	21-23	AL CL★	UA   DS	UA   DS	DS							T					
VERSA	20-20	AL CL★	UA   DS	UA   DS								T					
VERSA	19-19	AL CL★		DS								4S		+			
VERSA	10-18	AL CL★										4S		+			
VERSA	07-09	AL										4S		+			
VERSA (INCL. NOTE)	14-19	CL★										4S		+			
VERSA NOTE	19-19	AL CL★			DS							4S		+			
VERSA NOTE	18-18	AL CL★		DS	DS							4S		+			
VERSA NOTE	14-17	AL CL★			DS							4S		+			
X-TERRA	06-15	AL CL★										TD	✓	✓			
Z	23-24	AL★	UA	UA								4			✓	✓	

POLESTAR		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
POLESTAR 1	20-21	★										4				✓	
POLESTAR 3	24-25	★										4				✓	

PONTIAC		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
G5	08-10	AL CL★										4S					
G6	06-10	AL CL★										4D		✓	✓		
G8	08-09	AL★										4D	✓	✓	✓		
VIBE	06-10	AL CL★										4S					

PORSCHE		ADAS Calibrations										Wheel Alignment Adjustments						
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes	
718 BOXSTER 982	24-24	★	★	★								4D	+		✓			
911	17-24	★	★	★					★		★	4			✓	✓		
911	14-15	★	★	★					★		★	4			✓	✓		
911	06-11	★										4D	+		✓	✓		
911 CARRERA 991 2/2S	19-19	★	★	★					★		★	4			✓	✓		
911 CARRERA 991 2/2S	16-16	★	★	★					★		★	4			✓	✓		
911 CARRERA 991 2/2S	12-13	★	★	★								4			✓	✓		
911 CARRERA 991 GT3 RS	19-19	★	★	★					★		★	4			✓	✓		
911 CARRERA 991 GT3 RS	16-16	★	★	★					★		★	4			✓	✓		
911 CARRERA 997 2/2S	12-12	★	★	★								4			✓	✓		
911 CARRERA TURBO 997	13-13	★	★	★								4			✓	✓		
918 SPYDER	15-15	★							★		★	4D				✓		
BOXSTER	17-24	★	★	★								4D	+		✓			
BOXSTER	13-16	★	★	★								4D	+		✓			
BOXSTER	06-12	★										4D	+		✓	✓		
CARRERA GT	06-06	★										4D			✓	4 lbs		
CAYENNE	24-24	★	★   !	★!	!						★	★	4D			✓	✓	
CAYENNE	11-23	★	DS★	★							★	★	4D			✓	✓	
CAYENNE	10-10	★	DS									4	✓	✓	✓	✓		
CAYENNE	08-09	★										4	✓	✓	✓	✓		
CAYENNE	06-06	★										4	✓	✓	✓	✓		
CAYMAN	17-24	★	★	★								4D	+		✓			
CAYMAN	14-16	★	★	★								4D	+		✓			
CAYMAN	06-12	★										4D	+		✓	✓		
MACAN	24-24	★	★	★								4D	+		✓			
MACAN	15-23	★	DS★	★								4D	+		✓			
PANAMERA	17-24	★	★	★							★	★	4D			✓	✓	
TAYCAN	20-24	★	★	★							★	★	4D			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼		▼		▲		▼		▲		▼		▲		▼		▲	
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

**RIVIAN**

		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
500 / 700 (EDV)	22-24	★										T	✓	✓			
R1S	22-24	★										4	✓	✓	✓	✓	
R1T	22-24	★										4	✓	✓	✓	✓	

**ROLLS-ROYCE**

		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CULLINAN	19-24	★		★								4D			✓	✓	5 lbs
DAWN	16-21	★										4D			✓	✓	5 lbs
GHOST	21-24	★		★								4D			✓	✓	5 lbs
GHOST	10-20	★										4D			✓	✓	5 lbs
PHANTOM	18-24	★		★								4D			✓	✓	5 lbs
PHANTOM	06-17	★										4D			✓	✓	5 lbs
SPECTRE	24-24	★		★								4D			✓	✓	5 lbs
WRAITH	14-21	★										4D			✓	✓	5 lbs

**SAAB**

		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
9-3 4X2	06-09	★										4D		+	✓	✓	
9-3 4X2 CONVERTIBLE	10-11	★										4D		+	✓	✓	

**SATURN**

		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
AURA	07-09	AL CL★										4D			✓	✓	
OUTLOOK	07-10	AL CL★										4D	+		✓	✓	
VUE	10-10	AL CL★										4D			✓	✓	
VUE 4X2 2.4L	09-09	CL★										4D			✓	✓	
VUE 4X2 2.4L HYBRID	09-09	CL★										4D			✓	✓	

**SCION**

		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
FR-S	13-16	AL CL★										4D			+	✓	
IM	16-16	AL CL★										4D			+	✓	
IQ	14-15	AL CL★										4S					
IQ	13-13	AL CL★										4S					
IQ	12-12	AL CL★										4S					

SCION		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
TC	11-16	AL CL★										4D			+	✓	
TC	06-10	AL										4D			✓	✓	
XA	06-06	AL										4S					
XB	08-15	AL CL★										4S					
XB	06-06	AL CL★										4S					
XD	08-14	AL CL★										4S					

SMART		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
451 FORTWO ELECTRIC DRIVE	16-16	★										4D					4
451 FORTWO USA 52 KW GAS	08-15	★										4D					4

SUBARU		ADAS Calibrations										Wheel Alignment Adjustments						
Model	Years	SSR	FFC CAL	FFC Reset	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ASCENT	19-24	AL CL★	UA   DS	AL★		UA		UA   DS					4		✓		✓	
B9 TRIBECA	06-07	AL CL★											4D		✓		✓	
BRZ	13-24	CL★		!					!				4D				✓	
CROSSTREK	24-24	AL★	DS	AL★									4		✓		✓	
CROSSTREK	19-23	AL CL★	UA   DS	AL				DS   !	UA				4		✓		✓	
CROSSTREK	18-18	AL CL★	DS	AL★				DS   !	!				4		✓		✓	
CROSSTREK	17-17	AL CL★	DS	AL				DS					4D		✓	+	✓	
CROSSTREK	16-16	AL CL★	DS	AL				DS					4D		✓	+	✓	
CROSSTREK (INCL. XV CROSSTREK)	13-14	CL★											4D		✓	+	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes						
▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.		May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5		Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6		Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7		Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8		Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
				lbs				Requires loading of vehicle before alignment								

## ADAS Calibrations

## Wheel Alignment Adjustments

Model	Years	SSR	FFC CAL	FFC Reset	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
FORESTER	24-24	★	UA	AL★				!	!				4		✓		✓	
FORESTER	22-23	★	UA   DS	AL★				!	!				4		✓		✓	
FORESTER	17-21	AL CL★	UA   DS	AL★				DS   !	!				4		✓		✓	
FORESTER	13-16	AL CL★	DS	AL					!				4D		✓		✓	
FORESTER	06-12	AL CL★											4D		✓	+	✓	
IMPREZA	24-24	★		★				!					4		✓		✓	
IMPREZA	24-24	AL★	DS	AL★									4		✓		✓	
IMPREZA	22-23	AL CL★	UA   DS	AL				DS   !	!				4		✓		✓	
IMPREZA	19-19	AL CL★	UA   DS	AL				DS   !	!				4		✓		✓	
IMPREZA	17-21	AL CL★	UA   DS	AL				DS   !	!				4		✓		✓	
IMPREZA	16-16	AL CL★	DS	AL★				DS					4D		✓	+	✓	
IMPREZA	15-15	AL CL★	DS	AL									4D		✓	+	✓	
IMPREZA	08-14	AL CL★											4D		✓	+	✓	
IMPREZA	08-14	CL★											4D		✓	+	✓	
IMPREZA	07-07	AL											4D	+	✓	+	✓	
IMPREZA WRX	13-14	CL★											4D		✓	+	✓	
LEGACY	16-24	AL CL★	DS	AL★				DS   !	!				4		✓		✓	
LEGACY	15-15	AL CL★	DS	AL				DS   !	!				4		✓		✓	
LEGACY	13-14	AL CL★	DS	AL					!				4D		✓		✓	
LEGACY	06-12	AL CL★							!				4D		✓		✓	
OUTBACK	16-24	AL CL★	UA   DS	AL★				UA   DS					4		✓		✓	
OUTBACK	15-15	AL CL★	UA   DS	AL				DS	!				4		✓		✓	
OUTBACK	13-14	AL CL★	DS	AL					!				4D		✓		✓	
OUTBACK	06-12	AL CL★											4D		✓		✓	
SOLTERRA	24-24	★	UA	AL	UA				UA	UA			4D				✓	
SOLTERRA	23-23	★	UA   DS	AL	UA   DS				UA   DS	UA			4D				✓	
TRIBECA	08-14	AL CL★											4D		✓		✓	
WRX	23-23	CL★	DS	AL★				!					4		✓		✓	
WRX	19-19	AL CL★	DS	AL★				DS   !	!				4		✓		✓	
WRX	17-21	AL CL★	DS	AL★				DS   !	!				4		✓		✓	
WRX	16-16	AL CL★	DS	AL★				DS   !	!				4D		✓	+	✓	
WRX	15-15	AL CL★	DS	AL					!				4D		✓	+	✓	
WRX STI	17-21	AL CL★	DS	AL★				DS   !	!				4		✓		✓	
WRX STI	16-16	AL CL★	DS	AL★				DS   !	!				4D		✓	+	✓	
WRX STI	15-15	AL CL★	DS	AL									4D		✓	+	✓	
XV CROSSTREK	15-15	AL CL★	DS	AL									4D		✓	+	✓	
XV CROSSTREK	13-14	AL CL★											4D		✓	+	✓	

SUZUKI		ADAS Calibrations								Wheel Alignment Adjustments							
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
EQUATOR	09-12	★										TD	✓	✓			

TESLA		ADAS Calibrations								Wheel Alignment Adjustments							
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
CYBERTRUCK	24-24	★										4				✓	
MODEL 3	17-24	★										4	✓			✓ lbs	
MODEL S	22-24	★										4	✓	✓		✓	
MODEL S	12-20	★		☆								4	✓	✓		✓	
MODEL S 4X4 AIR SUSP/PERF. +	21-21	★		☆								4	✓	✓		✓	
MODEL S P2	21-21	★		☆								4	✓	✓		✓	
MODEL X	22-24	★										4	✓	✓		✓	
MODEL X	21-21	★		☆								4	✓	✓		✓	
MODEL X	16-20	★		☆								4	✓	✓		✓	
MODEL X P2 - LOW SETTING	21-21	★		☆								4	✓	✓		✓	
MODEL Y	20-24	★										4	✓			✓ lbs	

TOYOTA		ADAS Calibrations								Wheel Alignment Adjustments							
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
4RUNNER	24-24	AL CL★	UA   DS	UA	UA		UA					TD	✓	✓			
4RUNNER	22-23	AL CL★	UA   DS	UA   DS	UA   DS		UA   DS					TD	✓	✓			
4RUNNER	20-21	AL CL★	UA   DS	UA   DS								TD	✓	✓			
4RUNNER	06-19	AL CL★										TD	✓	✓			
86	17-20	AL CL★										4D			+	✓	
86 / GR86	22-24	CL★	UA				UA	!				4D				✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼		▼		▲				▼		▲					
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools						
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
								lbs	Requires loading of vehicle before alignment						

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
AVALON	22-22	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
AVALON	19-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
AVALON	16-18	AL CL★	UA   DS	UA   DS				UA   DS	UA   DS			4D			+	✓	
AVALON	14-15	AL CL★						DS				4D			+	✓	
AVALON	13-13	AL CL★						DS				4D			+	✓	
AVALON	10-12	AL CL★		DS								4D			+	✓	
AVALON	06-09	AL CL★										4D			+	✓	
BZ4X	23-24	★	UA   DS	UA   DS			UA	UA   DS	UA			4D				✓	
CAMRY	21-24	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
CAMRY	18-20	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
CAMRY	15-17	AL CL★	UA★	UA   DS				UA   DS	UA   DS			4D				✓	
CAMRY	13-14	AL CL★						UA   DS	UA   DS			4D			+	✓	
CAMRY	12-12	AL CL★							UA   DS			4D			+	✓	
CAMRY	06-11	AL CL★										4D			+	✓	
CAMRY SOLARA	06-07	AL CL★										4D			+	✓	
C-HR	21-22	AL CL★	UA   DS	UA   DS				UA   DS				4D				✓	
C-HR	18-20	AL CL★	UA   DS	UA   DS				UA   DS				4D				✓	
COROLLA	23-24	AL★	UA   DS	UA				UA				4D				✓	
COROLLA	19-22	AL CL★	UA   DS	UA   DS				UA   DS				4D				✓	
COROLLA	17-18	AL CL★	UA   DS	UA   DS								4S					
COROLLA	06-16	AL CL★										4S					
COROLLA CROSS	23-24	AL★	UA   DS	UA				UA	UA   DS			TD					
COROLLA CROSS	22-22	AL★	UA   DS	UA   DS				UA   DS	UA   DS			TD					
COROLLA IM	17-18	AL CL★	UA   DS									4D			+	✓	
CROWN	23-24	AL★	UA   DS	UA   DS	!		UA	UA   DS	UA   DS			4D				✓	
FJ CRUISER	07-14	AL CL★										TD	✓	✓		+	
GR COROLLA	23-24	AL★	UA   DS	UA				UA				4D				✓	
GR SUPRA	20-24	★	AL	★ !								4D			✓	✓	lbs
GRAND HIGHLANDER	24-24	★	UA	UA			UA	UA	UA			4D				✓	
HIGHLANDER	21-24	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
HIGHLANDER	20-20	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D				✓	
HIGHLANDER	17-19	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D			+	✓	
HIGHLANDER	14-16	AL CL★	UA★	UA   DS				UA   DS	UA   DS			4D			+	✓	
HIGHLANDER	06-13	AL CL★										4D			+	✓	
LAND CRUISER	24-24	★	!	!		!	!					T	✓	✓			
LAND CRUISER	16-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS			CL★	TD	✓	✓			
LAND CRUISER	13-15	AL CL★									CL★	TD	✓	✓			
LAND CRUISER	06-11	AL CL★								★		TD	✓	✓			
MATRIX	06-14	CL★										4S					

TOYOTA		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
MIRAI	24-24	AL★	UA	UA			UA					4					✓
MIRAI	22-23	AL★	UA   DS	UA   DS			UA   DS	DS				4					✓
MIRAI	21-21	AL★	UA   DS	UA   DS			UA   DS	DS				4					✓
MIRAI	19-20	AL★	DS   !	DS   !			DS   !					TD					
MIRAI	16-18	AL★	DS★	DS   !			DS   !					TD					
PRIUS	24-24	AL★	UA   DS	UA	!	UA	UA					4D					✓
PRIUS	23-23	AL★	UA   DS	UA	!	UA	UA	DS				4D					✓
PRIUS	16-22	AL CL★	UA   DS	UA   DS			UA   DS					4D					✓
PRIUS	11-15	AL★	DS★									4S					
PRIUS	10-10	AL CL★	DS★	DS								4S					
PRIUS	06-09	AL CL★										4S					
PRIUS AWD-E	23-24	AL★	UA   DS	UA	!		UA					4D					✓
PRIUS AWD-E	19-22	AL CL★	UA   DS	UA   DS			UA   DS					4D					✓
PRIUS C	20-20	CL★										TD					
PRIUS C	16-19	AL CL★	UA   DS									TD					
PRIUS C	12-15	AL CL★										TD					
PRIUS PRIME	23-24	AL★	UA   DS	UA	!	!	UA					4D					✓
PRIUS PRIME	17-22	AL★	UA   DS	UA   DS			UA   DS					4D					✓
PRIUS V	18-18	CL★										TD					
PRIUS V	15-17	AL CL★	UA★	DS   !								TD					
PRIUS V	12-14	AL CL★										TD					
RAV4	24-24	AL CL★	UA   DS	UA   DS	UA   DS		UA   DS	UA				4D			+	✓	
RAV4	22-23	AL CL★	UA   DS	UA   DS	UA   DS		UA   DS	UA   DS				4D			+	✓	
RAV4	16-21	AL CL★	UA   DS	UA   DS	UA   DS		UA   DS	UA   DS				4D			+	✓	
RAV4	15-15	AL CL★	UA★				UA   DS					4D			+	✓	
RAV4	13-14	AL CL★	UA★				UA   DS					4D			+	✓	
RAV4	12-12	AL CL★										4D			+	✓	
RAV4	06-11	AL CL★										4D			+	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								Ibs	Requires loading of vehicle before alignment								

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
RAV4 PRIME	24-24	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA			4D			+	✓	
RAV4 PRIME	23-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D			+	✓	
RAV4 PRIME	21-22	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4D			+	✓	
SEQUOIA	23-24	AL★	UA   DS	UA   DS	UA   DS			UA   DS				T	✓	✓			lbs
SEQUOIA	18-22	AL CL★	UA   DS	UA   DS				UA   DS				4D	✓	✓	✓	✓	
SEQUOIA	10-17	AL CL★		DS				!				4D	✓	✓	✓	✓	
SEQUOIA	06-09	AL CL★										4D	✓	✓	✓	✓	
SIENNA	24-24	AL CL★	UA   DS	UA	UA			UA	UA			4D				✓	
SIENNA	22-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA			4D				✓	
SIENNA	21-21	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA			4D				✓	
SIENNA	18-20	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA   DS			4S					
SIENNA	13-17	AL CL★		DS   !				UA   DS	UA   DS			4S					
SIENNA	11-12	AL CL★							UA   DS			4S					
SIENNA	07-10	AL CL★										4S					
SIENNA	06-06	AL CL★										4S					
SOLARA	08-08	AL CL★										4D			+	✓	
SUPRA	21-24	★		★								4D			✓	✓	lbs
TACOMA	24-24	★										T	✓	✓			4
TACOMA	20-23	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS				T	✓	✓			
TACOMA	18-19	AL CL★	UA   DS	UA   DS				UA   DS				T	✓	✓			
TACOMA	16-17	AL CL★						UA   DS				T	✓	✓			
TACOMA	06-15	AL CL★										TD	✓	✓			
TUNDRA	24-24	AL★	UA	UA	UA			UA	UA			T	✓	✓			lbs
TUNDRA	22-23	AL★	UA   DS	UA   DS	UA			UA   DS	UA			T	✓	✓			lbs
TUNDRA	18-21	AL CL★	UA   DS	UA   DS				UA   DS				TD	✓	✓			
TUNDRA	14-17	AL CL★						UA   DS				TD	✓	✓			
TUNDRA	06-13	AL CL★										TD	✓	✓			
VENZA	24-24	AL CL★	UA   DS	UA	!			UA	UA			4D			+	✓	
VENZA	23-23	AL CL★	UA   DS	UA   DS	DS   !			UA   DS	UA			4D			+	✓	
VENZA	21-22	AL CL★	UA   DS	UA   DS	UA   DS			UA   DS	UA			4D			+	✓	
VENZA	09-16	AL CL★										4D			+	✓	
YARIS	20-20	AL	!									T					
YARIS	17-19	AL CL★	DS									4S					
YARIS	10-16	AL CL★										4S					
YARIS	07-09	AL										4S					
YARIS HATCHBACK 175/65R14	16-19	CL★										4S					

VINFAST		ADAS Calibrations								Wheel Alignment Adjustments							
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
VF8	23-24	★										4D					

VOLKSWAGEN		ADAS Calibrations								Wheel Alignment Adjustments							
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
ARTEON	24-24	CL★										4D			✓	✓	
ARTEON	21-23	AL CL★	UA   DS★	UA   DS★	UA   DS							4D			✓	✓	
ARTEON	19-20	AL CL★	UA   DS★	UA   DS★	UA   DS		DS					4D			✓	✓	
ATLAS	24-24	CL★										4D			✓	✓	
ATLAS	21-23	AL CL★	UA★	DS★	DS			DS				4D			✓	✓	
ATLAS	18-20	AL CL★	UA★	DS★	DS		DS	DS				4D			✓	✓	
ATLAS CROSS SPORT	24-24	CL★										4D			✓	✓	
ATLAS CROSS SPORT	21-23	AL CL★	UA★	DS★	DS			DS				4D			✓	✓	
ATLAS CROSS SPORT	20-20	AL CL★	UA★	DS★	DS			DS				4D			✓	✓	
BEETLE	19-19	AL CL★		DS	DS		DS	DS				4D			✓	✓	
BEETLE	16-18	AL CL★		DS			DS					4D			✓	✓	
BEETLE	15-15	AL CL★					DS					4D			✓	✓	
BEETLE	14-14	AL CL★		DS			DS					4D			✓	✓	
BEETLE	12-13	AL CL★					DS					TD					
BEETLE	06-10	AL CL★										4D	+		+		
BEETLE STD SUSP	10-10	CL★										4D	+		+		
CC	16-17	AL CL★	DS★	DS★	DS		DS	DS				4D			✓	✓	
CC	14-15	AL CL★	★	DS★	DS		DS	DS				4D			✓	✓	
CC	13-13	AL CL★	DS★	DS★	DS		DS	DS				4D			✓	✓	
CC	12-12	AL CL★	★	DS★			DS	DS				4D			✓	✓	
CC	09-11	AL CL★	★	DS★				DS				4D			✓	✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes					
▼	▼	▼	▼	▲	▼	▼	▲	▼	▼	▲	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools						
★	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.						
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.						
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment						
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment						
								Ibs	Requires loading of vehicle before alignment						

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
E-GOLF	20-20	★	★	★								4D			✓	✓	
E-GOLF	17-19	AL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
E-GOLF	16-16	AL★	★	DS★	DS			DS	DS			4D			✓	✓	
E-GOLF	15-15	AL★	★	★								4D			✓	✓	
EOS	16-16	AL CL★		DS	DS				DS			4D			✓	✓	
EOS	15-15	AL CL★			DS							4D			✓	✓	
EOS	14-14	AL CL★		DS	DS							4D			✓	✓	
EOS	12-13	AL CL★			DS							4D			✓	✓	
EOS	10-10	AL CL★		DS	DS				DS			4D			✓	✓	
EOS	09-09	AL CL★			DS							4D			✓	✓	
EOS	07-08	AL CL★										4D			✓	✓	
EOS STD SUSP	11-11	CL★										4D			✓	✓	
GOLF	21-21	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF	20-20	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF	16-19	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF	15-15	AL CL★	★	DS★	DS			DS				TD					
GOLF	10-14	AL CL★		DS	DS							4D			✓	✓	
GOLF	06-06	AL CL★										4D			✓	✓	
GOLF ALLTRACK	17-19	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF GTI	24-24	★	★	★								4D			✓	✓	
GOLF R	22-23	AL★	DS★	DS★	DS				DS			4D			✓	✓	
GOLF R	16-19	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF R	15-15	AL CL★	★	DS★	DS			DS				TD					
GOLF SPORTWAGEN	17-19	AL CL★	DS★	DS★	DS			DS	DS			4D			✓	✓	
GOLF SPORTWAGEN	16-16	AL CL★	★	DS★	DS				DS			TD					
GOLF SPORTWAGEN	15-15	AL CL★	★									TD					
GTI	21-23	AL★	DS★	DS★	DS				DS			4D			✓	✓	
GTI	20-20	AL CL★	DS★	DS★	DS				DS			4D			✓	✓	
GTI	19-19	AL CL★	DS★	DS★	DS				DS			4D			✓	✓	
GTI	18-18	AL CL★		DS★	DS				DS			4D			✓	✓	
GTI	15-17	AL CL★	DS★	DS★	DS				DS			4D			✓	✓	
GTI	14-14	AL CL★	DS		DS							4D			✓	✓	
GTI	10-13	AL CL★		DS								4D			✓	✓	
GTI	09-09	AL CL★										4D			✓	✓	
GTI	08-08	AL CL★										4D			✓	✓	
GTI	06-06	AL CL★		DS								4D			✓	✓	
ID.4	21-23	AL★	UA   DS★	UA   DS★	UA   DS							4D			✓	✓	

VOLKSWAGEN		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
JETTA	22-23	AL CL★	DS★	DS★	DS			DS				TD					
JETTA	21-21	AL CL★	DS★	DS★	DS			DS	DS			TD					
JETTA	20-20	AL CL★	DS★	DS★	DS			DS	DS			TD					
JETTA	19-19	AL CL★	DS★	DS★	DS			DS	DS			4D		✓	✓		
JETTA	18-18	AL CL★		DS★	DS			DS	DS			4D		✓	✓		
JETTA	15-17	AL CL★	★	DS★				DS				4D		✓	✓		
JETTA	14-14	AL CL★		DS★								4D		✓	✓		
JETTA	11-13	AL CL★		★								TD					
JETTA	10-10	AL CL★										4D		✓	✓		
JETTA	09-09	AL CL★		DS								4D		✓	✓		
JETTA	06-08	AL CL★										4D		✓	✓		
JETTA A5 STD SUSP	09-10	CL★										4D		✓	✓		
JETTA A5 STD SUSP	06-08	CL★										4D		✓	✓		
JETTA A7 STD SUSP	24-24	CL★										TD					
JETTA/GOLF WAGON STD SUSP	09-10	CL★										4D		✓	✓		
PASSAT	21-22	AL CL★	DS★	DS★	DS			DS	DS			4D		✓	✓		
PASSAT	20-20	AL CL★	DS★	DS★	DS			DS	DS			4D		✓	✓		
PASSAT	19-19	AL CL★	DS★	DS★	DS			DS	DS			4D		✓	✓		
PASSAT	18-18	AL CL★	DS★	DS★	DS			DS				4D		✓	✓		
PASSAT	16-17	AL CL★	DS★	DS★				DS				4D		✓	✓		
PASSAT	15-15	AL CL★										4D		✓	✓		
PASSAT	14-14	AL CL★		DS								4D		✓	✓		
PASSAT	12-13	AL CL★										4D		✓	✓		
PASSAT	06-10	AL CL★	★	DS★					DS			4D		✓	✓		
PHAETON	06-06	AL★		DS★								4D	+				7
R32	08-08	AL CL★										4D		✓	✓		

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type			Wheel Alignment Tools		Wheel Alignment Notes								
▼	▼	▼	▼	▲	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼	
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures	lbs		8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								lbs	Requires loading of vehicle before alignment								

**VOLKSWAGEN****ADAS Calibrations****Wheel Alignment Adjustments**

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
RABBIT	09-09	AL CL★										4D			✓	✓	
RABBIT	08-08	AL CL★										4D			✓	✓	
RABBIT	07-07	AL CL★										4D			✓	✓	
RABBIT	06-06	AL CL★										4D			✓	✓	
RABBIT A5 STD SUSP	07-07	CL★										4D			✓	✓	
ROUTAN	09-13	AL										4S					
TAOS	22-23	AL CL★	DS★	DS★	DS			DS				TD					
TAOS 4X2	24-24	CL★										TD					
TIGUAN	22-23	AL CL★	UA   DS★	UA   DS★	UA   DS			DS   !				4D			✓	✓	
TIGUAN	21-21	AL CL★	UA   DS★	UA   DS★	UA   DS			DS	DS   !			4D			✓	✓	
TIGUAN	19-20	AL CL★	UA   DS★	UA   DS★	UA   DS			DS	DS   !			4D			✓	✓	
TIGUAN	18-18	AL CL★	UA   DS★	UA   DS★	UA   DS			DS	DS   !			4D			✓	✓	
TIGUAN	16-17	AL CL★	★	DS	DS			DS				4D			✓	✓	
TIGUAN	09-15	AL CL★	★		DS			DS				4D			✓	✓	
TIGUAN LIMITED	18-18	AL CL★		DS★	DS			DS				4D			✓	✓	
TIGUAN LIMITED	17-17	AL CL★	★	DS	DS			DS				4D			✓	✓	
TIGUAN MQB 4X2 G0[678]G10	24-24	CL★										4D			✓	✓	
TOUAREG	15-17	AL CL★	DS★	DS★	DS			DS	DS			4	✓	✓	✓	✓	
TOUAREG	14-14	AL CL★	★	DS★	DS			DS				4	✓	✓	✓	✓	
TOUAREG	11-13	AL CL★	★	DS★				DS				4	✓	✓	✓	✓	
TOUAREG	06-10	AL CL★		DS★				DS				4	✓	✓	✓	✓	

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
C30	07-13	AL CL★										4D		+	+	✓	
C70	06-13	AL CL★										4D		+	+	✓	
EX30	25-25	★										4				✓	
S40	06-11	AL CL★										4D		+	+	✓	
S60	23-24	★										4				✓	
S60	19-22	AL★	AL	AL	AL		AL					4				✓	
S60	18-18	AL CL★					AL					4				✓	
S60	16-17	AL CL★	AL	AL			AL					4				✓	
S60	13-15	AL CL★	AL	AL			AL					4				✓	
S60	12-12	AL CL★	AL	AL								4				✓	
S60	11-11	AL CL★										4				✓	
S60	06-09	AL CL★										4D		✓		✓	
S60 CROSS COUNTRY	18-18	AL★					AL					4				✓	
S60 CROSS COUNTRY	16-17	AL★	AL	AL			AL					4				✓	

VOLVO		ADAS Calibrations										Wheel Alignment Adjustments					
Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
S80	13-16	AL CL★	AL	AL			AL					4				✓	
S80	08-12	AL CL★	AL	AL								4				✓	
S80	06-07	AL CL★										4				✓	
S90	22-24	★										4				✓	
S90	17-21	AL★	AL	AL	AL		AL					4				✓	
V50	06-11	AL CL★										4D		+	+	✓	
V60	23-24	★										4				✓	
V60	19-22	AL★	AL	AL	AL		AL					4				✓	
V60	15-18	AL CL★	AL	AL			AL					4				✓	
V60 CROSS COUNTRY	23-24	★										4				✓	
V60 CROSS COUNTRY	20-22	AL★	AL	AL	AL		AL					4				✓	
V60 CROSS COUNTRY	19-19	★										4				✓	
V60 CROSS COUNTRY	18-18	AL CL★					AL					4				✓	
V60 CROSS COUNTRY	15-17	AL CL★	AL	AL			AL					4				✓	
V70	09-10	AL CL★	AL	AL								4				✓	
V70	08-08	AL CL★										4				✓	
V70	06-07	AL★										4D		✓		✓	
V90	18-21	AL★	AL	AL	AL		AL					4				✓	
V90 CROSS COUNTRY	22-24	★										4				✓	
V90 CROSS COUNTRY	18-21	AL★	AL	AL	AL		AL					4				✓	
V90 CROSS COUNTRY	17-17	AL★				AL		AL				4				✓	
XC40	22-22	AL				AL		AL				4				✓	
XC40	19-21	AL	AL	AL	AL		AL					4				✓	
XC60	22-24	★										4				✓	
XC60	18-21	AL★	AL	AL	AL		AL					4				✓	
XC60	17-17	AL CL★	AL	AL	AL		AL					4				✓	
XC60	13-16	AL CL★	AL	AL			AL					4				✓	
XC60	10-12	AL CL★	AL	AL								4				✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type				Wheel Alignment Tools		Wheel Alignment Notes							
▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▲	▼	▼	▼	▼	▼	▼	▼
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools								
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.								
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.								
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment								
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment								
								Ibs	Requires loading of vehicle before alignment								

## ADAS Calibrations


## Wheel Alignment Adjustments

Model	Years	SSR	FFC	FFR	SVC	BSM Front	BSM Rear	BUC	4WS	AFS	NVS	Type	Front Caster	Front Camber	Rear Camber	Rear Toe	Notes
XC70	13-16	AL CL★	AL	AL			AL					4				✓	
XC70	09-12	AL CL★	AL	AL								4				✓	
XC70	06-08	AL CL★										4				✓	
XC90	23-24	★										4				✓	
XC90	16-22	AL★	AL	AL	AL		AL					4				✓	
XC90	06-14	AL CL★										4D		✓		✓	

ADAS Calibration Coverage		ADAS Calibration Tools		Wheel Alignment Type		Wheel Alignment Tools		Wheel Alignment Notes			
▼		▼		▲		▼		▲			
★	Required procedure after wheel alignment - Standard Feature	UA	Ultimate ADAS target placement	4	4-wheel alignment, equipped with standard factory adjustments	✓	Adjustable factory	4.	May require special OEM procedures/tools		
☆	Required procedure after wheel alignment - Optional Feature	DS	DAS3000 target placement	4D	4-wheel alignment, may require additional parts/procedures	+	Adjustable with additional parts	5	Special wheel adapters recommended by OEM.		
	Coverage - Dynamic Procedure	CL	Codelink Support	4S	4-wheel alignment, aftermarket full contact rear shims for rear adjustment	Not Adjustable		6	Requires Spreader Bar to measure and set front toe.		
	Coverage - Static Procedure			T	Thrust-line alignment (no rear adjustments)			7	Requires Audi/VW OEM tools/procedures to perform raised toe adjustment		
!	Support Coming Soon	AL	ADASLink Coverage	TD	Thrust-line alignment (no rear adjustments), may require additional parts/procedures			8	Requires OEM scan tool/procedure to perform height adjustment before a wheel alignment		
								Ibs	Requires loading of vehicle before alignment		

# Ultimate ADAS® Ordering Guide

For Aftermarket



## Step 1

# CHOOSE YOUR COLOR

Ultimate ADAS®, ADASLink® with first-year static calibration subscription, 32" monitor, universal targets, radar flat plate, camera target boards, and remote stand with #320 Corner Cube



UAD145

Red



UAD145-BLK

Black

## Step 2

# CHOOSE YOUR TARGET KITS BY OEM





### OEM APPROVED

20-4028-1

Complete Honda/Acura Kit  
(Includes all kits shown)

Honda Certified Collision Centers must purchase full Honda/Acura Target kit and use HDS software for calibrations.



Step 2 (cont.)


## CHOOSE YOUR TARGET KITS BY OEM



INFINITI


20-4030-1

Complete Nissan/INFINITI Kit (Includes all kits shown)



20-3927-1

Nissan Forward Facing Targets



20-3937-1

Nissan Surround View Targets



TOYOTA



20-4029-1

Complete Toyota/Lexus Kit  
(Includes all kits shown)



20-3926-1


Toyota Forward Facing Targets



20-3936-1

Toyota Surround View Targets

| gm |




20-3940-1

GM Surround View Target



LINCOLN



20-3941-1

Ford Surround  
View Targets

### Step 3

## ADD ACCESSORIES

- Wheel Off Adaptors – 20-2664-1
- Wide Angle Targets – 20-2511-1
- Medium Duty Extenders – 20-2621-1

- Adjustable Hooks – 20-2521-1
- FCA/Honda Radar Tool – 20-3326-1
- Other

### Step 4

## DISCUSS STORAGE REQUIREMENTS

It is recommended to store Ultimate ADAS® targets neatly and safely to avoid damage. If ample storage is not available, consider options from vendors like Uline or others that fit your customer's needs.

## Your local Hunter team is ready to help

-  Receive same- or next-day service
-  Get a free quote or on-site demo
-  Register for ASE-accredited training courses
-  General information and questions



Find your local team

[hunter.com/contact](http://hunter.com/contact)




Because of continuing technological advances, specifications, models and options are subject to change without notice.

Ultimate ADAS and ADASLink are registered trademarks of Hunter Engineering Company.


# COMPREHENSIVE EDUCATION FROM THE ASE-CERTIFIED EXPERTS IN UNDERCAR SERVICE

## WIDE VARIETY OF COURSES



- % ADAS Calibrations
- % Wheel alignment
- % Wheel balancing
- % Custom wheel and tire changing
- % Special courses and field seminars upon request

## LOCAL TRAINING FACILITIES



## REAL WORLD INSTRUCTION




- % Small classes with more hands-on experience
- % Classroom time minimized so students focus on skill application
- % Equipment operation skills emphasized

## WEB-BASED LEARNING



Hunter University online courses



Hunter Learning Channel  
Youtube demonstration videos

DEVELOP YOUR SKILLS AT [HUNTER.COM/TRAINING](http://HUNTER.COM/TRAINING)