

Meridian Data Systems, Inc.

SOC 2 Type II Report — Independent Service Auditor's Report

Trust Services Criteria: Security, Availability, Confidentiality

SYNTHETIC DOCUMENT — generated for demonstration purposes. All entity names, figures, dates and findings are invented. This document describes no real company.

Review period: 1 January 2026 through 31 December 2026. Report issued 12 February 2026 by Ashgrove & Finn LLP, Independent Service Auditors.

Distribution restriction. This report is intended solely for the information and use of Meridian Data Systems, user entities of the system during the period, and prospective user entities under a non-disclosure agreement. It is not intended for and should not be used by anyone other than these specified parties.

Section I — Independent Service Auditor's Report

We have examined Meridian Data Systems' description of its analytics platform system and the suitability of the design and operating effectiveness of controls stated in the description throughout the period.

Opinion. In our opinion, except for the matter described in the Basis for Qualified Opinion paragraph, the description presents the system that was designed and implemented throughout the period, and the controls stated were suitably designed and operated effectively throughout the period.

Section II — Management's Assertion

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Section III — Description of the System

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

Section IV — Control Environment

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Section V — Risk Assessment

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Section VI — Availability Criteria and Exceptions

A1.1 The entity maintains, monitors and evaluates current processing capacity and use of system components to manage capacity demand and to enable the implementation of additional capacity to help meet its availability objectives.

Exception noted. During the period 3 August 2026 through 19 September 2026, automated capacity alerting for the primary analytics ingestion tier was disabled following a monitoring platform migration. The control did not operate for forty-seven days. Management identified the gap during an internal review rather than through the monitoring system itself.

Effect of the exception. Two availability incidents occurred within the affected window. Incident INC-2026-0812 resulted in degraded query performance for approximately four hours. Incident INC-2026-0903 resulted in a partial service outage of one hour and fifty minutes affecting a subset of user entities in the us-east region. Neither incident was detected by automated alerting; both were reported by user entities.

Management response. Alerting was restored on 19 September 2026 and coverage verification was added to the monitoring migration runbook. Management represents that no data loss occurred. The auditors did not test the effectiveness of the remediation, which was implemented after the close of the review period.

A1.2 The entity authorises, designs, develops, acquires, implements, operates, approves, maintains and monitors environmental protections, software, data backup processes and recovery infrastructure to meet its availability objectives. No exceptions noted.

A1.3 The entity tests recovery plan procedures supporting system recovery to meet its availability objectives. Recovery testing was performed on 14 April 2026 and 8 October 2026. No exceptions noted.

Section VII — Confidentiality Criteria

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Section VIII — Logical Access Controls

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Section IX — Change Management

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

Section X — Subservice Organisations

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Section XI — Complementary User Entity Controls

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Monitoring and alerting is configured across production infrastructure with alerts routed to an on-call rotation staffed twenty-four hours per day.

Vendor risk assessments are performed prior to onboarding any subprocessor with access to customer data, and are refreshed on a defined cadence thereafter.

Section XII — Other Information

The organisation maintains a documented information security policy that is reviewed and approved by management at least annually and communicated to all personnel and relevant external parties.

Logical access to production systems is granted on the basis of least privilege and is reviewed quarterly by system owners. Access is revoked within one business day of termination.

Changes to production systems follow a documented change management process requiring peer review, automated testing and documented approval prior to deployment.

Vulnerability scans are performed on a continuous basis against internet-facing assets, and identified findings are triaged according to a documented severity matrix.

Production data is encrypted at rest using AES-256 and in transit using TLS 1.2 or higher. Key material is managed through a dedicated key management service with rotation performed annually.

Backup procedures are executed daily with restoration testing performed on a quarterly basis. Backup media is encrypted and stored in a geographically separate facility.

Security awareness training is delivered to all personnel upon hire and annually thereafter, with completion tracked and reported to management.

Incident response procedures are documented, assigned to named owners, and exercised through tabletop simulation at least annually.

Summary of Testing Exceptions

Criterion	Control	Result
CC6.1	Logical access provisioning	No exceptions
CC7.2	Security event monitoring	No exceptions
A1.1	Capacity alerting	Exception — 47 day gap
A1.2	Backup and recovery infrastructure	No exceptions
A1.3	Recovery plan testing	No exceptions
C1.1	Confidential information identification	No exceptions