



Examen

Nombre :Edison Huiñaizaca

Conexión del servidor a la base




Insertión de datos ala base




Apariencia

Lista productos



Actualización



Disposición de las clases































- ▼ Ferreteria
 - ▼ JAX-RS Web Services
 - > GET /ws/Provedores/listarPrvedores?Codigo={int}
 - > Deployment Descriptor: Ferreteria
 - > JAX-WS Web Services
 - > Web Resources
 - > JPA Content
 - ▼ Java Resources
 - ▼ src/main/java
 - ▼ ExamenFinal.Ferreteria.Beans
 - > PedidoProductoBeans.java
 - ▼ ExamenFinal.Ferreteria.DAO
 - > FerreteriaDAO.java
 - > ProveedorDAO.java
 - ▼ ExamenFinal.Ferreteria.Modelo
 - > Ferreteria.java
 - > Proveedor.java
 - ▼ ExamenFinal.Ferreteria.On
 - > GestionFerreteriaON.java
 - > GestionProveedorON.java
 - ▼ ExamenFinal.Ferreteria.Services
 - > ApplicationPath.java
 - > Mensaje.java
 - > ProveedoresREST.java
 - > src/main/resources
 - > src/test/java
 - > src/test/resources
 - > Libraries
 - ▼ Deployed Resources
 - ▼ webapp
 - > html
 - > plugins
 - > WEB-INF
 - Ferreteria.xhtml
 - Pedidos.xhtml
 - > web-resources
 - ▼ src
 - > main
 - > test



Conexión de la base al sistema ferreteria

```
5 See the License for the specific language governing permissions and
5 limitations under the License.
7 -->
8 <persistence version="2.2"
9 xmlns="http://xmlns.jcp.org/xml/ns/persistence" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
9 xsi:schemaLocation="
1 http://xmlns.jcp.org/xml/ns/persistence
2 http://xmlns.jcp.org/xml/ns/persistence/persistence_2_2.xsd">
3 <persistence-unit name="FerreteriaPersistenceUnit">
4 <!-- If you are running in a production environment, add a managed
5 data source, this configuration uses the JakartaEE default data source is just for development and testing! -->
5 <jta-data-source>java:/FerreteriaDS</jta-data-source>
7 <properties>
8 <!--The database schema is auto created on deployment and dropped before redeploy.
9 Note: the following configuration does not drop the tables on undeploy. If you prefer this, use this
9 Hibernate property instead:
1 <property name="hibernate.hbm2ddl.auto" value="create-drop" />
2 -->
3 <property name="javax.persistence.schema-generation.database.action" value="none"/>
4 <property name="javax.persistence.schema-generation.create-source" value="metadata"/>
5 <property name="javax.persistence.schema-generation.drop-source" value="metadata"/>
5
7 <!-- Properties for Hibernate -->
8 <property name="hibernate.show_sql" value="True" />
9 <property name="hibernate.globally_quoted_identifiers" value="false"/>
9 <property name="javax.persistence.jdbc.driver" value="org.hsqldb.jdbcDriver"/>
1 <property name="javax.persistence.jdbc.url" value="jdbc:hsqldb:mem:testdb"/>
2 </properties>
3 </persistence-unit>
4 </persistence>
5
```

proveedor 1

- ▼  Provedor
 -  JAX-RS Web Services
 - >  Deployment Descriptor: Provedor
 - >  JAX-WS Web Services
 - >  Web Resources
 - >  JPA Content
 - ▼  Java Resources
 - ▼  src/main/java
 -  Examen.Final.Provedor
 - ▼  ExamenFinal.Fereteria.Beans
 - >  ProvedorBeans.java
 - ▼  ExamenFinal.Fereteria.Modelo
 - >  Provedor.java
 - ▼  ExamenFinal.Fereteria.On
 - >  GestionProvedorON.java
 - >  src/main/resources
 - >  src/test/java
 - >  src/test/resources
 - >  Libraries
 - ▼  Deployed Resources
 - ▼  webapp
 - >  html
 - >  plugins
 - >  WEB-INF
 -  Provedor.xhtml
 - >  web-resources
 - >  src
 - >  target
 -  pom.xml
 -  README.txt