

From Insight to Oversight: Securing Power BI with Purview



Let's connect



@erwindekrek.bsky.social



linkedin.com/in/erwindekrek



erwindekrek.com



github.com/edkrek



<https://sessionize.com/erwin-de-krek/>



Dutchfabricusergroup.com





AI is transforming the world



Data is the fuel
that *powers* AI

Data-driven transformations yield significant benefits

54%

Increase in
revenue performance

44%

Faster time to market

62%

Improvement in
customer satisfaction

54%

Increased profit results

But achieving these benefits comes with challenges

Over

91%

of leaders report their
organizations have increased
investment in data and analytics

Only

32%

of organizations report being able
to realize tangible value from
data and analytics

Today's data realities

What data do I have?

Is it trustworthy?

Can people access the data needed to make the right decisions?

How can I enable faster business insights?

What's my compliance exposure?



Problem statement

Modern organizations generate valuable insights from data, but lack the oversight needed to ensure that data is trustworthy, secure, and compliant at scale. Without integrated governance and security across the analytics lifecycle, data-driven decisions become risky, compliance exposure increases and AI innovation cannot be safely accelerated.

Agenda



- Intro: why trust matters
- Security foundations in Fabric
- Microsoft Purview Overview
- Purview & Fabric in Action

Microsoft Fabric & Microsoft better together

Microsoft Purview strengthens Microsoft Fabric's security by recognizing, classifying, and protecting sensitive data.




Data Security



Data Governance

Microsoft Purview gives Microsoft Fabric the business context that makes data findable, meaningful, and trusted.

Security layers in Microsoft Fabric



Building trust in your Data Platform



Data Governance and Stewardship

Data Ownership
Access Control
Audit Trails
Data Catalog



Data Quality Rules

Accuracy
Completeness
Consistency
Timeliness
Uniqueness



Data Integration and Transformation Rules

ETL/ELT
Validation
Schema
Evolution
Data Lineage



Monitoring and Alerting

Data Quality
Dashboards
Anomaly
Detection
Automated
Alerts



Policy and Compliance Rules

Data Retention
Policies
Privacy
Compliance
Data
Classification

The goal, Integrated solutions are better equipped to address customer needs to safely drive business value and AI innovation



Challenges

Fragmentation

Evolving regulatory landscape

Growing data estates

Safeguarding for AI



What customers want



An integrated data platform with security and governance solutions



Sophisticated security and governance solutions that adapt to regulations as they are released



Governance and security solutions that integrate across your entire, cross-cloud data estate



Trustworthy measures that provide assurance for AI innovation

Microsoft Purview

Integrated solutions to secure & govern the world's data



Data Security

Secure data across its lifecycle, wherever it lives

Data Loss Prevention
Insider Risk Management
Information Protection



Data Governance

Confidently activate your data & accelerate time to insights

Unified Catalog

Data Discovery
Curation
Data Quality
Data Health
Master Data Management¹



Data Compliance

Manage critical risks and regulatory requirements

Compliance Manager
eDiscovery and Audit
Communication Compliance
Data Lifecycle Management
Records Management

Unstructured & Structured data


Traditional and AI generated data

Microsoft and Multi-cloud

Shared platform capabilities


AI-based efficiency, Data Map, Classification, Labels, Audit Logs, Policies, Data Connectors

Purview Data Security & Compliance integration with Fabric




Information protection sensitivity labels and protection policies

Classify sensitive Fabric data using the same sensitivity labels that are used in Microsoft 365—the label and protection travels with the data within Fabric, and enforced even when the data is exported to Office.




Data loss prevention policies

Automatically detect sensitive data
such as PII or SSN in
Lakehouse or Semantic Models
and trigger automatic risk remediation
actions such as alerts
or restrict access.



Audit

Log user activities from Microsoft Fabric in MS Purview Audit to support security, forensic, and internal investigations.



Insider Risk Management

Ingest audit logs from Fabric in addition to other millions of signals to identify potential malicious or inadvertent insider risk.





Additional Microsoft Purview purchase required

Purview Information Protection

Purview Information Protection

- MIP Labels in Office



Purview Information Protection

- MIP Labels in Office
- MIP Labels in Fabric
 - Inheritance of MIP labels in Fabric

LH_Silver_Layer |  Select a label ▼

Find detailed information about this Lakehouse

LH_Silver_Layer

Location
AW_DEMO > [AW_DEMO Data \(D\) NCC](#)

Sensitivity ⓘ

 Select a label ▼

Purview Demo >

 Outdated

 Outdated 2


 BlockContent

 Openbaar

 Intern

Vertrouwelijk >

 Learn more



Purview Information Protection

- Create labels
- Publish labels
- Make sure you use 3-5 labels (people get confused with more)
- Use clear names:
 - Confidential >>> Confidential – Internal Employees only
- Prioritize labels appropriately
 - Start with the least restrictive (e.g., “Public”) at the top and most restrictive labels (e.g., “Highly Confidential”) at the bottom of the list

New policy created

It can take up to 24 hours to publish the labels to the selected users' apps.

Next steps

[Review data classification reports](#) to see how labels are being used

[Read guidance](#) on how to educate users about sensitivity labels

Fabric settings

- ⚡ Automatically apply sensitivity **labels** to downstream content
Enabled for the entire organization

With this setting enabled, whenever a sensitivity **label** is changed or applied to Fabric content, the **label** will also be applied to its eligible downstream content. [Learn More](#)



Enabled

- ⚡ Restrict content with protected **labels** from being shared via link with everyone in your organization
Enabled for the entire organization

This setting will prevent content with protection settings in the sensitivity **label** from being shared via link with everyone in your organization. [Learn More](#)



Enabled

ⓘ To enable you need to allow users to apply sensitivity labels for Fabric content and allow shareable links to grant access to everyone in your organization

ⓘ This setting applies to the entire organization

- ⚡ Domain admins can set default sensitivity **labels** for their domains (preview)
Disabled for the entire organization

Domain admins can set a default sensitivity **label** for their domains. The **label** they set will override your organization's default **labels** in Microsoft Purview, as long as it has a higher priority than the existing default **labels** set for your tenant. A domain's default **label** will automatically apply to new Fabric items created within the domain. Reports, semantic models, dataflows, dashboards, scorecards, and some additional item types aren't currently supported. [Learn More](#)

- ⚡ Allow users to apply sensitivity **labels** for content
Enabled for the entire organization

With this setting enabled, Microsoft Purview Information Protection sensitivity **labels** published to users by your organization can be applied. All [prerequisite steps](#) must be completed before enabling this setting.

Important: Sensitivity-**label**-based access control for Fabric and Power BI data and content is only enforced in the tenant where the **labels** were applied, in Power BI Desktop (.pbix) files, and in Excel, PowerPoint, and PDF files generated via [supported export paths](#). Sensitivity-**label**-based access control is not supported in cross-tenant scenarios, such as [external data sharing](#), or in any other export scenario, such as export to .csv or .txt formats. For more information, see [Information protection in Microsoft Fabric: Access control](#).

Note: Sensitivity **label** settings, such as encryption and content marking for files and emails, are not applied to content in Fabric. [Learn More](#). Encryption is applied to content in [supported export paths](#).

Visit the [Microsoft Purview portal](#) to view sensitivity **label** settings for your organization.



Enabled

ⓘ The setting below determines which users in the organization can apply and change sensitivity labels. All other users in the organization can only view the labels.

- ⚡ Apply sensitivity **labels** from data sources to their data in Power BI
Enabled for the entire organization

Only sensitivity **labels** from supported data sources will be applied. Please see the documentation for details about supported data sources and how their sensitivity **labels** are applied in Power BI. [Learn about supported data sources](#)



Enabled

ⓘ Additional data sources may be supported in the future. With this feature enabled, the sensitivity labels from these data sources will also be applied in Power BI.

Home

Solutions

Learn

Settings

Insider Risk Managem...

Communi... Compliance

Unified Catalog

DSPM for AI

Information Protection

Information Protection

Overview

Reports

Recommendations

Sensitivity labels

Policies

Label publishing policies

Auto-labeling policies

Protection policies (previe...

Classifiers

Explorers

Diagnostics

Related solutions

Data Lifecycle Management

Data Loss Prevention

Reports

Microsoft 365

Azure

On premises

aws AWS


Microsoft Fabric

Snowflake

Coverage

Protection coverage

Access control can be applied to items in Microsoft 365 and multicloud data sources, but encryption can be applied only to items in Microsoft 365. [Learn how protection is applied to items.](#)




4 more

Explore protection policies




Sensitivity label coverage

Labeled and unlabeled items containing sensitive data across your data sources.





Labeled Not Labeled

Explore labeled items



Data scanning summary

Snapshot of data source scans across your cloud platforms.



Demo

Labels

Purview Protection Policies

Purview Protection Policies

Policies > New protection policy

Name and description

What to detect

Where to apply

How to protect

Mode

Review and finish

Name and describe your protection policy

Name *

Fabric Protection Policy

Description

Enter a policy description

Next

Cancel

Purview Protection Policies

Microsoft Purview

Search

Copilot

Erwin De Kreuk(La...

Policies > New protection policy

✓ Name and description

● What to detect

○ Where to apply

○ How to protect

○ Mode

○ Review and finish

Choose the sensitivity label used

This policy will detect items that have the label applied and are stored in one label per policy.

ⓘ If you plan to scope this policy to Microsoft Fabric in the next step, you must select a sensitivity label.

+ Add sensitivity label

Name	Scope
No sensitivity label added yet. Select a label to add.	

Choose a sensitivity label

Search for specific labels

13 items

Label	Scope
☐ Purview Demo/Purview Public	Files & other data assets
☐ Purview Demo/Purview Confidential	Files & other data assets
☐ Outdated	Files & other data assets
☐ High Secure - Enforce Compliant device...	Files & other data assets, Email, Site, Un...
☐ Outdated 2	Files & other data assets
☐ BlockContent	Files & other data assets
☐ IRMTestLabel	Files & other data assets, Email, Site, Un...
☐ Openbaar	Files & other data assets, Email
☐ Intern	Files & other data assets, Email
☐ Vertrouwelijk/Intern	Files & other data assets, Email
☐ Vertrouwelijk/Extern	Files & other data assets, Email
☐ Strikt vertrouwelijk	Files & other data assets, Email
☐ ET Test Mark	Files & other data assets

Add

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

Where to apply

○ How to protect

○ Mode

○ Review and finish

Choose data sources to apply the policy

The policy will detect labeled items stored in the data sources you choose. Note that each source you include must have data policy enforcement turned on in the Data Map. [Learn more about these data sources](#)

Location	Description	Scope	Actions
Microsoft Fabric	Data engineering, factory, science, and warehouse	Turn on location to scope	
☐ Azure Storage	Azure Blob Storage, Azure Data Lake Gen 2	Turn on location to scope	
☐ Azure SQL Server	Azure SQL Database	Turn on location to scope	

ⓘ Microsoft Fabric is unavailable because the label you selected doesn't have access control settings configured. If you want to scope this policy to Fabric, edit the label by assigning permissions in the 'Access control' setting.

ⓘ Microsoft Fabric doesn't support policies that are applied to other data sources. To protect items in Microsoft Fabric, create a separate policy scoped only to that source.

BackNext

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

Where to apply

○ How to protect

○ Mode

○ Review and finish

Choose data sources to apply the policy

The policy will detect labeled items stored in the data sources you choose. Note that each source you include must have data policy enforcement turned on in the Data Map. [Learn more about these data sources](#)

Location	Description	Scope	Actions
☒ Microsoft Fabric	Data engineering, factory, science, and warehouse	All workspaces	
Azure Storage	Azure Blob Storage, Azure Data Lake Gen 2	Turn on location to scope	
Azure SQL Server	Azure SQL Database	Turn on location to scope	

i

 Microsoft Fabric doesn't support policies that are applied to other data sources. To protect items in Microsoft Fabric, create a separate policy scoped only to that source.

Back

Next

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

✓ Where to apply

How to protect

○ Mode

○ Review and finish

Define access control settings

Except for the users and groups you add below, this policy will prevent everyone from accessing existing and future assets that have the label applied in data sources you specified. [Learn more about these settings](#)

ⓘ Important: Ensure that any service principal accounts running Data Governance Scans for the scoped sources are included in a Security Group. Add this Security Group to the allowed list of your protection policies. This will prevent future scans from being blocked by access restrictions on labeled files.

ⓘ Important: Allowing users and groups to retain specific access rights doesn't explicitly grant those rights to them. It simply means that they'll retain those rights if they already have them. In addition, these access control settings may be applied differently across Fabric items. [Learn more about how access control is applied in Fabric](#)

☐ Allow users to retain read access

Users and groups you add here won't be prevented from having read access to the labeled assets, provided they already have read permissions.

☐ Allow users to retain full control

Users and groups you add here won't be prevented from having full control of the labeled assets, provided they already have full control permissions. If they don't already have full control, they'll retain the current permissions they have.

Back

Next

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

✓ Where to apply

How to protect

● Mode

● Review and finish

Define access control settings

Except for the users and groups you add below, this policy will prevent everyone from accessing existing and future assets that have the label applied in data sources you specified. [Learn more about these settings](#)

ⓘ Important: Ensure that any service principal accounts running Data Governance Scans for the scoped sources are included in a Security Group. Add this Security Group to the allowed list of your protection policies. This will prevent future scans from being blocked by access restrictions on labeled files.

ⓘ Important: Allowing users and groups to retain specific access rights doesn't explicitly grant those rights to them. It simply means that they'll retain those rights if they already have them. In addition, these access control settings may be applied differently across Fabric items. [Learn more about how access control is applied in Fabric](#)

✓ Allow users to retain read access

Users and groups you add here won't be prevented from having read access to the labeled assets, provided they already have read permissions.

+ Add users and groups

✕ Remove all

2 users

Name	Email address	
SG-FABRIC-ADMIN	ac0b3347-f637-4c58-8412-0155281c695b	✕
SG-FABRIC-CONTRIBUTOR	fec7309a-a272-43c2-8286-c828e27fd28c	✕

☐ Allow users to retain full control

Users and groups you add here won't be prevented from having full control of the labeled assets, provided they already have full control permissions. If they don't already have full control, they'll retain the current permissions they have.

Back

Next

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

✓ Where to apply

✓ How to protect

Mode

● Review and finish

Decide whether to turn on the policy on right away or keep it off

☒ Turn on
Policy will be turned on after it's created.

☐ Keep off
Your settings will be saved but the policy will be inactive until you turn it on.

Back

Next

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

✓ Where to apply

✓ How to protect

✓ Mode

● Review and finish

Review your policy settings

Submitting...

Review your settings, edit any if needed, then select 'Create policy' to finish.

Name

Fabric Protection Policy

Edit

What to detect

Data labeled as "Purview Demo/Purview Confidential"

Edit

How to protect

Allow read access for 0 users and 2 groups

Edit

Mode

On

Edit

Back

Submit

Cancel

Purview Protection Policies

Policies > New protection policy

✓ Name and description

✓ What to detect

✓ Where to apply

✓ How to protect

✓ Mode

✓ Review and finish

✓ **Your protection policy is created**

It might take up to 30 minutes to start detecting and protecting labeled items in the data sources you specified.

Done

Purview Protection Policies

- Protection policies are useful in scenarios where organizations need to restrict access to sensitive items. For example, an organization might want to ensure that only specific internal users can access items labeled as "Confidential," while blocking access for everyone else.

Purview and Power BI

- Users **must** assign a label. Enforce through CI/CD
- DLP + automatic actions
- API enforcement
- Domain-default labels (preview)

Create policy

✓ Labels to publish

✓ Admin units

✓ Users and groups

Settings

✓ Documents

Fabric and Power BI

○ Emails

○ Name

○ Finish

Default settings for Fabric and Power BI content

Apply a default label to Fabric and Power BI content

The label you choose will automatically be applied to new Fabric and Power BI reports, dashboards, and datasets. Users can always change the default label if it's not the right one. [Learn more about default label policies in Fabric and Power BI](#)

Default label

None

☒ **Require users to apply a label to their Fabric and Power BI content**

Users will be required to apply labels to unlabeled content they create or edit in Fabric and Power BI. [Learn more about mandatory labeling in Fabric and Power BI](#)

Back

Next

Cancel

Demo

Purview Data Loss Prevention

Purview Data Loss Prevention

Data Loss Prevention

Overview

Policies

Alerts

Classifiers

Explorers

Diagnostics

Related solutions

Information Protection

Insider Risk Management

Collapse Navigation

Policies

Use data loss prevention (DLP) policies to help identify and protect your organization's sensitive info. For example you can set up policies to help make sure information in email and docs isn't shared with the wrong people. [Learn more about DLP](#)

ⓘ If your role group permissions are restricted to a specific set of users or groups, you'll only be able to manage policies for those users or groups. [Learn more about role group permissions.](#)

View role groups

+ Create policy

↓

Export

Refresh

Copilot

22 items

Search

Customize columns

☐	Name	Priority	Mode	Last modified
☐	TestDominique - Policy Tip InSpark	0	Off	May 6, 2025 5:02 PM
☐	TestDominique - Antea	1	Off	May 6, 2025 5:03 PM
☐	Sensitivity labels - EXO-SPO-O4B - Block external	2	Off	May 6, 2025 5:03 PM
☐	Sensitivity labels - SPO-O4B - Anyone	3	Off	May 6, 2025 5:08 PM
☐	INSPARKLABS-DLP-BSN-TEAMS	4	On	Jan 30, 2025 1:11 PM
☐	INSPARKLABS-DLP-BSN-SP-OD	5	On	Jan 30, 2025 1:12 PM
☐	INSPARKLABS-DLP-BSN-EXO	6	On	Jan 30, 2025 1:13 PM
☐	DLP-Apps-Confidential-Internal	7	In simulation without notifications	Oct 7, 2024 9:52 AM
☐	DLP-Apps Sensitive sites	8	In simulation without notifications	Oct 7, 2024 9:56 AM

Purview Data Loss Prevention

Data loss prevention > Create policy

● Template or custom policy

○ Name

○ Admin units

○ Locations

○ Policy settings

○ Policy mode

○ Finish

Start with a template or create a custom policy

Choose an industry regulation to see the DLP policy templates you can use to protect that info or create a custom policy start from scratch. If you need to protect labeled content, you'll be able to choose labels later. [Learn more about DLP policy templates](#)

Enhanced templates currently aren't supported for following location(s): On-premises file repositories, Power BI, Azure Storage, Azure Sql Server, Aws S3, OpenAI ChatGPT, Google Gemini, Microsoft Copilot, DeepSeek

Check out our new enhanced policy templates. These enhanced templates extend several of the original templates by also detecting named entities (such as full names and physical addresses). Just look for the templates labeled 'Enhanced' to start protecting even more personal data.

Search for specific templates

All countries or regions

Categories	Regulations	GDPR Enhanced
Enhanced	Australia Privacy Act Enhanced	Helps detect the presence of personal information for individuals inside the European Union (EU) to assist in meeting GDPR privacy obligations. This enhanced template extends the original by also detecting people's full names and physical addresses for countries in the EU. We have enhanced it with Trainable Classifiers HR, Tax, Healthcare, and Legal Affairs to detect documents containing healthcare, tax fillings, legal terminology and HR records. Protect this information: • Business - HR • Business - Tax • Health/Medical Forms • Employee disciplinary action files • Invoice • Business - Healthcare • Legal Affairs • Agreements
Financial	Australia Personally Identifiable Information (PII) Data	
Medical and health	Canada Personally Identifiable Information (PII) Data	
Privacy	Canada Personal Information Protection Act (PIPA)	
Custom	Canada Personal Information Protection Act (PIPEDA)	
	France Data Protection Act	
	France Personally Identifiable Information (PII) Data	
	GDPR Enhanced	

Purview Data Loss Prevention

Data loss prevention > Create policy

● Template or custom policy

○ Name

○ Admin units

○ Locations

○ Policy settings

○ Policy mode

○ Finish

Start with a template or create a custom policy

Choose an industry regulation to see the DLP policy templates you can use to protect that info or create a custom policy start from scratch. If you need to protect labeled content, you'll be able to choose labels later. [Learn more about DLP policy templates](#)

ⓘ Check out our new enhanced policy templates. These enhanced templates extend several of the original templates by also detecting named entities (such as full names and physical addresses). Just look for the templates labeled 'Enhanced' to start protecting even more personal data.

Categories

Enhanced

Financial

Medical and health

Privacy

Custom

Regulations

Custom policy

Custom policy

Create a custom policy from scratch. You will choose the type of content to protect and how you want to protect it.

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

● Name

○ Admin units

○ Locations

○ Policy settings

○ Policy mode

○ Finish

Name your DLP policy

Create a DLP policy to detect sensitive data across locations and apply protection actions when the conditions match.

Name *

Fabric policy

Description

Create a custom policy from scratch. You will choose the type of content to protect and how you want to protect it.

40

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

● Locations

○ Policy settings

○ Policy mode

○ Finish

Choose where to apply the policy

We'll apply the policy to

① If your role group has permissions. [Learn more](#)

① Protecting sensitive information in your organization. [Learn more](#)

Location

Exchange email

SharePoint

OneDrive and SharePoint

Teams chat

Devices

On-premise

✓ Fabric and Power BI workspaces

All workspaces

Edit

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

✓ Locations

● Policy settings

● Advanced DLP rules

○ Policy mode

○ Finish

Customize advanced DLP rules

The rules here are made up of conditions and actions that define the protection requirements for this policy. You can edit existing rules or create new ones.

+ Create rule

0 items

Name	Status
No rules created	

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

✓ Locations

● Policy settings

● Advanced DLP rules

○ Policy mode

○ Finish

Create rule

Use rules to define the type of sensitive information you data protect. If content matches many rules, the most restrictive one will be enforced. [Learn more about rules.](#)

Name *

Purview Confidential - Internal only data

Description

^ Conditions

Define the conditions that must be met for this policy to be applied. Include specific content, senders, and recipients that you want the rule to detect. For more complex rules, create groups to exclude or include items. [Learn how the condition builder works](#)

+ Add condition

+ Add group

^ Actions

Use actions to protect content when the conditions are met.

+ Add an action

^ User notifications

Use notifications to inform your users and help educate them on the proper use of sensitive info.

Off

Notifications won't be used for activity in Exchange, SharePoint, OneDrive, Teams, and On Premises Scanner.

^ User overrides

Allow overrides from Microsoft 365 files and Microsoft Fabric items

Allow users to override policy restrictions in Fabric (including Power BI), Exchange, SharePoint, OneDrive, and Teams.

Purview Data Loss Prevention

Data loss prevention > Create policy

Template or custom policy

Name

Admin units

Locations

Policy settings

Advanced DLP rules

Policy mode

Finish

Create rule

Use rules to define the type of sensitive information you data protect. If content matches many rules

Name *

Purview Confidential - Internal only data

Description

Conditions

Define the conditions that must be met for this policy to be applied. Include specific content, sender to exclude or include items. [Learn how the condition builder works](#)

☒ Quick summary

Content contains

Group name *

Default

[Add](#)

☒ Sensitive info types ☐ (Available for Exchange workload only)

☐ Sensitivity labels ☐ Message only ☐ Attachments only

[Create group](#)

[+ Add condition](#) [Add group](#)

Actions

Use actions to protect content when the conditions are met.

[+ Add an action](#)

Sensitive info types

Search for Sensitive info types

331 items

☐ Name	☐ Publisher
☐ ABA Routing Number	Microsoft Corporation
☐ All Credential Types	Microsoft Corporation
☐ All Full Names	Microsoft Corporation
☐ All Medical Terms And Conditions	Microsoft Corporation
☐ All Physical Addresses	Microsoft Corporation
☐ Amazon S3 Client Secret Access Key	Microsoft Corporation
☐ Argentina National Identity (DNI) Numb...	Microsoft Corporation
☐ Argentina Unique Tax Identification Key...	Microsoft Corporation
☐ ASP.NET Machine Key	Microsoft Corporation
☐ Australia Bank Account Number	Microsoft Corporation
☐ Australia Driver's License Number	Microsoft Corporation
☐ Australia Medical Account Number	Microsoft Corporation
☐ Australia Passport Number	Microsoft Corporation
☐ Australia Physical Addresses	Microsoft Corporation
☐ Australia Tax File Number	Microsoft Corporation

Purview Data Loss Prevention

Data loss prevention > Create policy

Template or custom policy

Name

Admin units

Locations

Policy settings

Advanced DLP rules

Policy mode

Finish

Create rule

Actions

Use actions to protect content when the conditions are met.

+ Add an action

User notifications

Use notifications to inform your users and help educate them on the proper use of sensitive info.

☒ On

Support and behavior for policy tips varies across apps and platforms. [Learn where policy tips are supported](#)

Microsoft 365 files and Microsoft Fabric items

☒ Notify users in Office 365 service with a policy tip or email notifications

Policy tips

☒ Customize the policy tip text

Your organization found policy issues in this lakehouse that need your attention

User overrides

Allow overrides from Microsoft 365 files and Microsoft Fabric items

☒ Allow users to override policy restrictions in Fabric (including Power BI), Exchange, SharePoint, OneDrive, and Teams.

☐ Require a business justification to override

☐ Override the rule automatically if they report it as a false positive

Incident reports

Use this severity level in admin alerts and reports:

Select an option

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

✓ Locations

● Policy settings

● Advanced DLP rules

○ Policy mode

○ Finish

Customize advanced DLP rules

The rules here are made up of conditions and actions that define the protection requirements for this policy. You can edit existing rules or create new ones.

+ Create rule

1 item

Name	Status			
^ Purview Confidential - Internal only data Conditions Content contains any of these sensitive info types: All Credential Types, Credit Card Number, User Login Credentials Evaluate predicate for Message or attachment Actions Notify users with email and policy tips Send alerts to Administrator	On			

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

✓ Locations

✓ Policy settings

Policy mode

○ Finish

Policy mode

You can test this policy before turning it on to verify if it needs improvement or if it meets all your objectives. If you turn the policy on right away, you can edit it later and safely test those changes in simulation mode.

☐ **Run the policy in simulation mode**
We'll show you items that match the policy's conditions to help you evaluate its impact. Your data won't be affected; the policy stays off while in simulation mode. [Learn more about simulation mode](#)

☐ Show policy tips while in simulation mode.

☐ Turn the policy on if it's not edited within fifteen days of simulation

☒ **Turn the policy on immediately**
After the policy is created, it'll take up to an hour before any changes are enforced.

☐ **Leave the policy turned off**
Decide to test or activate the policy later.

Purview Data Loss Prevention

Data loss prevention > Create policy

✓ Template or custom policy

✓ Name

✓ Admin units

✓ Locations

✓ Policy settings

✓ Policy mode

● Finish

Review and finish

Create the policy if these details look fine. Otherwise, adjust the settings to better meet your needs.

The information to protect
Custom policy
[Edit](#)

Name
Fabric policy
[Edit](#)

Description
Create a custom policy from scratch. You will choose the type of content to protect and how you want to protect it.
[Edit](#)

Locations

① Consider adding Teams as a location to protect the accidental sharing of sensitive info in Teams messages.

Update locations

Fabric and Power BI workspaces
[Edit](#)

Policy settings
Purview Confidential - Internal only data
[Edit](#)

Turn policy on after it's created?
Yes
[Edit](#)

Purview Data Loss Prevention

Data loss prevention > Edit policy

✓ Name

✓ Admin units

✓ Locations

✓ Advanced DLP rules

✓ Policy mode

✓ Finish

✓ **Policy updated**

Data loss prevention policy has been updated.

Next steps

Monitor alerts to review policy matches. [Learn about reviewing alerts](#)

RECOMMENDATION

You're protecting this sensitive data, now make sure it's deleted when no longer relevant to your organization.

Removing unnecessary or obsolete data can reduce your risk during a security incident. Use auto-labeling policies in Data Lifecycle Management to help minimize your attack surface.

Secure Now

Related tasks

Create an insider risk policy to investigate and take action on insider risks and threats.

Get started

Create a records management policy to automatically retain or delete sensitive content

Get started

Create a communication compliance policy to detect inappropriate content in messages

Learn more

🔒 Permission required

Demo

Purview Data Loss Prevention

- Limitations
- Only workspaces hosted in Fabric or Premium capacities are supported.
- DLP policy templates aren't yet supported for Fabric DLP policies. When creating a DLP policy for Fabric, choose the "custom policy" option.
- DLP policies for Fabric aren't supported for sample semantic models, [streaming datasets](#), or semantic models that connect to their data source via [DirectQuery](#) or [live connection](#).
- DLP policies for Fabric apply only on data in Lakehouse Tables/ folder stored in Delta format.
- DLP policies for Fabric support all the primitive Delta types except *timestamp_ntz*.

FEEDBACK

