Status	Finished
Started	Wednesday, 21 October 2026, 7:15 PM
Completed	Wednesday, 21 October 2026, 7:21 PM
Duration	6 mins
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 99 ✓
- b. 90 and 100
- c. 94 and 99
- d. 89 and 94

Question **2**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By starting from the first element
- b. By dividing the list length by two ✓
- c. By comparing each element sequentially
- d. By using a hash function

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

- a. Dividing the list in half repeatedly
- b. Checking each element sequentially ✓
- c. Skipping every second element
- d. Sorting the list before searching

Question **4**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The list is sorted
b. The search continues in the left or right sublist ✓
c. The search stops
d. The search continues from the beginning

Question **5**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Linear search
b. Sequential search
c. Hash search
d. Binary search ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Jump search
b. Binary search
c. Hashing
d. Linear search ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Searching ✓
b. Finding
c. Mining
d. Discovering

Question **8**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. n/2
b. n ✓
c. n-1
d. log n

Question **9**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By comparing each element in the list sequentially ✓
b. By using a hash function
c. By dividing the list into halves
d. By sorting the list first

Question **10**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Linear search ✓
b. Interpolation search
c. Hash search
d. Binary search

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search divides the list into halves.
b. Linear search can be applied to both sorted and unsorted lists. ✓
c. Linear search is more efficient than binary search on large lists.
d. Linear search requires the list to be sorted.

Question **12**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

- a. 90 and 99 ✓
- b. 89 and 99
- c. 89 and 94
- d. 90 and 94

Question **13**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The higher middle element is chosen as the middle element
- b. The middle element is chosen randomly
- c. The lower middle element is chosen as the middle element ✗
- d. The search stops

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list is sorted ✓
- b. When the list is very small
- c. When the list is unsorted
- d. When the list contains duplicate elements

Question **15**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search works on unsorted lists
- b. Binary search has a lower time complexity on large, sorted lists ✓
- c. Binary search can find multiple instances of the target element
- d. Binary search does not require dividing the list