| | |
|---|---|
| **Status** | Finished |
| **Started** | Wednesday, 19 August 2026, 8:46 AM |
| **Completed** | Wednesday, 19 August 2026, 8:54 AM |
| **Duration** | 7 mins 27 secs |
| **Grade** | **14.00** out of 15.00 (**93.33**%) |

Question **1**

Complete

Mark 1.00 out of 1.00

With what extension are the python files saved?

- a. .p
- b. .pyn
- c. .py
- d. .python

Question **2**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

- a. 15
- b. 45
- c. 35
- d. 30

Question **3**

Complete

Mark 1.00 out of 1.00

To write else statement in if-elif ladder is mandatory?

- a. True
- b. False

Question **4**

Complete

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

- a. if..else
- b. while loop
- c. for loop

Question **5**

Complete

Mark 1.00 out of 1.00

```
if true:
    print("Hello World")
```

- a. Hello World
- b. Name Error
- c. No output

Question **6**

Complete

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

- a. **Iteration**
- b. **indentation**
- c. **None of the above**
- d. **orientation**

Question **7**

Complete

Mark 0.00 out of 1.00

What is the output of the below code snippet?

```
num1=100
num2=200
num3=6
if(5>=num3):
    if(num1>100 or num2>150):
        print("1")
elif(num1>=100 and num2>150):
    print("2")
else:
    print("3")
```

a. 2

b. 1

c. 3

Question **8**

Complete

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. **number of variables in a program**

b. **number of loops in a program**

c. All the Above

d. **number of conditions to be checked**

Question **9**

Complete

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

a. Jump

b. pass

c. Empty

d. None

Question **10**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

a. All the Above

b. REC-AERO

c. REC
REC-AERO

d. Aero
REC
REC-Aero

Question **11**

Complete

Mark 1.00 out of 1.00

Which of the following statements correctly represents taking input from user in python?

a. None of the mentioned

b. a=inp("Enter the value")

c. a=get("Enter the value")

d. a=input("Enter the value")

Question **12**

Complete

Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
    print('True')
else:
  print('False')
```

a. Error

b. True

c. False

Question **13**

Complete

Mark 1.00 out of 1.00

```
x,y=1,2
if(x or y):
    print("1")
else:
    print("0")
```

a. Runtime error

b. 1

c. 0

d. Compile time error

Question **14**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

**Code 1:**

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

**Code 2:**

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

**Code 3:**

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 2, Code 3

b. Code 1, Code 2

c. Code 1, Code 3

Question **15**

Complete

Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

a. hi

b. hello

c. python