

Wording for GB 50

Proposed Wording

1. Modify the synopsis of 20.17.5 [time.duration]:

```
template <class Rep, class Period = ratio<1>>
class duration {
public:
    using rep      = Rep;
    using period   = Period;
private:
    rep rep_; // exposition only public:
public:
    // 20.17.5.1, construct/copy/destroy:
    constexpr duration() = default;
    template <class Rep2>
        constexpr explicit duration(const Rep2& r);
    template <class Rep2, class Period2>
        constexpr duration(const duration<Rep2, Period2>& d);
    ~duration() = default;
    duration(const duration&) = default;
    duration& operator=(const duration&) = default;

    // 20.17.5.2, observer:
    constexpr rep count() const;

    // 20.17.5.3, arithmetic:
    constexpr duration operator+() const;
    constexpr duration operator-() const;
    constexpr duration& operator++();
    constexpr duration operator++(int);
    constexpr duration& operator--();
    constexpr duration operator--(int);

    constexpr duration& operator+=(const duration& d);
    constexpr duration& operator-=(const duration& d);

    constexpr duration& operator*=(const rep& rhs);
    constexpr duration& operator/=(const rep& rhs);
    constexpr duration& operator%=(const rep& rhs);
    constexpr duration& operator%=(const duration& rhs);

    // 20.17.5.4, special values:
    static constexpr duration zero();
    static constexpr duration min();
    static constexpr duration max();
};
```

2. Modify 20.17.5.3 [time.duration.arithmetic]:

```
...
constexpr duration& operator++();
...
constexpr duration operator++(int);
...
constexpr duration& operator--();
...
constexpr duration operator--(int);
...
constexpr duration& operator+=(const duration& d);
...
constexpr duration& operator-=(const duration& d);
...
constexpr duration& operator*=(const rep& rhs);
...
constexpr duration& operator/=(const rep& rhs);
```

```

...
constexpr duration& operator%=(const rep& rhs);
...
constexpr duration& operator%=(const duration& rhs);
...

```

3. Modify the synopsis of 20.17.6 [time.point]:

```

template <class Clock, class Duration = typename Clock::duration>
class time_point {
public:
    using clock      = Clock;
    using duration    = Duration;
    using rep        = typename duration::rep;
    using period      = typename duration::period;
private:
    duration d_; // exposition only
public:
    // 20.17.6.1, construct:
    constexpr time_point(); // has value epoch
    constexpr explicit time_point(const duration& d); // same as time_point() + d
    template <class Duration2>
        constexpr time_point(const time_point<clock, Duration2>& t);

    // 20.17.6.2, observer:
    constexpr duration time_since_epoch() const;

    // 20.17.6.3, arithmetic:
    constexpr time_point& operator+=(const duration& d);
    constexpr time_point& operator-=(const duration& d);

    // 20.17.6.4, special values:
    static constexpr time_point min();
    static constexpr time_point max();
};

```

4. Modify 20.17.6.3 [time.point.arithmetic]:

```

...
constexpr time_point& operator+=(const duration& d);
...
constexpr time_point& operator-=(const duration& d);
...

```