

C++ Identifier Security using Unicode Standard Annex 39

Document #: P2538R0

Date: 2022-01-22

Project: Programming Language C++

Audience: EWG

CWG

Reply-to: Reini Urban <reini.urban@gmail.com>

1 Abstract

In response to [P1949R7](#)

Adopt Unicode Annex 39 “Unicode Security Mechanisms” as part of C++23.

- Comply to a variant of [TR39#5.2](#) Mixed-Scripts Moderately Restrictive profile, but allow some Greek letters without its confusables with Latin,
- Disallow all Limited Use [TR31#Table 7](#) and Excluded scripts [TR31#Table 4](#),
- Only allow [TR39#Table 1](#) Recommended, Inclusion, Technical Identifier Type properties, Honor the Median position in Arabic words (wrong in all xid lists),
- Demand NFC normalization. Reject all composable sequences as ill-formed. (from [P1949](#))
- Reject illegal combining mark sequences (Sk, Cf, Mn, Me) with mixed-scripts (SCX) as ill-formed. [TR39#5.4](#)

Optionally:

- Implementations may allow an optional `#pragma unicode <LongScript>` that Excluded scripts can be added to the allowed set of scripts per source file.

Recommend binutils/linker ABI identifier rules: names are UTF-8, add add identifier checks. E.g. `readelf -L -Ue`.

In addition adopt this proposal as a Defect Report against C++20 and earlier. The author provides the [libu8ident](#) library (Apache 2 licensed) and its generated tables to all implementors.

TR39 checks could be weakened to warnings, TR31 violations not. But note that even TR31 has bugs still, to be fixed in the next Unicode version.

2 Changes

None

3 Summary

P1949 correctly detected that Unicode identifiers are still not identifiable, and are prone to bidi- and homoglyph attacks. But it stated that implementing TR31 and TR39 would be too hard. Having properly implemented the Unicode Security Guidelines for identifiers for several years, plus pushed Rust to do so also, proves the contrary.

Further restriction of the TR31 profile to only recommended scripts leads to smaller sets for identifiers, and implementation of a proper TR39 mixed script profile and identifier types fixes most of the known unicode security problems with identifiers. The only remaining problems are bidi overrides in strings or comments, which cannot be handled with identifier restrictions, but tokenizer or preprocessor warnings, as recently added to gcc. `#include filename` restrictions should be done also, but that is out of the scope of this document, as the existing filesystems care much less about unicode security for identifiers than programming languages. Spoofing attacks on filenames are not yet seen in the wild, but will appear sooner or later, same as they appeared in browsers and email. Also names in C object files: linkers, `.def` files, `ffi`'s.

Implementing TR39 mixed script detection per document (C++ Header and Source file) forbids insecure mixes of Greek with Cyrillic, dangerous Arabic RTL bidi attacks and most confusables. You can still write in your language, but then only in commonly written languages, and not mixed with others. Identifiers are still identifiable.

The question remains if TR39 security violations should be ill-formed (throw an compilation error), or if TR31 violations should throw an error or just a warning. Since we do have the `-std=c23++` option, and the issues are security relevant, an error seems to be best. Implementations might choose to go for warnings on not-valid scripts, mixed scripts, or invalid sequences of combining marks though for fear of political backlash, even if the Unicode Standard recommended for decades that identifiers should stay identifiable. If the standard committee opts for the insecure option, they should rather rename identifiers to symbols then. This would be the political solution.

4 What will this proposal change

4.1 The set of TR31 XID characters will become much smaller

Restricting the **Identifier Type** plus the Recommended Scripts, plus demanding NFC will shrink the original XID set from 971267 codepoints to 99350 codepoints. The ranges expand from 36 to 426. (when split by scripts already, 25 splits happen). Additionally the Halfwidth and Fullwidth Forms, U+FF00..U+FFEF are now forbidden.

ID_Start consists of Lu + Ll + Lt + Lm + Lo + Nl, +Other_ID_Start, -Pattern_Syntax, -Pattern_White_Space, -Median

131899 codepoints

ID_Continue consists of ID_Start, + Mn + Mc + Nd + Pc, +Other_ID_Continue, +Median, -Pattern_Syntax, -Pattern_White_Space.

135072 codepoints (= ID_Start + 3173)

XID_Start and XID_Continue ensure that `isIdentifier(string)` then `isIdentifier(NFKx(string))` (*removing the NFKC quirks*)

XID_Start: 131876 codepoints, XID_Continue: 135053 codepoints (= XID_Start + 3173)

See 13 “Appendix A - C23XID_Start” and 13 “Appendix B - C23XID_Continue”

4.2 Only Recommended scripts are now allowed, Excluded and Limited_Use not

These scripts will stay allowed:

Common Inherited Latin Arabic Armenian Bengali Bopomofo Cyrillic
Devanagari Ethiopic Georgian Greek Gujarati Gurmukhi Hangul Han Hebrew
Hiragana Katakana Kannada Khmer Lao Malayalam Myanmar Oriya
Sinhala Tamil Telugu Thaana Thai Tibetan

These Excluded Scripts are initially disallowed [TR31#Table_4](#) but can be optionally be allowed via a new `#pragma unicode Script`:

Ahom Anatolian_Hieroglyphs Avestan Bassa_Vah Bhaiksuki Brahmi
Braille Buginese Buhid Carian Caucasian_Albanian Chorasman Coptic
Cuneiform Cypriot Cypro_Minoan Deseret Dives_Akuru Dogra Duployan
Egyptian_Hieroglyphs Elbasan Elymaic Glagolitic Gothic Grantha
Gunjala_Gondi Hanunoo Hatran Imperial_Aramaic
Inscriptional_Pahlavi Inscriptional_Parthian Kaithi Kharoshthi
Khitan_Small_Script Khojki Khudawadi Linear_A Linear_B Lycian
Lydian Mahajani Makasar Manichaean Marchen Masaram_Gondi
Medefaidrin Mende_Kikakui Meroitic_Cursive Meroitic_Hieroglyphs
Modi Mongolian Mro Multani Nabataean Nandinagari Nushu Ogham
Old_Hungarian Old_Italic Old_North_Arabian Old_Permic Old_Persian
Old_Sogdian Old_South_Arabian Old_Turkic Old_Uyghur Osmanya
Pahawh_Hmong Palmyrene Pau_Cin_Hau Phags_Pa Phoenician
Psalter_Pahlavi Rejang Runic Samaritan Sharada Shavian Siddham
SignWriting Sogdian Sora_Sompeng Soyombo Tagalog Tagbanwa Takri
Tangsa Tangut Tirhuta Toto Ugaritic Vithkuqi Warang_Citi Yezidi
Zanabazar_Square

These Limited Use Scripts are now disallowed [TR31#Table 7](#)

Adlam Balinese Bamum Batak Canadian_Aboriginal Chakma Cham Cherokee
Hanifi_Rohingya Javanese Kayah_Li Lepcha Limbu Lisu Mandaic
Meetei_Mayek Miao New_Tai_Lue Newa Nko Nyiakeng_Puachue_Hmong Ol_Chiki
Osage Saurashtra Sundanese Syloti_Nagri Syriac Tai_Le Tai_Tham
Tai_Viet Tifinagh Vai Wancho Yi Unknown

The script property and its name are defined in [TR24](#). We use the long Unicode Script property value, not the abbreviated 4-letter short name, which maps somehow to the 4-letter [ISO 15924 Codes](#).

4.3 Documents with identifiers in many multiple scripts/languages will become illegal

C++23 (and C23) will follow the TR39 Security Profile 4 **Moderately Restrictive**, with an exception for Greek.

- All identifiers in a document qualify as Single Script, or
- All identifiers in a document are covered by any of the following sets of scripts, according to the definition in Mixed Scripts:
 - Latin + Han + Hiragana + Katakana (Japanese)
 - Latin + Han + Bopomofo (Chinese)

- Latin + Han + Hangul (Korean), or
- All identifiers in a document are covered by Latin and any one other Recommended script, except Cyrillic.
- Allow some Greek letters mixed with Latin, that are not confusable with Latin letters.

4.4 Mixed-script runs with combining marks will become illegal

C23++ will check for unlikely sequences of **combining marks**, and reject some. Combining Marks have no script property per se, but a variable list of allowed SCX scripts, which need to be checked against the base character. Also 4 Japanese KATAKANA-HIRAGANA PROLONGED SOUND MARK modifier letters.

See 7.2 “SCX Extensions” and 7.3 “Combining marks script run detection for spoofing” below.

5 What will this proposal not change

5.1 The validity of “extended” characters in identifiers

All current compilers allow characters outside the basic source character set directly in source today.

6 Why now

One driving factor for addressing this now is that GCC has fixed their long standing bug 67224 “UTF-8 support for identifier names in GCC”. Clang has always supported too many code points in source code. MSVC in its usual configuration defaults to code page 1252, but can be told to accept UTF-8 source. With GCC now allowing it, the barrier to use of Unicode characters outside the basic source character set has dropped considerably. Use of characters via universal character names was always possible, but never widely used. Examples found in the wild of use of UCNs in identifiers come from compiler and related tool test suites, but it’s trivial to come up with such spoofing attacks. There is no report yet from misuse in C ABI’s from linkers and binutils.

Restricting the profile of characters is much easier if no one is depending on them.

The recent <https://trojansource.codes> effort caused gcc to emit a new bidi warning, and github to implement similar warnings. Note that secure identifiers don't help against bidi overrides in strings or comments, these issues are orthogonal.

There used to be no linter, but there is now one: **u8idlnt** from <https://github.com/rurban/libu8ident>, which can be used to check for ALLOWED,SAFE23,ID,XID,C11 or ALLUTF8 TR31 profiles, for various TR39 mixed script profile violations, confusables, invalid combining marks and TR15 normalization problems.

So far only Rust, cperl and Java follow a unicode security guideline for identifiers, zig and J refused to support non-ASCII identifiers. Everybody else is vulnerable to potential security attacks and does allow non-identifiable identifiers. They should rename identifiers to “symbols”.

7 TR24 Scripts, the SC and SCX properties

7.1 SC

C++ only needs to map unicode characters to a script property via a single byte. There are currently 161 scripts assigned, 32 of them are in common use as identifiers, hence called **Recommended** scripts. The rest is split up into 127-31 **Excluded** scripts, which are not in common use, and 161-127 **Limited_Use** scripts, which are not to be used in identifiers at all.

Regarding the discriminatory aspect of Excluded Scripts from [TR31#Table 4](#). “*Some scripts are not in customary modern use, and thus implementations may want to exclude them from identifiers. These include historic and obsolete scripts, scripts used mostly liturgically, and regional scripts used only in very small communities or with very limited current usage. Some scripts also have unresolved architectural issues that make them currently unsuitable for identifiers. The scripts in Table 4, Excluded Scripts are recommended for exclusion from identifiers.*” Nevertheless an implementation might choose to allow some optionally via a new `#pragma unicode Script`.

Regarding Limited Use scripts: TR31#2.4: _“Modern scripts that are in more limited use are listed in Table 7, Limited Use Scripts. To avoid security issues, some implementations may wish to disallow the limited-use scripts in identifiers. For more information on usage, see the Unicode Locale project [CLDR](#).”

Regarding stability: New scripts are added on a yearly basis, but nothing was added to the stable set of recommended scripts. For a while there was a list of **Aspirational** scripts to be added eventually, but this list was abandoned with Unicode 10.0. Probably also because nobody but Java, cperl and Rust implemented its identifier profile by scripts, rather went with insecure identifiers.

For error messages and an optional pragma to allow certain Exluded scripts, we use the long **Script property value**. Do not use the term “script name”, as this is ambiguous and misused. The Script Property Value is the titlecased name of the script from the UCD, with spaces replaced by underscores. They are defined in the yearly updated [Scripts.txt](#)

7.2 SCX Extensions

Not all characters are uniquely used in a single script only. Many are used in a variable numbers of scripts. These are assigned to the Common or Inherited script, and are exactly specified in the [ScriptExtensions.txt](#), aka SCX. The SCX property is a list of possible scripts per character. This list is using the short 4-letter script property, which needs to be resolved via the [PropertyValueAliases.txt](#) to its long script property value. (E.g. Syrc to Syriac)

```
# Script_Extensions=Arab Syrc
```

```
064B..0655 ; Arab Syrc # Mn [11] ARABIC FATHATAN..ARABIC HAMZA BELOW
```

```
# Script_Extensions=Adlm Arab Mand Mani Ougr Phlp Rohg Sogd Syrc
```

```
0640 ; Adlm Arab Mand Mani Ougr Phlp Rohg Sogd Syrc # Lm ARABIC  
TATWEEL
```



Some of the SCX scripts contain only a single script. These could be directly added to the list of SC scripts for the purpose of identifier security checks, but I advise against, for easier Combining Marks checks against the base character script. See below 7.3.

E.g.

```
3006 ; Hani # Lo IDEOGRAPHIC CLOSING MARK
```

Multiple SCX list entries can be resolved when the previous scripts in the identifier context are already resolved to one or the other possibility. Thus for SCX=(Arab Syrc) we need to check if Arabic or Syriac was already seen. If not, the new character with that SCX is illegal, violating our Mixed Script profile.

Check for unlikely sequences of **combining marks**:

- Since we disallow already most combining marks (at least the Latin ones) with the requirement of NFC P1949R7, this set of cases is quite small.

Using the Script property alone will not detect that the U+30FC (ー) KATAKANA-HIRAGANA PROLONGED SOUND MARK (Script=Common, SCX=Hira Kana, gc=Lm) should not be mixed with Latin. See [TR39#5.4](#) and [TR46](#). We only have to check only 4 such explicitly japanese-only PROLONGED SOUND MARKs, all other Lm modifiers may mix with all SCX.

67 matches for "XID_Continue # Lm" in buffer: DerivedCoreProperties.txt

```

02B0..02C1      ; XID_Continue # Lm   [18] MODIFIER LETTER SMALL H..
                                           MODIFIER LETTER REVERSED
                                           GLOTTAL STOP
02C6..02D1      ; XID_Continue # Lm   [12] MODIFIER LETTER CIRCUMFLEX
                                           ACCENT..
                                           MODIFIER LETTER HALF
                                           TRIANGULAR

```


513 matches for “XID_Continue # M” in buffer: DerivedCoreProperties.txt

```
0300..036F      ; XID_Continue # Mn [112] COMBINING GRAVE ACCENT..  
                                     COMBINING LATIN SMALL LETTER X  
0483..0487      ; XID_Continue # Mn   [5] COMBINING CYRILLIC TITLO..  
                                     COMBINING CYRILLIC POKRYTIE  
...
```

From these 67 Lm plus 513 M[cn] ranges filtering out the non-C23 XID candidates, only #8 Identifier_Type = Recommended, Inclusion, Technical, plus only #4.2 Recommended Scripts, plus only codepoints with multiple SCX entries, plus only codepoints which don’t decompose to NFC, leads only to the Lm characters, which can mix with all scripts. Not a single Mn or Mc codepoints is left.

So some of the Common XID_Continue marks therefore cannot be detected with the SCX logic. But all of them do not combine with Latin and are already filtered by the C23 Mixed Script profile. And all of the Combining Marks are caught by the NFC requirement.

Most Lm Modifier Letters (besides the 4 Japanese PROLONGED SOUND MARKs) are freestanding base characters, which can be combined with any other letter.

See [TR31#2.1 Combining Marks](#) and [TR31#2.2 Modifier Letters](#)

See also [TR24#5.1 Handling Characters with the Common Script Property](#) and [TR24#5.2 Handling Combining Marks](#).

8 TR39 Identifier Type

TR31 recommends to disable some characters from recommended scripts: *“Some characters used with recommended scripts may still be problematic for identifiers, for example because they are part of extensions that are not in modern customary use, and thus implementations may want to exclude them from identifiers. These include characters for historic and obsolete orthographies, characters used mostly liturgically, and in orthographies for languages used only in very small communities or with very limited current or declining usage. Some characters also have architectural issues that may make them unsuitable for identifiers.”*

The **Identifier Type** property [TR39#Table 1](#) recommendation should be mandatory, with the addition of the Technical Identifier Type to be allowed.

I.e. `Limited_Use`, `Obsolete`, `Exclusion`, `Not_XID`, `Not_NFKC`, `Default_Ignorable`, `Deprecated`, `Not_Character` are not part of identifiers.

Allowed are `Recommended`, `Inclusion`, `Technical` TR39 Identifier Types.

Additionally the Halfwidth and Fullwidth Forms, `U+FF00..U+FFEF` are forbidden, even if allowed in TR31. They are confusable with the Latin base alphabet A-Z.

And there are 80 Technical ranges added to the original list of Recommended and Inclusion ID's.

```
grep ', U8ID_Technical' scripts.h | egrep -v  
'Not_XID|U8ID_Obsolete|U8ID_Exclusion'
```

See 17 Appendix E - IDType Technical.

9 TR39 Mixed Scripts

TR39 defines some security profiles for identifiers to avoid the most common identifier insecurities, that identifiers will stay identifiable.

We choose a variant of the **Moderately Restrictive** profile, with an exception for Greek. I called this profile C23_4 or SAFEC23 in libu8ident.

- All identifiers in a document qualify as Single Script, or
- All identifiers in a document are covered by any of the following sets of scripts, according to the definition in Mixed Scripts:
 - Latin + Han + Hiragana + Katakana (Japanese)
 - Latin + Han + Bopomofo (Chinese)
 - Latin + Han + Hangul (Korean), or
- All identifiers in a document are covered by Latin and any one other Recommended script, except Cyrillic.
- Allow some Greek letters mixed with Latin, that are not confusable with Latin letters.

Greek alone is always allowed, as Cyrillic, but wherever we have a valid Latin letter which looks the same as the Greek counterpart, the Greek letter is forbidden, choose the Latin one instead. E.g. ($\text{A} \rightarrow \text{A}$) GREEK CAPITAL LETTER ALPHA $\rightarrow$ LATIN CAPITAL LETTER A. See **18 Appendix F** for the generated list with 10 exceptions.

Thus it prevents Cyrillic mixed with Latin or any other script, but does allow any East-Asian CFK language, other common and widely used languages and Latin mixed with Greek, mainly used for its mathematical symbols. Many mathematical symbols already

exists outside of Greek, but these are mainly used for operators in advanced programming languages, not as identifiers. See also

http://xahlee.info/comp/unicode_math_operators.html for a nice overview.

E.g. here we have some:

- U+2217 (∗) ASTERISK OPERATOR (Script=Common). Not_XID
- U+2107 (ℰ) EULER CONSTANT (Script=Common, Lu) is a proper letter, but with Restricted IdentifierStatus.
- U+2126 (Ω) OHM SIGN (Script=Greek, L&) is a greek letter, but with Restricted IdentifierStatus.
- U+2127 (℧) INVERTED OHM SIGN (Script=Common, So). Obsolete, Not_XID
- U+0392 (Β → B) GREEK CAPITAL LETTER BETA → LATIN CAPITAL LETTER B Greek confusable
- U+03F2 (ϲ → c) GREEK LUNATE SIGMA SYMBOL → LATIN SMALL LETTER C Greek confusable

TR39 also compiles a convenient IdentifierStatus list. But all the math letters with Script=Common from U+2100 to U+2200 are restricted, as Greek is forbidden mixed with Latin in the original TR39 Moderately Restrictive profile. Most are allowed according to the TR31 and TR39 rules of SAFEC23, so we need to come up with our own list of XID_Start/XID_Continue codepoints, excluding the Limited Use and Excluded scripts. And if an implementation chooses to allow Excluded scripts with more logic to allow only this script.

Since the TR31 XID list also got the median positions wrong (for 98 Arabic codepoints), and forgot about the Halfwidth and Fullwidth, U+FF00..U+FFEF confusables, we need to fixup and generate the XID lists by ourselves.

It is recommended to already exclude Limited Use and Excluded scripts from the initial list of identifier ranges, as this is the most common use-case, and shortens the common search paths. Only with the `#pragma Unicode ExcludedScript` search the full XID lists and the full scripts list.

The TR39 Mixed Scripts profile alone does not prevent from all spoofing attacks, but the additional rules from 7.3 “Combining marks script run detection for spoofing” are kept tiny.

10 Contexts

This is not discussed in any of the unicode security guidelines for identifiers. One could argue that a mixed-script profile is valid only for a single identifier, or it is valid for the whole source file document. And there needs to be a definition if before or after the preprocessor, and if to treat names in private structs and classes as separate contexts.

If valid for only a single identifier you could arbitrarily mix up Cyrillic with Greek identifiers in a C++ namespace, and thus these identifiers would not be identifiable anymore, as both both can render to the very same glyphs. Thus we adopt the notion of identifier contexts.

With programming languages this is a source file, with objects files this is a module. For identifiers in object files see below [12 Issues with binutils, linkers, exported identifiers](#). For filesystems this would be a directory.

For every source file we need to store a context with the list of already seen scripts and how many. The maximal number of scripts is 4, for the case of Japanese mixed with Latin. (Katakana + Hiragana + Han + Latin), thus we can save that list in a single 4-byte word, and the lookup and memory management is trivial.

Since the compiler sees the identifiers after the preprocessor included all headers, the context definition is a bit blurry. Is the context for mixed scripts an original source file (before cpp) or the resulting file after inclusion of all files (after cpp). This is similar to the problem with lexical variables a couple of decades ago.

- **before-cpp:** One could argue that the scope of a variable should be contained in a lexical block, which can be statically determined and safely enclosed. With identifiers that would mean that the preprocessor already should perform the TR31 lexer checks and TR39 security checks, and one could define Arabic headers using private arabic fields, and include another header with Cyrillic only names. This would allow confusables in the resulting object file, and source files would be easy to check with external tools. See also the binutils section 12 below.
- **private:** Another argument would be that all exported names end up in the object files and library flat, which would support the separation of private and public name contexts, where to perform the mixed-script checks. Private contexts (e.g. static structs or private class fields) should be separated from the rest. This would prevent from confusables in struct/class fields/methods, and the rest is separated by the checks for the public names.
- **after-cpp:** The third, strictest variant would define the context in the file after cpp. You would not be able to include a Cyrillic-only header, and you would not be able to use Cyrillic private fields. This would be the least surprising and most secure option. As long as the security risk lies ahead of us, one should go for the strictest

option. Cyrillic header projects should be isolated and not used at all outside of non-cyrillic projects. I'm pointing the fingers at Cyrillic because it has the biggest number of confusables with Latin. Arabic headers e.g. are not all confusable with Latin or CFK, but I doubt that any non Hebrew/Arabic speaker can identify and see differences in its names without long training. Same for CFK and the other major scripts.

11 Implementations and Strategies

I implemented for cperl, a fork of perl5, the General Security profile “Moderately restrictive” (4) for identifiers in 2017, together with transparent normalization of NFC. This is a dynamic language with the need for fast tokenizing, and compilation. Still I did not see a need to restrict all source code identifiers to be already in NFC. Even with the added unicode checks and dynamic normalization the tokenizer is still faster than the simpler perl5 tokenizer.

Then when GCC went to full insecure identifiers I implemented the more general libu8ident library, which can be used with all known TR39 identifier type profiles, the mixed-script security profiles, TR31 XID character sets and all TR15 normalizations. There I tested various performance strategies of the unicode lookups. Tested was CRoaring, which was only useful for sets of single codepoints, the list of confusables. Most of the needed lists were best structured as binary-search in range pairs. Most of them were fastest with special-casing the codepoints below U+128 with a simple linear search. Binary search in an Eytzinger layout was not convincibly faster, neither hybrid searches by 1. splitting up ranges from single codepoints, nor 2. separating 16bit from 32bit codepoints.

12 Issues with binutils, linkers, exported identifiers

The crux with C and somewhat also C++ identifiers, is that they can be used with other earlier compilers or languages without any unicode security profile or restriction. ffi's are very common, libraries or .def files even more, thankfully unicode names not at all yet.

binutils and linkers treat names as zero-terminated binary garbage, same as in most current filesystems. Identifiers are not identifiable there, and names are charset (=user) specific, whilst there are no header fields for the used charset (e.g. if SHIFT-JIS or UTF-

8), nor are there any rules for name lookup (normalization). This is not solvable here (in C nor C++), only there. Only in the Rust ecosystem there are proper unicode identifier rules, but Rust can link against C++/C. I haven't detected any exported unicode names in the wild, they are only used in local symbols still. UTF-16 compilers such as MSVC do export their UNICODE names either in the local character set or as UTF-8. If used wildly, object files would not link anymore, as local character sets vary, and there is no character set standard defined.

The C++/C working groups should urge the binutils/linker working groups to adopt a more precise specification how exported identifiers are represented in object files and libraries: UTF-8 or any charset, and how they are looked up: any normalization, NFC or not at all. My recommendation would be to interpret them as UTF-8, require NFC, and reject all illegal UTF-8 and non-NFC identifiers. As long as there no unicode names in the wild this is still easy. There are also many object file producers in the wild, with possibly completely insecure unicode names in the future.

binutils `readelf -L -U` is currently broken displaying unicode identifiers. I have patches to display them in the current multi-byte locale, and to add `u8ident` checks with `-L`. I haven't found any violations so far in my used libraries.

Even better would be for the C ABI's to also adopt secure unicode identifiers, as linkers and FFI's have the same unicode security problems as compilers, interpreters and filesystems. Otherwise they should at least clarify that their names/"symbols" are not identifiable, and implementation defined and their interpretation locale specific. (i.e. you cannot copy them across locales).

13 Appendix A - C23XID_Start

Created with `mkc23` from `libu8ident`. *The SCX is modelled as if your compiler would allow static initialization of strings as `{char,...,0}`.*

```
struct sc_c23 {
    uint32_t from;
    uint32_t to;
    enum u8id_sc sc; // Scripts
    enum u8id_gc gc; // General Category. GC_L is L& (all letters)
                    // GC_V is varying
    const char *scx; // List of ScriptExtensions, maxsize 8 for U+1CF2
};
```

```
// Filtering allowed scripts, XID_Start, safe IDTypes, NFC, !MEDIAL  
and !MARK
```

```
// Ranges split at GC and SCX changes
```

```
const struct sc_c23 safec23_start_list[470] = {  
    {'$', '$', SC_Latin, GC_Sc, NULL},  
    {'A', 'Z', SC_Latin, GC_Lu, NULL},  
    {'_', '_', SC_Latin, GC_Pc, NULL},  
    {'a', 'z', SC_Latin, GC_Ll, NULL},  
    {0xAA, 0xAA, SC_Latin, GC_Lo, NULL}, // a  
    {0xB5, 0xB5, SC_Common, GC_Ll, NULL}, // μ  
    {0xBA, 0xBA, SC_Latin, GC_Lo, NULL}, // °  
    {0xC0, 0xD6, SC_Latin, GC_Lu, NULL}, // À..Ö  
    {0xD8, 0xF6, SC_Latin, GC_L, NULL}, // Ø..ö  
    {0xF8, 0x2B8, SC_Latin, GC_L, NULL}, // ø..ʏ  
    {0x2BA, 0x2C1, SC_Common, GC_Lm, NULL}, // "...ʳ  
    {0x2C6, 0x2D1, SC_Common, GC_Lm, NULL}, // ^...˙  
    {0x2E0, 0x2E4, SC_Latin, GC_Lm, NULL}, // ʏ...ʳ  
    {0x2EC, 0x2EC, SC_Common, GC_Lm, NULL}, // ˘  
    {0x2EE, 0x2EE, SC_Common, GC_Lm, NULL}, // "̂  
    {0x370, 0x373, SC_Greek, GC_L, NULL}, // ῀..ῃ  
    {0x376, 0x377, SC_Greek, GC_L, NULL}, // ῄ..῅  
    {0x37B, 0x37D, SC_Greek, GC_Ll, NULL}, // ῆ..ῐ  
    {0x37F, 0x37F, SC_Greek, GC_Lu, NULL}, // ῑ  
    {0x386, 0x386, SC_Greek, GC_Lu, NULL}, // ῒ  
    {0x388, 0x38A, SC_Greek, GC_Lu, NULL}, // ῔..ῖ  
    {0x38C, 0x38C, SC_Greek, GC_Lu, NULL}, // ῐ  
    {0x38E, 0x3A1, SC_Greek, GC_L, NULL}, // ῒ..ῤ  
    {0x3A3, 0x3E1, SC_Greek, GC_L, NULL}, // Σ..Ϸ  
    {0x3F0, 0x3F5, SC_Greek, GC_L, NULL}, // χ..ε  
    {0x3F7, 0x3FF, SC_Greek, GC_L, NULL}, // ρ..ϳ  
    {0x401, 0x481, SC_Cyrillic, GC_L, NULL}, // Ѐ..Ҁ  
    {0x48A, 0x52F, SC_Cyrillic, GC_L, NULL}, // Ы..Ҫ  
    {0x531, 0x556, SC_Armenian, GC_Lu, NULL}, // Ա..Ժ  
    {0x559, 0x559, SC_Armenian, GC_Lm, NULL}, // Ճ  
    {0x560, 0x588, SC_Armenian, GC_Ll, NULL}, // մ..ֆ  
    {0x5D0, 0x5EA, SC_Hebrew, GC_Lo, NULL}, // ל..ח  
    {0x5EF, 0x5F2, SC_Hebrew, GC_Lo, NULL}, // "...  
    {0x620, 0x63F, SC_Arabic, GC_Lo, NULL}, // ﺀ..ﻯ  
    {0x641, 0x64A, SC_Arabic, GC_Lo, NULL}, // ف..ي  
    {0x66E, 0x66F, SC_Arabic, GC_Lo, NULL}, // ب..و
```

```

{0x671, 0x6D3, SC_Arabic, GC_Lo, NULL}, // آ...ئ
{0x6D5, 0x6D5, SC_Arabic, GC_Lo, NULL}, // ه
{0x6E5, 0x6E6, SC_Arabic, GC_Lm, NULL}, // ء...ء
{0x6EE, 0x6EF, SC_Arabic, GC_Lo, NULL}, // ؤ...ؤ
{0x6FA, 0x6FC, SC_Arabic, GC_Lo, NULL}, // ش...غ
{0x6FF, 0x6FF, SC_Arabic, GC_Lo, NULL}, // هـ
{0x750, 0x77F, SC_Arabic, GC_Lo, NULL}, // ي...ك
{0x781, 0x7A5, SC_Thaana, GC_Lo, NULL}, // س...خ
{0x7B1, 0x7B1, SC_Thaana, GC_Lo, NULL}, // ع
{0x870, 0x887, SC_Arabic, GC_Lo, NULL}, // ا...ا
{0x889, 0x88E, SC_Arabic, GC_Lo, NULL}, // ا...ا
{0x8A0, 0x8C9, SC_Arabic, GC_L, NULL}, // ا...ا
{0x904, 0x939, SC_Devanagari, GC_Lo, NULL}, // ओ...ह
{0x93D, 0x93D, SC_Devanagari, GC_Lo, NULL}, // ऽ
{0x950, 0x950, SC_Devanagari, GC_Lo, NULL}, // ॐ
{0x960, 0x961, SC_Devanagari, GC_Lo, NULL}, // ऋ...ॠ
{0x971, 0x97F, SC_Devanagari, GC_L, NULL}, // ि...व्
{0x985, 0x98C, SC_Bengali, GC_Lo, NULL}, // অ...ঐ
{0x98F, 0x990, SC_Bengali, GC_Lo, NULL}, // এ...ঐ
{0x993, 0x9A8, SC_Bengali, GC_Lo, NULL}, // ও...ন
{0x9AA, 0x9B0, SC_Bengali, GC_Lo, NULL}, // প...র
{0x9B2, 0x9B2, SC_Bengali, GC_Lo, NULL}, // ল
{0x9B6, 0x9B9, SC_Bengali, GC_Lo, NULL}, // শ...হ
{0x9BD, 0x9BD, SC_Bengali, GC_Lo, NULL}, // ং
{0x9CE, 0x9CE, SC_Bengali, GC_Lo, NULL}, // ঙ
{0x9E0, 0x9E1, SC_Bengali, GC_Lo, NULL}, // ঞ...ড়
{0x9F0, 0x9F1, SC_Bengali, GC_Lo, NULL}, // ব...ব
{0x9FC, 0x9FC, SC_Bengali, GC_Lo, NULL}, // ঃ
{0xA05, 0xA0A, SC_Gurmukhi, GC_Lo, NULL}, // ਅ...ਊ
{0xA0F, 0xA10, SC_Gurmukhi, GC_Lo, NULL}, // ਏ...ਐ
{0xA13, 0xA28, SC_Gurmukhi, GC_Lo, NULL}, // ਓ...ਠ
{0xA2A, 0xA30, SC_Gurmukhi, GC_Lo, NULL}, // ਯ...ਰ
{0xA32, 0xA32, SC_Gurmukhi, GC_Lo, NULL}, // ਲ
{0xA35, 0xA35, SC_Gurmukhi, GC_Lo, NULL}, // ਵ
{0xA38, 0xA39, SC_Gurmukhi, GC_Lo, NULL}, // ਸ...ਰ
{0xA5C, 0xA5C, SC_Gurmukhi, GC_Lo, NULL}, // ਙ
{0xA72, 0xA74, SC_Gurmukhi, GC_Lo, NULL}, // ਈ...ਊ
{0xA85, 0xA8D, SC_Gujarati, GC_Lo, NULL}, // અ...એ
{0xA8F, 0xA91, SC_Gujarati, GC_Lo, NULL}, // ઓ...ઓ
{0xA93, 0xAA8, SC_Gujarati, GC_Lo, NULL}, // ઓ...ળ

```



```

{0xAAA, 0xAB0, SC_Gujarati, GC_Lo, NULL}, // ૫..૨
{0xAB2, 0xAB3, SC_Gujarati, GC_Lo, NULL}, // ૬..૭
{0xAB5, 0xAB9, SC_Gujarati, GC_Lo, NULL}, // ૮..૯
{0xABD, 0xABD, SC_Gujarati, GC_Lo, NULL}, // ૧
{0xAD0, 0xAD0, SC_Gujarati, GC_Lo, NULL}, // ૐ
{0xAE0, 0xAE1, SC_Gujarati, GC_Lo, NULL}, // ૨૦..૨૧
{0xAF9, 0xAF9, SC_Gujarati, GC_Lo, NULL}, // ૨૨
{0xB05, 0xB0C, SC_Oriya, GC_Lo, NULL}, // ୧..୨
{0xB0F, 0xB10, SC_Oriya, GC_Lo, NULL}, // ୩..୪
{0xB13, 0xB28, SC_Oriya, GC_Lo, NULL}, // ୫..୬
{0xB2A, 0xB30, SC_Oriya, GC_Lo, NULL}, // ୭..୮
{0xB32, 0xB33, SC_Oriya, GC_Lo, NULL}, // ୯..୧૦
{0xB35, 0xB39, SC_Oriya, GC_Lo, NULL}, // ୧૧..୧૨
{0xB3D, 0xB3D, SC_Oriya, GC_Lo, NULL}, // ୧૩
{0xB5F, 0xB61, SC_Oriya, GC_Lo, NULL}, // ୧૪..୧૫
{0xB71, 0xB71, SC_Oriya, GC_Lo, NULL}, // ୧૬
{0xB83, 0xB83, SC_Tamil, GC_Lo, NULL}, // ௦
{0xB85, 0xB8A, SC_Tamil, GC_Lo, NULL}, // ௧..௨
{0xB8E, 0xB90, SC_Tamil, GC_Lo, NULL}, // ௩..௪
{0xB92, 0xB95, SC_Tamil, GC_Lo, NULL}, // ௫..௬
{0xB99, 0xB9A, SC_Tamil, GC_Lo, NULL}, // ௭..௮
{0xB9C, 0xB9C, SC_Tamil, GC_Lo, NULL}, // ௯
{0xB9E, 0xB9F, SC_Tamil, GC_Lo, NULL}, // ௧௦..௧௧
{0xBA3, 0xBA4, SC_Tamil, GC_Lo, NULL}, // ௧௨..௧૩
{0xBA8, 0xBAA, SC_Tamil, GC_Lo, NULL}, // ௧௪..௧૫
{0xBAE, 0xBB9, SC_Tamil, GC_Lo, NULL}, // ௧૬..௧૭
{0xBD0, 0xBD0, SC_Tamil, GC_Lo, NULL}, // ௧૮
{0xC05, 0xC0C, SC_Telugu, GC_Lo, NULL}, // ౧..౨
{0xC0E, 0xC10, SC_Telugu, GC_Lo, NULL}, // ౩..౪
{0xC12, 0xC28, SC_Telugu, GC_Lo, NULL}, // ౫..౬
{0xC2A, 0xC39, SC_Telugu, GC_Lo, NULL}, // ౭..౮
{0xC3D, 0xC3D, SC_Telugu, GC_Lo, NULL}, // ౯
{0xC58, 0xC5A, SC_Telugu, GC_Lo, NULL}, // ౧౦..౧౧
{0xC5D, 0xC5D, SC_Telugu, GC_Lo, NULL}, // ౧౨
{0xC60, 0xC61, SC_Telugu, GC_Lo, NULL}, // ౧౩..౧౪
{0xC80, 0xC80, SC_Kannada, GC_Lo, NULL}, // ೧
{0xC85, 0xC8C, SC_Kannada, GC_Lo, NULL}, // ೨..೩
{0xC8E, 0xC90, SC_Kannada, GC_Lo, NULL}, // ೪..೫
{0xC92, 0xCA8, SC_Kannada, GC_Lo, NULL}, // ೬..೭
{0xCAA, 0xCB3, SC_Kannada, GC_Lo, NULL}, // ೮..೯

```

```

{0xCB5, 0xCB9, SC_Kannada, GC_Lo, NULL}, // ವ..ಹ
{0xCBD, 0xCBD, SC_Kannada, GC_Lo, NULL}, // ಸ
{0xCDD, 0xCDE, SC_Kannada, GC_Lo, NULL}, // ಂ..ಂ
{0xCE0, 0xCE1, SC_Kannada, GC_Lo, NULL}, // ಮೊ..ೞಾ
{0xCF1, 0xCF2, SC_Kannada, GC_Lo, NULL}, // ಳ..ಂ
{0xD04, 0xD0C, SC_Malayalam, GC_Lo, NULL}, // ಲ..ಣ
{0xD0E, 0xD10, SC_Malayalam, GC_Lo, NULL}, // ಣ..ಣ
{0xD12, 0xD3A, SC_Malayalam, GC_Lo, NULL}, // ಳ..ೞ
{0xD3D, 0xD3D, SC_Malayalam, GC_Lo, NULL}, // ಫ
{0xD4E, 0xD4E, SC_Malayalam, GC_Lo, NULL}, // ಿ
{0xD54, 0xD56, SC_Malayalam, GC_Lo, NULL}, // ಡ..ಫಿ
{0xD5F, 0xD61, SC_Malayalam, GC_Lo, NULL}, // ಂ..ಣ
{0xD7A, 0xD7F, SC_Malayalam, GC_Lo, NULL}, // ಣ..ಹಿ
{0xD85, 0xD96, SC_Sinhala, GC_Lo, NULL}, // ಫ..ಠಿ
{0xD9A, 0xDB1, SC_Sinhala, GC_Lo, NULL}, // ಙ..ನ
{0xDB3, 0xDBB, SC_Sinhala, GC_Lo, NULL}, // ಡಿ..ರ
{0xDBD, 0xDBD, SC_Sinhala, GC_Lo, NULL}, // ಲ
{0xDC0, 0xDC6, SC_Sinhala, GC_Lo, NULL}, // ಲಿ..ಗ
{0xE01, 0xE30, SC_Thai, GC_Lo, NULL}, // ಗ..ಃ
{0xE32, 0xE32, SC_Thai, GC_Lo, NULL}, // ്
{0xE40, 0xE46, SC_Thai, GC_L, NULL}, // ്..ೞ
{0xE81, 0xE82, SC_Lao, GC_Lo, NULL}, // ກ..ຂ
{0xE84, 0xE84, SC_Lao, GC_Lo, NULL}, // ຄ
{0xE86, 0xE8A, SC_Lao, GC_Lo, NULL}, // ພ..ຊ
{0xE8C, 0xEA3, SC_Lao, GC_Lo, NULL}, // ຊ..ຜ
{0xEA5, 0xEA5, SC_Lao, GC_Lo, NULL}, // ນ
{0xEA7, 0xEB0, SC_Lao, GC_Lo, NULL}, // ວ..ຜ
{0xEB2, 0xEB2, SC_Lao, GC_Lo, NULL}, // ຈ
{0xEBD, 0xEBD, SC_Lao, GC_Lo, NULL}, // ຈ
{0xEC0, 0xEC4, SC_Lao, GC_Lo, NULL}, // ຕ..ໄ
{0xEC6, 0xEC6, SC_Lao, GC_Lm, NULL}, // ງ
{0xEDC, 0xEDF, SC_Lao, GC_Lo, NULL}, // ທ..ຜ
{0xF00, 0xF00, SC_Tibetan, GC_Lo, NULL}, // ཨྵ
{0xF40, 0xF42, SC_Tibetan, GC_Lo, NULL}, // ཀ..ག
{0xF44, 0xF47, SC_Tibetan, GC_Lo, NULL}, // ཅ..ཅ
{0xF49, 0xF4C, SC_Tibetan, GC_Lo, NULL}, // ཉ..ཉ
{0xF4E, 0xF51, SC_Tibetan, GC_Lo, NULL}, // ཏ..ཏ
{0xF53, 0xF56, SC_Tibetan, GC_Lo, NULL}, // ཐ..ཐ
{0xF58, 0xF5B, SC_Tibetan, GC_Lo, NULL}, // མ..མ
{0xF5D, 0xF68, SC_Tibetan, GC_Lo, NULL}, // ཚ..ཚ

```

```

{0xF6A, 0xF6C, SC_Tibetan, GC_Lo, NULL}, // ກ..ຮ
{0xF88, 0xF8C, SC_Tibetan, GC_Lo, NULL}, // ຂ..ຜ
{0x1000, 0x102A, SC_Myanmar, GC_Lo, NULL}, // က..ကြော်
{0x103F, 0x103F, SC_Myanmar, GC_Lo, NULL}, // ມ
{0x1050, 0x1055, SC_Myanmar, GC_Lo, NULL}, // ອ..ໂ
{0x105A, 0x105D, SC_Myanmar, GC_Lo, NULL}, // ຈ..ຢ
{0x1061, 0x1061, SC_Myanmar, GC_Lo, NULL}, // ຈ
{0x1065, 0x1066, SC_Myanmar, GC_Lo, NULL}, // ວ..ູ
{0x106E, 0x1070, SC_Myanmar, GC_Lo, NULL}, // ກ..ຸ
{0x1075, 0x1081, SC_Myanmar, GC_Lo, NULL}, // ນ..ຣ
{0x108E, 0x108E, SC_Myanmar, GC_Lo, NULL}, // ອ
{0x10A0, 0x10C5, SC_Georgian, GC_Lu, NULL}, // Ⴀ..Ⴁ
{0x10C7, 0x10C7, SC_Georgian, GC_Lu, NULL}, // Ⴂ
{0x10CD, 0x10CD, SC_Georgian, GC_Lu, NULL}, // Ⴄ
{0x10D0, 0x10FA, SC_Georgian, GC_Ll, NULL}, // Ⴅ..Ⴈ
{0x10FC, 0x10FF, SC_Georgian, GC_L, NULL}, // Ⴉ..Ⴊ
{0x1101, 0x11FF, SC_Hangul, GC_Lo, NULL}, // Ⴋ..Ⴄ
{0x1201, 0x1248, SC_Ethiopic, GC_Lo, NULL}, // ሀ..ሐ
{0x124A, 0x124D, SC_Ethiopic, GC_Lo, NULL}, // ቀ..ቀ
{0x1250, 0x1256, SC_Ethiopic, GC_Lo, NULL}, // ቁ..ቆ
{0x1258, 0x1258, SC_Ethiopic, GC_Lo, NULL}, // ቈ
{0x125A, 0x125D, SC_Ethiopic, GC_Lo, NULL}, // ቁ..ቁ
{0x1260, 0x1288, SC_Ethiopic, GC_Lo, NULL}, // በ..ጐ
{0x128A, 0x128D, SC_Ethiopic, GC_Lo, NULL}, // ጒ..ጒ
{0x1290, 0x12B0, SC_Ethiopic, GC_Lo, NULL}, // ኀ..ከ
{0x12B2, 0x12B5, SC_Ethiopic, GC_Lo, NULL}, // ከ..ከ
{0x12B8, 0x12BE, SC_Ethiopic, GC_Lo, NULL}, // ገ..ገ
{0x12C0, 0x12C0, SC_Ethiopic, GC_Lo, NULL}, // ገ
{0x12C2, 0x12C5, SC_Ethiopic, GC_Lo, NULL}, // ገ..ገ
{0x12C8, 0x12D6, SC_Ethiopic, GC_Lo, NULL}, // ወ..ዖ
{0x12D8, 0x1310, SC_Ethiopic, GC_Lo, NULL}, // ዘ..ጐ
{0x1312, 0x1315, SC_Ethiopic, GC_Lo, NULL}, // ጒ..ጒ
{0x1318, 0x135A, SC_Ethiopic, GC_Lo, NULL}, // ጕ..ጘ
{0x1380, 0x138F, SC_Ethiopic, GC_Lo, NULL}, // መ..ጐ
{0x1780, 0x17B3, SC_Khmer, GC_Lo, NULL}, // ័..៌
{0x17D7, 0x17D7, SC_Khmer, GC_Lm, NULL}, // ៏
{0x17DC, 0x17DC, SC_Khmer, GC_Lo, NULL}, // ស
{0x1C80, 0x1C88, SC_Cyrillic, GC_Ll, NULL}, // Ҁ..Ҩ
{0x1C90, 0x1CBA, SC_Georgian, GC_Lu, NULL}, // Ⴇ..Ⴈ
{0x1CBD, 0x1CBF, SC_Georgian, GC_Lu, NULL}, // Ⴉ..Ⴊ

```

```

{0x1CE9, 0x1CE9, SC_Common, GC_Lo,
    {SC_Devanagari, SC_Nandinagari, 0}}, // ॐ
{0x1CEA, 0x1CEC, SC_Common, GC_Lo, {SC_Bengali, SC_Devanagari, 0}},
    // ৐..৑
{0x1CEE, 0x1CF1, SC_Common, GC_Lo, {SC_Devanagari, 0}}, // ॐ..ॐ
{0x1CF2, 0x1CF3, SC_Common, GC_Lo,
    {SC_Bengali, SC_Devanagari, SC_Grantha,
    SC_Kannada, SC_Nandinagari, SC_Oriya, SC_Telugu, SC_Tirhuta, 0}},
    ॐ..ॐ
{0x1CF5, 0x1CF6, SC_Common, GC_Lo, {SC_Bengali, SC_Devanagari, 0}},
    // ॐ..ॐ
{0x1CF5, 0x1CF6, SC_Common, GC_Lo, {SC_Bengali, SC_Devanagari, 0}},
    // ॐ..ॐ
{0x1CFA, 0x1CFA, SC_Common, GC_Lo, {SC_Nandinagari, 0}}, // ॐ
{0x1D00, 0x1D25, SC_Latin, GC_Ll, NULL}, // A..J
{0x1D27, 0x1D2A, SC_Greek, GC_Ll, NULL}, // Α..Ψ
{0x1D2C, 0x1D5C, SC_Latin, GC_Lm, NULL}, // A..J
{0x1D5E, 0x1D61, SC_Greek, GC_Lm, NULL}, // γ..χ
{0x1D63, 0x1D65, SC_Latin, GC_Lm, NULL}, // r..v
{0x1D67, 0x1D6A, SC_Greek, GC_Lm, NULL}, // γ..χ
{0x1D6C, 0x1D77, SC_Latin, GC_Ll, NULL}, // b..g
{0x1D79, 0x1DBE, SC_Latin, GC_L, NULL}, // 3..3
{0x1E00, 0x1EFF, SC_Latin, GC_L, NULL}, // A..y
{0x1F01, 0x1F15, SC_Greek, GC_L, NULL}, // á..ě
{0x1F18, 0x1F1D, SC_Greek, GC_Lu, NULL}, // 'E..E
{0x1F20, 0x1F45, SC_Greek, GC_L, NULL}, // ħ..ö
{0x1F48, 0x1F4D, SC_Greek, GC_Lu, NULL}, // Ɔ..Ɔ
{0x1F50, 0x1F57, SC_Greek, GC_Ll, NULL}, // ú..ů
{0x1F59, 0x1F59, SC_Greek, GC_Lu, NULL}, // 'Y
{0x1F5B, 0x1F5B, SC_Greek, GC_Lu, NULL}, // "Y
{0x1F5D, 0x1F5D, SC_Greek, GC_Lu, NULL}, // "Y
{0x1F5F, 0x1F70, SC_Greek, GC_L, NULL}, // Ț..ă
{0x1F72, 0x1F72, SC_Greek, GC_Ll, NULL}, // é
{0x1F74, 0x1F74, SC_Greek, GC_Ll, NULL}, // ħ
{0x1F76, 0x1F76, SC_Greek, GC_Ll, NULL}, // i
{0x1F78, 0x1F78, SC_Greek, GC_Ll, NULL}, // ò
{0x1F7A, 0x1F7A, SC_Greek, GC_Ll, NULL}, // ù
{0x1F7C, 0x1F7C, SC_Greek, GC_Ll, NULL}, // ò
{0x1F80, 0x1FB4, SC_Greek, GC_L, NULL}, // ă..ă
{0x1FB6, 0x1FBA, SC_Greek, GC_L, NULL}, // ã..À
{0x1FBC, 0x1FBC, SC_Greek, GC_Lt, NULL}, // A
{0x1FC2, 0x1FC4, SC_Greek, GC_Ll, NULL}, // ħ..ħ
{0x1FC6, 0x1FC8, SC_Greek, GC_L, NULL}, // ñ..E

```

```

{0x1FCA, 0x1FCA, SC_Greek, GC_Lu, NULL}, // Ḥ
{0x1FCC, 0x1FCC, SC_Greek, GC_Lt, NULL}, // Ḧ
{0x1FD0, 0x1FD2, SC_Greek, GC_Ll, NULL}, // ĭ..İ
{0x1FD6, 0x1FDA, SC_Greek, GC_L, NULL}, // ĭ..İ
{0x1FE0, 0x1FE2, SC_Greek, GC_Ll, NULL}, // ů..Ů
{0x1FE4, 0x1FEA, SC_Greek, GC_L, NULL}, // ṛ..Ȳ
{0x1FEC, 0x1FEC, SC_Greek, GC_Lu, NULL}, // Ṗ
{0x1FF2, 0x1FF4, SC_Greek, GC_Ll, NULL}, // Ẁ..ẁ
{0x1FF6, 0x1FF8, SC_Greek, GC_L, NULL}, // Ẃ..Ỗ
{0x1FFA, 0x1FFA, SC_Greek, GC_Lu, NULL}, // Ẅ
{0x1FFC, 0x1FFC, SC_Greek, GC_Lt, NULL}, // Ẇ
{0x2071, 0x2071, SC_Latin, GC_Lm, NULL}, // ı
{0x207F, 0x207F, SC_Latin, GC_Lm, NULL}, // ˆ
{0x2090, 0x209C, SC_Latin, GC_Lm, NULL}, // ˆ..t
{0x2102, 0x2102, SC_Common, GC_Lu, NULL}, // ℄
{0x2107, 0x2107, SC_Common, GC_Lu, NULL}, // ℰ
{0x210A, 0x2113, SC_Common, GC_L, NULL}, // ɡ..ℓ
{0x2115, 0x2115, SC_Common, GC_Lu, NULL}, // ℕ
{0x2118, 0x211D, SC_Common, GC_V, NULL}, // ʀ..ℝ
{0x2124, 0x2124, SC_Common, GC_Lu, NULL}, // ℤ
{0x2128, 0x2128, SC_Common, GC_Lu, NULL}, // ℑ
{0x212C, 0x2131, SC_Common, GC_L, NULL}, // ℬ..ℱ
{0x2133, 0x2139, SC_Common, GC_L, NULL}, // ℳ..ℹ
{0x213C, 0x213F, SC_Common, GC_L, NULL}, // π..℘
{0x2145, 0x2149, SC_Common, GC_L, NULL}, // ℔..ʝ
{0x214E, 0x214E, SC_Latin, GC_Ll, NULL}, // Ǝ
{0x2160, 0x2188, SC_Latin, GC_V, NULL}, // Ⅰ..ⅈ
{0x2C60, 0x2C7F, SC_Latin, GC_L, NULL}, // Ł..Ż
{0x2D00, 0x2D25, SC_Georgian, GC_Ll, NULL}, // Ⴀ..Ⴅ
{0x2D27, 0x2D27, SC_Georgian, GC_Ll, NULL}, // Ⴇ
{0x2D2D, 0x2D2D, SC_Georgian, GC_Ll, NULL}, // ჲ
{0x2D80, 0x2D96, SC_Ethiopic, GC_Lo, NULL}, // ሐ..ሰ
{0x2DA0, 0x2DA6, SC_Ethiopic, GC_Lo, NULL}, // ሸ..ረ
{0x2DA8, 0x2DAE, SC_Ethiopic, GC_Lo, NULL}, // ሺ..ሺ
{0x2DB0, 0x2DB6, SC_Ethiopic, GC_Lo, NULL}, // ሻ..ሻ
{0x2DB8, 0x2DBE, SC_Ethiopic, GC_Lo, NULL}, // ሼ..ሼ
{0x2DC0, 0x2DC6, SC_Ethiopic, GC_Lo, NULL}, // ሽ..ሽ
{0x2DC8, 0x2DCE, SC_Ethiopic, GC_Lo, NULL}, // ሾ..ሾ
{0x2DD0, 0x2DD6, SC_Ethiopic, GC_Lo, NULL}, // ሿ..ሿ
{0x2DD8, 0x2DDE, SC_Ethiopic, GC_Lo, NULL}, // ሻ..ሻ

```

```

{0x3005, 0x3005, SC_Han, GC_Lm, NULL}, // 々
{0x3007, 0x3007, SC_Han, GC_Nl, NULL}, // 〇
{0x3021, 0x3029, SC_Han, GC_Nl, NULL}, // /..文
{0x3031, 0x3035, SC_Common, GC_Lm, {SC_Hiragana, SC_Katakana, 0}},
// <.. \
{0x3038, 0x303B, SC_Han, GC_V, NULL}, // +.. ズ
{0x3041, 0x3096, SC_Hiragana, GC_Lo, NULL}, // あ..け
{0x309D, 0x309F, SC_Hiragana, GC_L, NULL}, // >.. ぶ
{0x30A1, 0x30FA, SC_Katakana, GC_Lo, NULL}, // ア.. ヲ
{0x30FC, 0x30FC, SC_Common, GC_Lm, {SC_Hiragana, SC_Katakana, 0}},
// -
{0x30FE, 0x30FF, SC_Katakana, GC_L, NULL}, // ヲ.. ー
{0x3105, 0x312F, SC_Bopomofo, GC_Lo, NULL}, // ㄅ.. ㄟ
{0x3131, 0x318E, SC_Hangul, GC_Lo, NULL}, // ㄱ.. ㅎ
{0x31A0, 0x31BF, SC_Bopomofo, GC_Lo, NULL}, // ㄅ.. ㄟ
{0x31F0, 0x31FF, SC_Katakana, GC_Lo, NULL}, // ク.. ㇰ
{0x3400, 0x4DBF, SC_Han, GC_Lo, NULL}, // ㄱ.. ㄱ
{0x4E00, 0x9FFF, SC_Han, GC_Lo, NULL}, // 一.. 一
{0xA640, 0xA66E, SC_Cyrillic, GC_L, NULL}, // ㄱ.. ㄱ
{0xA67F, 0xA69D, SC_Cyrillic, GC_L, NULL}, // ㄱ.. ㄱ
{0xA717, 0xA71F, SC_Common, GC_Lm, NULL}, // ㄱ.. ㄱ
{0xA722, 0xA787, SC_Latin, GC_L, NULL}, // ㄱ.. ㄱ
{0xA78B, 0xA7CA, SC_Latin, GC_L, NULL}, // ㄱ.. ㄱ
{0xA7D0, 0xA7D1, SC_Latin, GC_L, NULL}, // ㄱ.. ㄱ
{0xA7D3, 0xA7D3, SC_Latin, GC_Ll, NULL}, // ㄱ
{0xA7D5, 0xA7D9, SC_Latin, GC_L, NULL}, // ㄱ.. ㄱ
{0xA7F2, 0xA7FF, SC_Latin, GC_L, NULL}, // ㄱ.. ㄱ
{0xA8F2, 0xA8F2, SC_Devanagari, GC_Lo, NULL}, // ॐ
{0xA8F3, 0xA8F7, SC_Devanagari, GC_Lo,
{SC_Devanagari, SC_Tamil, 0}}, // ॐ.. ॐ
{0xA8FB, 0xA8FB, SC_Devanagari, GC_Lo, NULL}, // -
{0xA8FD, 0xA8FE, SC_Devanagari, GC_Lo, NULL}, // ॐ.. ॐ
{0xA960, 0xA97C, SC_Hangul, GC_Lo, NULL}, // ㅏ.. ㅗ
{0xA9CF, 0xA9CF, SC_Common, GC_Lm, {SC_Buginese, SC_Javanese, 0}},
// ㄱ
{0xA9E0, 0xA9E4, SC_Myanmar, GC_Lo, NULL}, // ၁.. ၄
{0xA9E6, 0xA9EF, SC_Myanmar, GC_L, NULL}, // ၁.. ၄
{0xA9FA, 0xA9FE, SC_Myanmar, GC_Lo, NULL}, // ၁.. ၄
{0xAA60, 0xAA76, SC_Myanmar, GC_L, NULL}, // ၁.. ၄
{0xAA7A, 0xAA7A, SC_Myanmar, GC_Lo, NULL}, // ၁
{0xAA7E, 0xAA7F, SC_Myanmar, GC_Lo, NULL}, // ၁.. ၄
{0xAB01, 0xAB06, SC_Ethiopic, GC_Lo, NULL}, // ፩.. ፪

```

```

{0xAB09, 0xAB0E, SC_Ethiopic, GC_Lo, NULL}, // ቀ...ቀ
{0xAB11, 0xAB16, SC_Ethiopic, GC_Lo, NULL}, // ቡ...ቡ
{0xAB20, 0xAB26, SC_Ethiopic, GC_Lo, NULL}, // ሸ...ሸ
{0xAB28, 0xAB2E, SC_Ethiopic, GC_Lo, NULL}, // ጸ...ጸ
{0xAB30, 0xAB5A, SC_Latin, GC_Ll, NULL}, // ᐃ...ᐃ
{0xAB5C, 0xAB64, SC_Latin, GC_L, NULL}, // ካ...ካ
{0xAB66, 0xAB69, SC_Latin, GC_L, NULL}, // ፈ...ፈ
{0xD7B0, 0xD7C6, SC_Hangul, GC_Lo, NULL}, // ᄀ...ᄀ
{0xD7CB, 0xD7FB, SC_Hangul, GC_Lo, NULL}, // ᄃ...ᄃ
{0xFA0E, 0xFA0F, SC_Han, GC_Lo, NULL}, // 雙..塔
{0xFA11, 0xFA11, SC_Han, GC_Lo, NULL}, // 崎
{0xFA13, 0xFA14, SC_Han, GC_Lo, NULL}, // 榊..榊
{0xFA1F, 0xFA1F, SC_Han, GC_Lo, NULL}, // 臍
{0xFA21, 0xFA21, SC_Han, GC_Lo, NULL}, // 蛭
{0xFA23, 0xFA24, SC_Han, GC_Lo, NULL}, // 趙..返
{0xFA27, 0xFA29, SC_Han, GC_Lo, NULL}, // 鐸..陽
{0xFB00, 0xFB06, SC_Latin, GC_Ll, NULL}, // ff..st
{0xFB13, 0xFB17, SC_Armenian, GC_Ll, NULL}, // Ծ...Ծ
{0xFB20, 0xFB28, SC_Hebrew, GC_Lo, NULL}, // ת...ת
{0xFB4F, 0xFB4F, SC_Hebrew, GC_Lo, NULL}, // ׀
{0xFB51, 0xFB54, SC_Arabic, GC_Lo, NULL}, // ﺍ...آ
{0xFB56, 0xFB58, SC_Arabic, GC_Lo, NULL}, // ﺏ...ب
{0xFB5A, 0xFB5C, SC_Arabic, GC_Lo, NULL}, // ﺐ...پ
{0xFB5E, 0xFB60, SC_Arabic, GC_Lo, NULL}, // ﺖ...ت
{0xFB62, 0xFB64, SC_Arabic, GC_Lo, NULL}, // ﺘ...ت
{0xFB66, 0xFB68, SC_Arabic, GC_Lo, NULL}, // ﺋ...ٹ
{0xFB6A, 0xFB6C, SC_Arabic, GC_Lo, NULL}, // ﺋ...ف
{0xFB6E, 0xFB70, SC_Arabic, GC_Lo, NULL}, // ﺋ...ق
{0xFB72, 0xFB74, SC_Arabic, GC_Lo, NULL}, // ﺝ...ج
{0xFB76, 0xFB78, SC_Arabic, GC_Lo, NULL}, // ﺝ...ج
{0xFB7A, 0xFB7C, SC_Arabic, GC_Lo, NULL}, // ﺝ...ج
{0xFB7E, 0xFB80, SC_Arabic, GC_Lo, NULL}, // ﺝ...ج
{0xFB82, 0xFB90, SC_Arabic, GC_Lo, NULL}, // ﺝ...ك
{0xFB92, 0xFB94, SC_Arabic, GC_Lo, NULL}, // ﺝ...گ
{0xFB96, 0xFB98, SC_Arabic, GC_Lo, NULL}, // ﺝ...گ
{0xFB9A, 0xFB9C, SC_Arabic, GC_Lo, NULL}, // ﺝ...گ
{0xFB9E, 0xFBA2, SC_Arabic, GC_Lo, NULL}, // ﺝ...س
{0xFBA4, 0xFBA8, SC_Arabic, GC_Lo, NULL}, // ﺝ...ه
{0xFBAA, 0xFBAC, SC_Arabic, GC_Lo, NULL}, // ﺝ...ه
{0xFBAE, 0xFBB1, SC_Arabic, GC_Lo, NULL}, // ﺝ...ه

```


{0xFBD3, 0xFBD5, SC_Arabic, GC_Lo, NULL},	//	ث..ث
{0xFBD7, 0xFBE6, SC_Arabic, GC_Lo, NULL},	//	ؤ..و
{0xFBE8, 0xFBE8, SC_Arabic, GC_Lo, NULL},	//	ر
{0xFBEA, 0xFBFE, SC_Arabic, GC_Lo, NULL},	//	ئا..ي
{0xFC00, 0xFC5D, SC_Arabic, GC_Lo, NULL},	//	ئج..ئ
{0xFC64, 0xFCDE, SC_Arabic, GC_Lo, NULL},	//	ئر..يه
{0xFCF5, 0xFD33, SC_Arabic, GC_Lo, NULL},	//	طى..طه
{0xFD3C, 0xFD3D, SC_Arabic, GC_Lo, NULL},	//	أ..أ
{0xFD50, 0xFD8F, SC_Arabic, GC_Lo, NULL},	//	تجه..مخه
{0xFD92, 0xFDC7, SC_Arabic, GC_Lo, NULL},	//	مجخ..نجي
{0xFDF0, 0xFDF1, SC_Arabic, GC_Lo, NULL},	//	صلى..قلى
{0xFDF2, 0xFDF9, SC_Arabic, GC_Lo, {SC_Arabic, SC_Thaana, 0}},	//	الله..صلى
{0xFE71, 0xFE71, SC_Arabic, GC_Lo, NULL},	//	ـ
{0xFE73, 0xFE73, SC_Arabic, GC_Lo, NULL},	//	.
{0xFE80, 0xFE8B, SC_Arabic, GC_Lo, NULL},	//	ء..ء
{0xFE8D, 0xFE91, SC_Arabic, GC_Lo, NULL},	//	ا..ا
{0xFE93, 0xFE97, SC_Arabic, GC_Lo, NULL},	//	ة..ة
{0xFE99, 0xFE9B, SC_Arabic, GC_Lo, NULL},	//	ث..ث
{0xFE9D, 0xFE9F, SC_Arabic, GC_Lo, NULL},	//	ج..ج
{0xFEA1, 0xFEAA, SC_Arabic, GC_Lo, NULL},	//	ح..ح
{0xFEAB, 0xFEAD, SC_Arabic, GC_Lo, NULL},	//	خ..خ
{0xFEAE, 0xFEAF, SC_Arabic, GC_Lo, NULL},	//	د..د
{0xFEB5, 0xFEB7, SC_Arabic, GC_Lo, NULL},	//	ش..ش
{0xFEB9, 0xFEBB, SC_Arabic, GC_Lo, NULL},	//	ص..ص
{0xFEBD, 0xFEBF, SC_Arabic, GC_Lo, NULL},	//	ض..ض
{0xFEC1, 0xFEC3, SC_Arabic, GC_Lo, NULL},	//	ط..ط
{0xFEC5, 0xFEC7, SC_Arabic, GC_Lo, NULL},	//	ظ..ظ
{0xFEC9, 0xFECA, SC_Arabic, GC_Lo, NULL},	//	ع..ع
{0xFECD, 0xFECE, SC_Arabic, GC_Lo, NULL},	//	غ..غ
{0xFED1, 0xFED3, SC_Arabic, GC_Lo, NULL},	//	ف..ف
{0xFED5, 0xFED7, SC_Arabic, GC_Lo, NULL},	//	ق..ق
{0xFED9, 0xFEDB, SC_Arabic, GC_Lo, NULL},	//	ك..ك
{0xFEDD, 0xFEDF, SC_Arabic, GC_Lo, NULL},	//	ل..ل
{0xFEE1, 0xFEE3, SC_Arabic, GC_Lo, NULL},	//	م..م
{0xFEE5, 0xFEE7, SC_Arabic, GC_Lo, NULL},	//	ن..ن
{0xFEE9, 0xFEEB, SC_Arabic, GC_Lo, NULL},	//	ه..ه
{0xFEED, 0xFEED, SC_Arabic, GC_Lo, NULL},	//	و..و
{0xFEED, 0xFEFC, SC_Arabic, GC_Lo, NULL},	//	لا..لا
{0x10140, 0x10174, SC_Greek, GC_Nl, NULL},	//	Α..α
{0x10780, 0x10785, SC_Latin, GC_Lm, NULL},	//	ll..ll


```

{0x10787, 0x107B0, SC_Latin, GC_Lm, NULL}, // ̈..̈
{0x107B2, 0x107BA, SC_Latin, GC_Lm, NULL}, // ̋..̋
{0x16FE3, 0x16FE3, SC_Han, GC_Lm, NULL}, // 𠬪
{0x1AFF0, 0x1AFF3, SC_Katakana, GC_Lm, NULL}, // 𐰀..𐰀
{0x1AFF5, 0x1AFFB, SC_Katakana, GC_Lm, NULL}, // 𐰁..𐰁
{0x1AFFD, 0x1AFFE, SC_Katakana, GC_Lm, NULL}, // 𐰂..𐰂
{0x1B000, 0x1B000, SC_Katakana, GC_Lo, NULL}, // 𐰃
{0x1B002, 0x1B11F, SC_Hiragana, GC_Lo, NULL}, // 𐰄..𐰄
{0x1B121, 0x1B122, SC_Katakana, GC_Lo, NULL}, // 𐰅..𐰅
{0x1B150, 0x1B152, SC_Hiragana, GC_Lo, NULL}, // 𐰆..𐰆
{0x1B164, 0x1B167, SC_Katakana, GC_Lo, NULL}, // 𐰇..𐰇
{0x1D400, 0x1D454, SC_Common, GC_L, NULL}, // A..g
{0x1D456, 0x1D49C, SC_Common, GC_L, NULL}, // i..Œ
{0x1D49E, 0x1D49F, SC_Common, GC_Lu, NULL}, // Ė..Đ
{0x1D4A2, 0x1D4A2, SC_Common, GC_Lu, NULL}, // Ǧ
{0x1D4A5, 0x1D4A6, SC_Common, GC_Lu, NULL}, // Ǧ..Ǧ
{0x1D4A9, 0x1D4AC, SC_Common, GC_Lu, NULL}, // Ǧ..Ǧ
{0x1D4AE, 0x1D4B9, SC_Common, GC_L, NULL}, // Ǧ..d
{0x1D4BB, 0x1D4BB, SC_Common, GC_Ll, NULL}, // Ǧ
{0x1D4BD, 0x1D4C3, SC_Common, GC_Ll, NULL}, // h..n
{0x1D4C5, 0x1D505, SC_Common, GC_L, NULL}, // h..B
{0x1D507, 0x1D50A, SC_Common, GC_Lu, NULL}, // Đ..G
{0x1D50D, 0x1D514, SC_Common, GC_Lu, NULL}, // Ǧ..Ǧ
{0x1D516, 0x1D51C, SC_Common, GC_Lu, NULL}, // Ǧ..Ǧ
{0x1D51E, 0x1D539, SC_Common, GC_L, NULL}, // a..B
{0x1D53B, 0x1D53E, SC_Common, GC_Lu, NULL}, // Đ..G
{0x1D540, 0x1D544, SC_Common, GC_Lu, NULL}, // I..M
{0x1D546, 0x1D546, SC_Common, GC_Lu, NULL}, // Œ
{0x1D54A, 0x1D550, SC_Common, GC_Lu, NULL}, // S..Y
{0x1D552, 0x1D6A5, SC_Common, GC_L, NULL}, // a..j
{0x1D6A8, 0x1D6C0, SC_Common, GC_Lu, NULL}, // A..Ω
{0x1D6C2, 0x1D6DA, SC_Common, GC_Ll, NULL}, // α..ω
{0x1D6DC, 0x1D6FA, SC_Common, GC_L, NULL}, // ε..Ω
{0x1D6FC, 0x1D714, SC_Common, GC_Ll, NULL}, // α..ω
{0x1D716, 0x1D734, SC_Common, GC_L, NULL}, // ε..Ω
{0x1D736, 0x1D74E, SC_Common, GC_Ll, NULL}, // α..ω
{0x1D750, 0x1D76E, SC_Common, GC_L, NULL}, // ε..Ω
{0x1D770, 0x1D788, SC_Common, GC_Ll, NULL}, // α..ω
{0x1D78A, 0x1D7A8, SC_Common, GC_L, NULL}, // ε..Ω
{0x1D7AA, 0x1D7C2, SC_Common, GC_Ll, NULL}, // α..ω

```

```

{0x1D7C4, 0x1D7CB, SC_Common, GC_L, NULL}, // €...€
{0x1DF00, 0x1DF1E, SC_Latin, GC_L, NULL}, // Æ..Æ
{0x1E7E0, 0x1E7E6, SC_Ethiopic, GC_Lo, NULL}, // ሀ...ሀ
{0x1E7E8, 0x1E7EB, SC_Ethiopic, GC_Lo, NULL}, // ሐ...ሐ
{0x1E7ED, 0x1E7EE, SC_Ethiopic, GC_Lo, NULL}, // ሔ...ሔ
{0x1E7F0, 0x1E7FE, SC_Ethiopic, GC_Lo, NULL}, // ቀ...ቀ
{0x1EE00, 0x1EE03, SC_Arabic, GC_Lo, NULL}, // ا..ا
{0x1EE05, 0x1EE1F, SC_Arabic, GC_Lo, NULL}, // و..و
{0x1EE21, 0x1EE22, SC_Arabic, GC_Lo, NULL}, // ب..ب
{0x1EE24, 0x1EE24, SC_Arabic, GC_Lo, NULL}, // ه
{0x1EE27, 0x1EE27, SC_Arabic, GC_Lo, NULL}, // ح
{0x1EE29, 0x1EE32, SC_Arabic, GC_Lo, NULL}, // ي..ق
{0x1EE34, 0x1EE37, SC_Arabic, GC_Lo, NULL}, // ش..ذ
{0x1EE39, 0x1EE39, SC_Arabic, GC_Lo, NULL}, // ض
{0x1EE3B, 0x1EE3B, SC_Arabic, GC_Lo, NULL}, // غ
{0x1EE42, 0x1EE42, SC_Arabic, GC_Lo, NULL}, // ج
{0x1EE47, 0x1EE47, SC_Arabic, GC_Lo, NULL}, // ح
{0x1EE49, 0x1EE49, SC_Arabic, GC_Lo, NULL}, // ي
{0x1EE4B, 0x1EE4B, SC_Arabic, GC_Lo, NULL}, // ل
{0x1EE4D, 0x1EE4F, SC_Arabic, GC_Lo, NULL}, // ن..ع
{0x1EE51, 0x1EE52, SC_Arabic, GC_Lo, NULL}, // ص..ق
{0x1EE54, 0x1EE54, SC_Arabic, GC_Lo, NULL}, // ش
{0x1EE57, 0x1EE57, SC_Arabic, GC_Lo, NULL}, // خ
{0x1EE59, 0x1EE59, SC_Arabic, GC_Lo, NULL}, // ض
{0x1EE5B, 0x1EE5B, SC_Arabic, GC_Lo, NULL}, // غ
{0x1EE5D, 0x1EE5D, SC_Arabic, GC_Lo, NULL}, // ن
{0x1EE5F, 0x1EE5F, SC_Arabic, GC_Lo, NULL}, // ق
{0x1EE61, 0x1EE62, SC_Arabic, GC_Lo, NULL}, // با..جا
{0x1EE64, 0x1EE64, SC_Arabic, GC_Lo, NULL}, // ها
{0x1EE67, 0x1EE6A, SC_Arabic, GC_Lo, NULL}, // كا..كا
{0x1EE6C, 0x1EE72, SC_Arabic, GC_Lo, NULL}, // قا..قا
{0x1EE74, 0x1EE77, SC_Arabic, GC_Lo, NULL}, // شا..خا
{0x1EE79, 0x1EE7C, SC_Arabic, GC_Lo, NULL}, // ضا..لا
{0x1EE7E, 0x1EE7E, SC_Arabic, GC_Lo, NULL}, // فا
{0x1EE80, 0x1EE89, SC_Arabic, GC_Lo, NULL}, // ل..ي
{0x1EE8B, 0x1EE9B, SC_Arabic, GC_Lo, NULL}, // ل..غ
{0x1EEA1, 0x1EEA3, SC_Arabic, GC_Lo, NULL}, // پ..د
{0x1EEA5, 0x1EEA9, SC_Arabic, GC_Lo, NULL}, // و..ي
{0x1EEAB, 0x1EEBB, SC_Arabic, GC_Lo, NULL}, // ل..غ
{0x20000, 0x2A6DF, SC_Han, GC_Lo, NULL}, // 𐀀..𐀀

```

```

    {0x2A700, 0x2B738, SC_Han, GC_Lo, NULL}, // 𐄀..𐄀
    {0x2B740, 0x2B81D, SC_Han, GC_Lo, NULL}, // 𐄀..𐄀
    {0x2B820, 0x2CEA1, SC_Han, GC_Lo, NULL}, // 𐄀..𐄀
    {0x2CEB0, 0x2EBE0, SC_Han, GC_Lo, NULL}, // 𐄀..𐄀
    {0x30000, 0x3134A, SC_Han, GC_Lo, NULL}, // 𐄀..𐄀
};
// 355 ranges, 115 singles, 99350 codepoints

```

14 Appendix A - C23XID_Continue

Created with mkc23 from libu8ident. *The SCX is modelled as if your compiler would allow static initialization of strings as {char,...,0}.*

```

// Filtering allowed scripts, XID_Continue, !XID_Start, safe IDTypes,
// NFC,
// MEDIAL from XID_Start and !MARK. Split on GC and SCX
const struct sc_c23 safec23_cont_list[75] = {
    {0x30, 0x39, SC_Common, GC_Nd, NULL}, // 0..9
    {0x5F, 0x5F, SC_Common, GC_Pc, NULL}, // _
    {0xB7, 0xB7, SC_Common, GC_Po, NULL}, // .
    {0x660, 0x669, SC_Arabic, GC_Nd,
     {SC_Arabic, SC_Thaana, SC_Yezidi, 0}}, // ٠...
    {0x6F0, 0x6F9, SC_Arabic, GC_Nd, NULL}, // ...٩
    {0x966, 0x96F, SC_Devanagari, GC_Nd,
     {SC_Devanagari, SC_Dogra, SC_Kaithi,
      SC_Mahajani, 0}}, // ०...१
    {0x9E6, 0x9EF, SC_Bengali, GC_Nd,
     {SC_Bengali, SC_Chakma, SC_Syloti_Nagri, 0}},
    {0xA66, 0xA6F, SC_Gurmukhi, GC_Nd, {SC_Gurmukhi, SC_Multani, 0}}, //
    ०...ੳ
    {0xAE6, 0xAEF, SC_Gujarati, GC_Nd, {SC_Gujarati, SC_Khojki, 0}}, //
    ૦...૯
    {0xB66, 0xB6F, SC_Oriya, GC_Nd, NULL}, // ୦...୯
    {0xBE6, 0xBEF, SC_Tamil, GC_Nd, {SC_Grantha, SC_Tamil, 0}}, // ௦...௯
    {0xC66, 0xC6F, SC_Telugu, GC_Nd, NULL}, // ౦...౯
    {0xCE6, 0xCEF, SC_Kannada, GC_Nd, {SC_Kannada, SC_Nandinagari, 0}},
    // ೦...೯
    {0xD66, 0xD6F, SC_Malayalam, GC_Nd, NULL}, // ൦...൯
    {0xE50, 0xE59, SC_Thai, GC_Nd, NULL}, // ๐...๙
    {0xED0, 0xED9, SC_Lao, GC_Nd, NULL}, // ໐...໙
    {0xF20, 0xF29, SC_Tibetan, GC_Nd, NULL}, // ༠...༩
    {0x1040, 0x1049, SC_Myanmar, GC_Nd,
     {SC_Chakma, SC_Myanmar, SC_Tai_Le, 0}},

```

```

{0x1090, 0x1099, SC_Myanmar, GC_Nd, NULL}, // ၀..၉
{0x17E0, 0x17E9, SC_Khmer, GC_Nd, NULL}, // ၀..၉
{0x203F, 0x2040, SC_Common, GC_Pc, NULL}, // .
{0xA9F0, 0xA9F9, SC_Myanmar, GC_Nd, NULL}, // ၀..၉
{0xFB55, 0xFB55, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB59, 0xFB59, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB5D, 0xFB5D, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB61, 0xFB61, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB65, 0xFB65, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB69, 0xFB69, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB6D, 0xFB6D, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB71, 0xFB71, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB75, 0xFB75, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB79, 0xFB79, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB7D, 0xFB7D, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB81, 0xFB81, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB91, 0xFB91, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB95, 0xFB95, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB99, 0xFB99, SC_Arabic, GC_Lo, NULL}, // ا
{0xFB9D, 0xFB9D, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBA3, 0xFBA3, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBA9, 0xFBA9, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBAD, 0xFBAD, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBD6, 0xFBD6, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBE7, 0xFBE7, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBE9, 0xFBE9, SC_Arabic, GC_Lo, NULL}, // ا
{0xFBFF, 0xFBFF, SC_Arabic, GC_Lo, NULL}, // ا
{0xFCDF, 0xFCF4, SC_Arabic, GC_Lo, NULL}, // ئ
{0xFD34, 0xFD3B, SC_Arabic, GC_Lo, NULL}, // سج
{0xFE77, 0xFE77, SC_Arabic, GC_Lo, NULL}, // -
{0xFE79, 0xFE79, SC_Arabic, GC_Lo, NULL}, // -
{0xFE7B, 0xFE7B, SC_Arabic, GC_Lo, NULL}, // -
{0xFE7D, 0xFE7D, SC_Arabic, GC_Lo, NULL}, // -
{0xFE7F, 0xFE7F, SC_Arabic, GC_Lo, NULL}, // -
{0xFE8C, 0xFE8C, SC_Arabic, GC_Lo, NULL}, // ا
{0xFE92, 0xFE92, SC_Arabic, GC_Lo, NULL}, // ا
{0xFE98, 0xFE98, SC_Arabic, GC_Lo, NULL}, // ا
{0xFE9C, 0xFE9C, SC_Arabic, GC_Lo, NULL}, // ا
{0xFEAO, 0xFEAO, SC_Arabic, GC_Lo, NULL}, // ا
{0xFE44, 0xFE44, SC_Arabic, GC_Lo, NULL}, // ا

```

```

{0xFE8, 0xFE8, SC_Arabic, GC_Lo, NULL}, // ﺀ
{0xFEB4, 0xFEB4, SC_Arabic, GC_Lo, NULL}, // ﺎ
{0xFEB8, 0xFEB8, SC_Arabic, GC_Lo, NULL}, // ﺑ
{0xFEBC, 0xFEBC, SC_Arabic, GC_Lo, NULL}, // ﺐ
{0xFEC0, 0xFEC0, SC_Arabic, GC_Lo, NULL}, // ﺖ
{0xFEC4, 0xFEC4, SC_Arabic, GC_Lo, NULL}, // ﺕ
{0xFEC8, 0xFEC8, SC_Arabic, GC_Lo, NULL}, // ﺙ
{0xFECC, 0xFECC, SC_Arabic, GC_Lo, NULL}, // ﺎ
{0xFED0, 0xFED0, SC_Arabic, GC_Lo, NULL}, // ﺎ
{0xFED4, 0xFED4, SC_Arabic, GC_Lo, NULL}, // ﺐ
{0xFED8, 0xFED8, SC_Arabic, GC_Lo, NULL}, // ﺖ
{0xFEDC, 0xFEDC, SC_Arabic, GC_Lo, NULL}, // ﺕ
{0xFEE0, 0xFEE0, SC_Arabic, GC_Lo, NULL}, // ﺙ
{0xFEE4, 0xFEE4, SC_Arabic, GC_Lo, NULL}, // ﺎ
{0xFEE8, 0xFEE8, SC_Arabic, GC_Lo, NULL}, // ﺎ
{0xFEEC, 0xFEEC, SC_Arabic, GC_Lo, NULL}, // ﺐ
{0xFEf4, 0xFEf4, SC_Arabic, GC_Lo, NULL}, // ﺕ
};
// 22 ranges, 53 singles, 200 codepoints

```

15 Appendix C - XID_Continue # Lm

Needed for [TR39#5.4](#) and [TR31#2.2](#)

67 matches for “XID_Continue # Lm” in buffer: DerivedCoreProperties.txt

```

02B0..02C1    ; XID_Continue # Lm  [18] MODIFIER LETTER SMALL H..
                                         MODIFIER LETTER REVERSED
                                         GLOTTAL STOP
02C6..02D1    ; XID_Continue # Lm  [12] MODIFIER LETTER CIRCUMFLEX
                                         ACCENT..
                                         MODIFIER LETTER HALF
                                         TRIANGULAR COLON
02E0..02E4    ; XID_Continue # Lm  [5] MODIFIER LETTER SMALL GAMMA..
                                         MODIFIER LETTER SMALL REVERSED
                                         GLOTTAL STOP
02EC          ; XID_Continue # Lm      MODIFIER LETTER VOICING
02EE          ; XID_Continue # Lm      MODIFIER LETTER DOUBLE
                                         APOSTROPHE
0374          ; XID_Continue # Lm      GREEK NUMERAL SIGN
0559          ; XID_Continue # Lm      ARMENIAN MODIFIER LETTER LEFT
                                         HALF RING

```

0640	; XID_Continue # Lm	ARABIC TATWEEL
06E5..06E6	; XID_Continue # Lm	[2] ARABIC SMALL WAW.. ARABIC SMALL YEHL
07F4..07F5	; XID_Continue # Lm	[2] NKO HIGH TONE APOSTROPHE.. NKO LOW TONE APOSTROPHE
07FA	; XID_Continue # Lm	NKO LAJANYALAN
081A	; XID_Continue # Lm	SAMARITAN MODIFIER LETTER EPENTHETIC YUT
0824	; XID_Continue # Lm	SAMARITAN MODIFIER LETTER SHORT A
0828	; XID_Continue # Lm	SAMARITAN MODIFIER LETTER I
08C9	; XID_Continue # Lm	ARABIC SMALL FARSI YEHL
0971	; XID_Continue # Lm	DEVANAGARI SIGN HIGH SPACING DOT
0E46	; XID_Continue # Lm	THAI CHARACTER MAIYAMOK
0EC6	; XID_Continue # Lm	LAO KO LA
10FC	; XID_Continue # Lm	MODIFIER LETTER GEORGIAN NAR
17D7	; XID_Continue # Lm	KHMER SIGN LEK TOO
1843	; XID_Continue # Lm	MONGOLIAN LETTER TODO LONG VOWEL SIGN
1AA7	; XID_Continue # Lm	TAI THAM SIGN MAI YAMOK
1C78..1C7D	; XID_Continue # Lm	[6] OL CHIKI MU TTUDDAG..OL CHIKI AHAD
1D2C..1D6A	; XID_Continue # Lm	[63] MODIFIER LETTER CAPITAL A.. GREEK SUBSCRIPT SMALL LETTER CHI
1D78	; XID_Continue # Lm	MODIFIER LETTER CYRILLIC EN
1D9B..1DBF	; XID_Continue # Lm	[37] MODIFIER LETTER SMALL TURNED ALPHA.. MODIFIER LETTER SMALL THETA
2071	; XID_Continue # Lm	SUPERSCRIP T LATIN SMALL LETTER I
207F	; XID_Continue # Lm	SUPERSCRIP T LATIN SMALL LETTER N
2090..209C	; XID_Continue # Lm	[13] LATIN SUBSCRIPT SMALL LETTER A.. LATIN SUBSCRIPT SMALL LETTER T
2C7C..2C7D	; XID_Continue # Lm	[2] LATIN SUBSCRIPT SMALL LETTER J.. MODIFIER LETTER CAPITAL V
2D6F	; XID_Continue # Lm	TIFINAGH MODIFIER LETTER LABIALIZATION MARK
3005	; XID_Continue # Lm	IDEOGRAPHIC ITERATION MARK
3031..3035	; XID_Continue # Lm	[5] VERTICAL KANA REPEAT MARK.. VERTICAL KANA REPEAT MARK LOWER HALF

303B	; XID_Continue # Lm	VERTICAL IDEOGRAPHIC ITERATION
MARK		
309D..309E	; XID_Continue # Lm	[2] HIRAGANA ITERATION MARK..
		HIRAGANA VOICED ITERATION MARK
30FC..30FE	; XID_Continue # Lm	[3] KATAKANA-HIRAGANA PROLONGED
SOUND MARK..		
		KATAKANA VOICED ITERATION MARK
A015	; XID_Continue # Lm	YI SYLLABLE WU
A4F8..A4FD	; XID_Continue # Lm	[6] LISU LETTER TONE MYA TI..
		LISU LETTER TONE MYA JEU
A60C	; XID_Continue # Lm	VAI SYLLABLE LENGTHENER
A67F	; XID_Continue # Lm	CYRILLIC PAYEROK
A69C..A69D	; XID_Continue # Lm	[2] MODIFIER LETTER CYRILLIC HARD
SIGN..		
		MODIFIER LETTER CYRILLIC SOFT
SIGN		
A717..A71F	; XID_Continue # Lm	[9] MODIFIER LETTER DOT VERTICAL
BAR..		
		LOW INVERTED EXCLAMATION MARK
A770	; XID_Continue # Lm	MODIFIER LETTER US
A788	; XID_Continue # Lm	MODIFIER LETTER LOW CIRCUMFLEX
ACCENT		
A7F2..A7F4	; XID_Continue # Lm	[3] MODIFIER LETTER CAPITAL C..
		MODIFIER LETTER CAPITAL Q
A7F8..A7F9	; XID_Continue # Lm	[2] MODIFIER LETTER CAPITAL H WITH
STROKE..		
		MODIFIER LETTER SMALL LIGATURE
OE		
A9CF	; XID_Continue # Lm	JAVANESE PANGRANGKEP
A9E6	; XID_Continue # Lm	MYANMAR MODIFIER LETTER SHAN
REDUPLICATION		
AA70	; XID_Continue # Lm	MYANMAR MODIFIER LETTER KHAMTI
REDUPLICATION		
AADD	; XID_Continue # Lm	TAI VIET SYMBOL SAM
AAF3..AAF4	; XID_Continue # Lm	[2] MEETEI MAYEK SYLLABLE
REPETITION MARK..		
		MEETEI MAYEK WORD REPETITION
MARK		
AB5C..AB5F	; XID_Continue # Lm	[4] MODIFIER LETTER SMALL HENG..
		MODIFIER LETTER SMALL U WITH
LEFT HOOK		
AB69	; XID_Continue # Lm	MODIFIER LETTER SMALL TURNED W
FF70	; XID_Continue # Lm	HALFWIDTH KATA-HIRA PROLONGED
SOUND MARK		
FF9E..FF9F	; XID_Continue # Lm	[2] HALFWIDTH KATAKANA VOICED
SOUND MARK..		
		SEMI-VOICED SOUND MARK

10780..10785	;	XID_Continue # Lm	[6]	MODIFIER LETTER SMALL CAPITAL AA..
				MODIFIER LETTER SMALL B WITH HOOK
10787..107B0	;	XID_Continue # Lm	[42]	MODIFIER LETTER SMALL DZ DIGRAPH..
				MODIFIER LETTER SMALL V WITH RIGHT HOOK
107B2..107BA	;	XID_Continue # Lm	[9]	MODIFIER LETTER SMALL CAPITAL Y..
				MODIFIER LETTER SMALL S WITH CURL
16B40..16B43	;	XID_Continue # Lm	[4]	PAHAWH HMONG SIGN VOS SEEV.. PAHAWH HMONG SIGN IB YAM
16F93..16F9F	;	XID_Continue # Lm	[13]	MIAO LETTER TONE-2.. MIAO LETTER REFORMED TONE-8
16FE0..16FE1	;	XID_Continue # Lm	[2]	TANGUT ITERATION MARK.. NUSHU ITERATION MARK
16FE3	;	XID_Continue # Lm		OLD CHINESE ITERATION MARK
1AFF0..1AFF3	;	XID_Continue # Lm	[4]	KATAKANA LETTER MINNAN TONE- 2..
				KATAKANA LETTER MINNAN TONE-5
1AFF5..1AFFB	;	XID_Continue # Lm	[7]	KATAKANA LETTER MINNAN TONE- 7..
				KATAKANA LETTER MINNAN NASALIZED TONE-5
1AFFD..1AFFE	;	XID_Continue # Lm	[2]	KATAKANA LETTER MINNAN NASALIZED TONE-7..
				KATAKANA LETTER MINNAN NASALIZED TONE-8
1E137..1E13D	;	XID_Continue # Lm	[7]	NYIAKENG PUACHUE HMONG SIGN FOR PERSON..
				NYIAKENG PUACHUE HMONG SYLLABLE LENGTHENER
1E94B	;	XID_Continue # Lm		ADLAM NASALIZATION MARK

16 Appendix D - XID_Continue # M

Needed for [TR39#5.4](#)

513 matches for “XID_Continue # M” in buffer: DerivedCoreProperties.txt

0300..036F	;	XID_Continue # Mn	[112]	COMBINING GRAVE ACCENT.. COMBINING LATIN SMALL LETTER X
0483..0487	;	XID_Continue # Mn	[5]	COMBINING CYRILLIC TITLO.. COMBINING CYRILLIC POKRYTIE

0591..05BD	; XID_Continue # Mn	[45]	HEBREW ACCENT ETNAHTA.. HEBREW POINT METEG
05BF	; XID_Continue # Mn		HEBREW POINT RAPE
05C1..05C2	; XID_Continue # Mn	[2]	HEBREW POINT SHIN DOT.. HEBREW POINT SIN DOT
05C4..05C5	; XID_Continue # Mn	[2]	HEBREW MARK UPPER DOT.. HEBREW MARK LOWER DOT
05C7	; XID_Continue # Mn		HEBREW POINT QAMATS QATAN
0610..061A	; XID_Continue # Mn	[11]	ARABIC SIGN SALLALLAHOU ALAYHE WASSALLAM.. ARABIC SMALL KASRA
064B..065F	; XID_Continue # Mn	[21]	ARABIC FATHATAN.. ARABIC WAVY HAMZA BELOW
0670	; XID_Continue # Mn		ARABIC LETTER SUPERScript ALEF
06D6..06DC	; XID_Continue # Mn	[7]	ARABIC SMALL HIGH LIGATURE SAD WITH LAM WITH ALEF MAKSURA..HIGH SEEN
06DF..06E4	; XID_Continue # Mn	[6]	ARABIC SMALL HIGH ROUNDED ZERO..MADDA
06E7..06E8	; XID_Continue # Mn	[2]	ARABIC SMALL HIGH YEH..NOON
06EA..06ED	; XID_Continue # Mn	[4]	ARABIC EMPTY CENTRE LOW STOP..MEEM
0711	; XID_Continue # Mn		SYRIAC LETTER SUPERScript ALAPH
0730..074A	; XID_Continue # Mn	[27]	SYRIAC PTHAHA ABOVE..BARREKH
07A6..07B0	; XID_Continue # Mn	[11]	THAANA ABAFILI..THAANA SUKUN
07EB..07F3	; XID_Continue # Mn	[9]	NKO COMBINING SHORT HIGH TONE.. NKO COMBINING DOUBLE DOT ABOVE
07FD	; XID_Continue # Mn		NKO DANTAYALAN
0816..0819	; XID_Continue # Mn	[4]	SAMARITAN MARK IN.. SAMARITAN MARK DAGESH
081B..0823	; XID_Continue # Mn	[9]	SAMARITAN MARK EPENTHETIC YUT.. SAMARITAN VOWEL SIGN A
0825..0827	; XID_Continue # Mn	[3]	SAMARITAN VOWEL SIGN SHORT A..SIGN U
0829..082D	; XID_Continue # Mn	[5]	SAMARITAN VOWEL SIGN LONG I.. SAMARITAN MARK NEQUDAA
0859..085B	; XID_Continue # Mn	[3]	MANDAIC AFFRICATION MARK.. MANDAIC GEMINATION MARK
0898..089F	; XID_Continue # Mn	[8]	ARABIC SMALL HIGH WORD AL- JUZ.. ARABIC HALF MADDA OVER MADDA
08CA..08E1	; XID_Continue # Mn	[24]	ARABIC SMALL HIGH FARSI YEH..

		ARABIC SMALL HIGH SIGN SAFHA
08E3..0902	; XID_Continue # Mn	[32] ARABIC TURNED DAMMA BELOW..
		DEVANAGARI SIGN ANUSVARA
0903	; XID_Continue # Mc	DEVANAGARI SIGN VISARGA
093A	; XID_Continue # Mn	DEVANAGARI VOWEL SIGN OE
093B	; XID_Continue # Mc	DEVANAGARI VOWEL SIGN OOE
093C	; XID_Continue # Mn	DEVANAGARI SIGN NUKTA
093E..0940	; XID_Continue # Mc	[3] DEVANAGARI VOWEL SIGN AA..II
0941..0948	; XID_Continue # Mn	[8] DEVANAGARI VOWEL SIGN U..AI
0949..094C	; XID_Continue # Mc	[4] DEVANAGARI VOWEL SIGN CANDRA
		O..AU
094D	; XID_Continue # Mn	DEVANAGARI SIGN VIRAMA
094E..094F	; XID_Continue # Mc	[2] DEVANAGARI VOWEL SIGN
		PRISHTHAMATRA E..AW
0951..0957	; XID_Continue # Mn	[7] DEVANAGARI STRESS SIGN
		UDATTA..
		DEVANAGARI VOWEL SIGN UUE
0962..0963	; XID_Continue # Mn	[2] DEVANAGARI VOWEL SIGN VOCALIC
		L..LL
0981	; XID_Continue # Mn	BENGALI SIGN CANDRABINDU
0982..0983	; XID_Continue # Mc	[2] BENGALI SIGN ANUSVARA..VISARGA
09BC	; XID_Continue # Mn	BENGALI SIGN NUKTA
09BE..09C0	; XID_Continue # Mc	[3] BENGALI VOWEL SIGN AA..II
09C1..09C4	; XID_Continue # Mn	[4] BENGALI VOWEL SIGN U..VOCALIC
		RR
09C7..09C8	; XID_Continue # Mc	[2] BENGALI VOWEL SIGN E..AI
09CB..09CC	; XID_Continue # Mc	[2] BENGALI VOWEL SIGN O..AU
09CD	; XID_Continue # Mn	BENGALI SIGN VIRAMA
09D7	; XID_Continue # Mc	BENGALI AU LENGTH MARK
09E2..09E3	; XID_Continue # Mn	[2] BENGALI VOWEL SIGN VOCALIC
		L..LL
09FE	; XID_Continue # Mn	BENGALI SANDHI MARK
0A01..0A02	; XID_Continue # Mn	[2] GURMUKHI SIGN ADAK
		BINDI..BINDI
0A03	; XID_Continue # Mc	GURMUKHI SIGN VISARGA
0A3C	; XID_Continue # Mn	GURMUKHI SIGN NUKTA
0A3E..0A40	; XID_Continue # Mc	[3] GURMUKHI VOWEL SIGN AA..II
0A41..0A42	; XID_Continue # Mn	[2] GURMUKHI VOWEL SIGN U..UU
0A47..0A48	; XID_Continue # Mn	[2] GURMUKHI VOWEL SIGN EE..AI
0A4B..0A4D	; XID_Continue # Mn	[3] GURMUKHI VOWEL SIGN OO..
		GURMUKHI SIGN VIRAMA
0A51	; XID_Continue # Mn	GURMUKHI SIGN UDAAT
0A70..0A71	; XID_Continue # Mn	[2] GURMUKHI TIPPI..GURMUKHI ADDAK
0A75	; XID_Continue # Mn	GURMUKHI SIGN YAKASH

0A81..0A82	; XID_Continue # Mn	[2] GUJARATI SIGN CANDRABINDU..
		GUJARATI SIGN ANUSVARA
0A83	; XID_Continue # Mc	GUJARATI SIGN VISARGA
0ABC	; XID_Continue # Mn	GUJARATI SIGN NUKTA
0ABE..0AC0	; XID_Continue # Mc	[3] GUJARATI VOWEL SIGN AA..II
0AC1..0AC5 E	; XID_Continue # Mn	[5] GUJARATI VOWEL SIGN U..CANDRA
0AC7..0AC8	; XID_Continue # Mn	[2] GUJARATI VOWEL SIGN E..AI
0AC9	; XID_Continue # Mc	GUJARATI VOWEL SIGN CANDRA O
0ACB..0ACC	; XID_Continue # Mc	[2] GUJARATI VOWEL SIGN O..AU
0ACD	; XID_Continue # Mn	GUJARATI SIGN VIRAMA
0AE2..0AE3 L..LL	; XID_Continue # Mn	[2] GUJARATI VOWEL SIGN VOCALIC
0AFA..0AFF	; XID_Continue # Mn	[6] GUJARATI SIGN SUKUN..
		GUJARATI SIGN TWO-CIRCLE NUKTA
ABOVE		
0B01	; XID_Continue # Mn	ORIYA SIGN CANDRABINDU
0B02..0B03	; XID_Continue # Mc	[2] ORIYA SIGN ANUSVARA..
		ORIYA SIGN VISARGA
0B3C	; XID_Continue # Mn	ORIYA SIGN NUKTA
0B3E	; XID_Continue # Mc	ORIYA VOWEL SIGN AA
0B3F	; XID_Continue # Mn	ORIYA VOWEL SIGN I
0B40	; XID_Continue # Mc	ORIYA VOWEL SIGN II
0B41..0B44	; XID_Continue # Mn	[4] ORIYA VOWEL SIGN U..VOCALIC RR
0B47..0B48	; XID_Continue # Mc	[2] ORIYA VOWEL SIGN E..AI
0B4B..0B4C	; XID_Continue # Mc	[2] ORIYA VOWEL SIGN O..AU
0B4D	; XID_Continue # Mn	ORIYA SIGN VIRAMA
0B55..0B56	; XID_Continue # Mn	[2] ORIYA SIGN OVERLINE..
		ORIYA AI LENGTH MARK
0B57	; XID_Continue # Mc	ORIYA AU LENGTH MARK
0B62..0B63	; XID_Continue # Mn	[2] ORIYA VOWEL SIGN VOCALIC L..LL
0B82	; XID_Continue # Mn	TAMIL SIGN ANUSVARA
0BBE..0BBF	; XID_Continue # Mc	[2] TAMIL VOWEL SIGN AA..I
0BC0	; XID_Continue # Mn	TAMIL VOWEL SIGN II
0BC1..0BC2	; XID_Continue # Mc	[2] TAMIL VOWEL SIGN U..UU
0BC6..0BC8	; XID_Continue # Mc	[3] TAMIL VOWEL SIGN E..AI
0BCA..0BCC	; XID_Continue # Mc	[3] TAMIL VOWEL SIGN O..AU
0BCD	; XID_Continue # Mn	TAMIL SIGN VIRAMA
0BD7	; XID_Continue # Mc	TAMIL AU LENGTH MARK
0C00	; XID_Continue # Mn	TELUGU SIGN COMBINING
CANDRABINDU ABOVE		
0C01..0C03	; XID_Continue # Mc	[3] TELUGU SIGN
		CANDRABINDU..VISARGA

0C04	; XID_Continue # Mn	TELUGU SIGN COMBINING ANUSVARA
ABOVE		
0C3C	; XID_Continue # Mn	TELUGU SIGN NUKTA
0C3E..0C40	; XID_Continue # Mn	[3] TELUGU VOWEL SIGN AA..II
0C41..0C44	; XID_Continue # Mc	[4] TELUGU VOWEL SIGN U..VOCALIC
RR		
0C46..0C48	; XID_Continue # Mn	[3] TELUGU VOWEL SIGN E..AI
0C4A..0C4D	; XID_Continue # Mn	[4] TELUGU VOWEL SIGN O..SIGN
VIRAMA		
0C55..0C56	; XID_Continue # Mn	[2] TELUGU LENGTH MARK..AI LENGTH
MARK		
0C62..0C63	; XID_Continue # Mn	[2] TELUGU VOWEL SIGN VOCALIC
L..LL		
0C81	; XID_Continue # Mn	KANNADA SIGN CANDRABINDU
0C82..0C83	; XID_Continue # Mc	[2] KANNADA SIGN ANUSVARA..VISARGA
0CBC	; XID_Continue # Mn	KANNADA SIGN NUKTA
0CBE	; XID_Continue # Mc	KANNADA VOWEL SIGN AA
0CBF	; XID_Continue # Mn	KANNADA VOWEL SIGN I
0CC0..0CC4	; XID_Continue # Mc	[5] KANNADA VOWEL SIGN II..VOCALIC
RR		
0CC6	; XID_Continue # Mn	KANNADA VOWEL SIGN E
0CC7..0CC8	; XID_Continue # Mc	[2] KANNADA VOWEL SIGN EE..AI
0CCA..0CCB	; XID_Continue # Mc	[2] KANNADA VOWEL SIGN O..OO
0CCC..0CCD	; XID_Continue # Mn	[2] KANNADA VOWEL SIGN AU..VIRAMA
0CD5..0CD6	; XID_Continue # Mc	[2] KANNADA LENGTH MARK..AI LENGTH
MARK		
0CE2..0CE3	; XID_Continue # Mn	[2] KANNADA VOWEL SIGN VOCALIC
L..LL		
0D00..0D01	; XID_Continue # Mn	[2] MALAYALAM SIGN COMBINING
ANUSVARA ABOVE..		
		CANDRABINDU
0D02..0D03	; XID_Continue # Mc	[2] MALAYALAM SIGN
ANUSVARA..VISARGA		
0D3B..0D3C	; XID_Continue # Mn	[2] MALAYALAM SIGN VERTICAL BAR
VIRAMA..		
		CIRCULAR VIRAMA
0D3E..0D40	; XID_Continue # Mc	[3] MALAYALAM VOWEL SIGN AA..II
0D41..0D44	; XID_Continue # Mn	[4] MALAYALAM VOWEL SIGN
U..VOCALIC RR		
0D46..0D48	; XID_Continue # Mc	[3] MALAYALAM VOWEL SIGN E..AI
0D4A..0D4C	; XID_Continue # Mc	[3] MALAYALAM VOWEL SIGN O..AU
0D4D	; XID_Continue # Mn	MALAYALAM SIGN VIRAMA
0D57	; XID_Continue # Mc	MALAYALAM AU LENGTH MARK
0D62..0D63	; XID_Continue # Mn	[2] MALAYALAM VOWEL SIGN VOCALIC
L..LL		
0D81	; XID_Continue # Mn	SINHALA SIGN CANDRABINDU

0D82..0D83	; XID_Continue # Mc	[2]	SINHALA SIGN
ANUSVARAYA..VISARGAYA			
0DCA	; XID_Continue # Mn		SINHALA SIGN AL-LAKUNA
0DCF..0DD1	; XID_Continue # Mc	[3]	SINHALA VOWEL SIGN AELA-
PILLA..			
DIGA AEDA-PILLA			
0DD2..0DD4	; XID_Continue # Mn	[3]	SINHALA VOWEL SIGN KETTI IS-
PILLA..			
PAA-PILLA			
0DD6	; XID_Continue # Mn		SINHALA VOWEL SIGN DIGA PAA-
PILLA			
0DD8..0DDF	; XID_Continue # Mc	[8]	SINHALA VOWEL SIGN GAETTA-
PILLA..			
GAYANUKITTA			
0DF2..0DF3	; XID_Continue # Mc	[2]	SINHALA VOWEL SIGN DIGA
GAETTA-PILLA..			
GAYANUKITTA			
0E31	; XID_Continue # Mn		THAI CHARACTER MAI HAN-AKAT
0E34..0E3A	; XID_Continue # Mn	[7]	THAI CHARACTER SARA I..PHINTHU
0E47..0E4E	; XID_Continue # Mn	[8]	THAI CHARACTER
MAITAIKHU..YAMAKKAN			
0EB1	; XID_Continue # Mn		LAO VOWEL SIGN MAI KAN
0EB4..0EBC	; XID_Continue # Mn	[9]	LAO VOWEL SIGN I..SEMIVOWEL
SIGN LO			
0EC8..0ECD	; XID_Continue # Mn	[6]	LAO TONE MAI EK..NIGGAHITA
0F18..0F19	; XID_Continue # Mn	[2]	TIBETAN ASTROLOGICAL SIGN -
KHYUD PA..			
SDONG TSHUGS			
0F35	; XID_Continue # Mn		TIBETAN MARK NGAS BZUNG NYI
ZLA			
0F37	; XID_Continue # Mn		TIBETAN MARK NGAS BZUNG SGOR
RTAGS			
0F39	; XID_Continue # Mn		TIBETAN MARK TSA -PHRU
0F3E..0F3F	; XID_Continue # Mc	[2]	TIBETAN SIGN YAR TSHES..MAR
TSHES			
0F71..0F7E	; XID_Continue # Mn	[14]	TIBETAN VOWEL SIGN AA..RJES SU
NGA RO			
0F7F	; XID_Continue # Mc		TIBETAN SIGN RNAM BCAD
0F80..0F84	; XID_Continue # Mn	[5]	TIBETAN VOWEL SIGN REVERSED
I..			
MARK HALANTA			
0F86..0F87	; XID_Continue # Mn	[2]	TIBETAN SIGN LCI RTAGS..YANG
RTAGS			
0F8D..0F97	; XID_Continue # Mn	[11]	TIBETAN SUBJOINED SIGN LCE TSA
CAN..			
LETTER JA			
0F99..0FBC	; XID_Continue # Mn	[36]	TIBETAN SUBJOINED LETTER NYA..
FIXED-FORM RA			

0FC6	; XID_Continue # Mn	TIBETAN SYMBOL PADMA GDAN
102B..102C	; XID_Continue # Mc	[2] MYANMAR VOWEL SIGN TALL AA..AA
102D..1030	; XID_Continue # Mn	[4] MYANMAR VOWEL SIGN I..UU
1031	; XID_Continue # Mc	MYANMAR VOWEL SIGN E
1032..1037	; XID_Continue # Mn	[6] MYANMAR VOWEL SIGN AI..DOT
BELOW		
1038	; XID_Continue # Mc	MYANMAR SIGN VISARGA
1039..103A	; XID_Continue # Mn	[2] MYANMAR SIGN VIRAMA..ASAT
103B..103C	; XID_Continue # Mc	[2] MYANMAR CONSONANT SIGN MEDIAL
YA..RA		
103D..103E	; XID_Continue # Mn	[2] MYANMAR CONSONANT SIGN MEDIAL
WA..HA		
1056..1057	; XID_Continue # Mc	[2] MYANMAR VOWEL SIGN VOCALIC
R..RR		
1058..1059	; XID_Continue # Mn	[2] MYANMAR VOWEL SIGN VOCALIC
L..LL		
105E..1060	; XID_Continue # Mn	[3] MYANMAR CONSONANT SIGN MON
MEDIAL NA..LA		
1062..1064	; XID_Continue # Mc	[3] MYANMAR VOWEL SIGN SGAW KAREN
EU..KE PHO		
1067..106D	; XID_Continue # Mc	[7] MYANMAR VOWEL SIGN WESTERN PWO
KAREN EU..		
		TONE-5
1071..1074	; XID_Continue # Mn	[4] MYANMAR VOWEL SIGN GEBA KAREN
I..KAYAH EE		
1082	; XID_Continue # Mn	MYANMAR CONSONANT SIGN SHAN
MEDIAL WA		
1083..1084	; XID_Continue # Mc	[2] MYANMAR VOWEL SIGN SHAN AA..E
1085..1086	; XID_Continue # Mn	[2] MYANMAR VOWEL SIGN SHAN E
ABOVE..FINAL Y		
1087..108C	; XID_Continue # Mc	[6] MYANMAR SIGN SHAN TONE-
2..TONE-3		
108D	; XID_Continue # Mn	MYANMAR SIGN SHAN COUNCIL
EMPHATIC TONE		
108F	; XID_Continue # Mc	MYANMAR SIGN RUMAI PALAUNG
TONE-5		
109A..109C	; XID_Continue # Mc	[3] MYANMAR SIGN KHAMTI TONE-
1..AITON A		
109D	; XID_Continue # Mn	MYANMAR VOWEL SIGN AITON AI
135D..135F	; XID_Continue # Mn	[3] ETHIOPIC COMBINING GEMINATION
AND		
		VOWEL LENGTH MARK..MARK
1712..1714	; XID_Continue # Mn	[3] TAGALOG VOWEL SIGN I..VIRAMA
1715	; XID_Continue # Mc	TAGALOG SIGN PAMUDPOD
1732..1733	; XID_Continue # Mn	[2] HANUNOO VOWEL SIGN I..U
1734	; XID_Continue # Mc	HANUNOO SIGN PAMUDPOD
1752..1753	; XID_Continue # Mn	[2] BUHID VOWEL SIGN I..U
1772..1773	; XID_Continue # Mn	[2] TAGBANWA VOWEL SIGN I..U

17B4..17B5	; XID_Continue # Mn	[2] KHMER VOWEL INHERENT AQ..AA
17B6	; XID_Continue # Mc	KHMER VOWEL SIGN AA
17B7..17BD	; XID_Continue # Mn	[7] KHMER VOWEL SIGN I..UA
17BE..17C5	; XID_Continue # Mc	[8] KHMER VOWEL SIGN OE..AU
17C6	; XID_Continue # Mn	KHMER SIGN NIKAHIT
17C7..17C8	; XID_Continue # Mc	[2] KHMER SIGN
REAHMUK..YUUKALEAPINTU		
17C9..17D3	; XID_Continue # Mn	[11] KHMER SIGN
MUUSIKATOAN..BATHAMASAT		
17DD	; XID_Continue # Mn	KHMER SIGN ATTHACAN
180B..180D	; XID_Continue # Mn	[3] MONGOLIAN FREE VARIATION
SELECTOR ONE..		
THREE		
180F	; XID_Continue # Mn	MONGOLIAN FREE VARIATION
SELECTOR FOUR		
1885..1886	; XID_Continue # Mn	[2] MONGOLIAN LETTER ALI GALI
BALUDA..		
THREE BALUDA		
18A9	; XID_Continue # Mn	MONGOLIAN LETTER ALI GALI
DAGALGA		
1920..1922	; XID_Continue # Mn	[3] LIMBU VOWEL SIGN A..U
1923..1926	; XID_Continue # Mc	[4] LIMBU VOWEL SIGN EE..AU
1927..1928	; XID_Continue # Mn	[2] LIMBU VOWEL SIGN E..O
1929..192B	; XID_Continue # Mc	[3] LIMBU SUBJOINED LETTER YA..WA
1930..1931	; XID_Continue # Mc	[2] LIMBU SMALL LETTER KA..NGA
1932	; XID_Continue # Mn	LIMBU SMALL LETTER ANUSVARA
1933..1938	; XID_Continue # Mc	[6] LIMBU SMALL LETTER TA..LA
1939..193B	; XID_Continue # Mn	[3] LIMBU SIGN MUKPHRENG..-I
1A17..1A18	; XID_Continue # Mn	[2] BUGINESE VOWEL SIGN I..U
1A19..1A1A	; XID_Continue # Mc	[2] BUGINESE VOWEL SIGN E..O
1A1B	; XID_Continue # Mn	BUGINESE VOWEL SIGN AE
1A55	; XID_Continue # Mc	TAI THAM CONSONANT SIGN MEDIAL
RA		
1A56	; XID_Continue # Mn	TAI THAM CONSONANT SIGN MEDIAL
LA		
1A57	; XID_Continue # Mc	TAI THAM CONSONANT SIGN LA
TANG LAI		
1A58..1A5E	; XID_Continue # Mn	[7] TAI THAM SIGN MAI KANG LAI..
CONSONANT SIGN SA		
1A60	; XID_Continue # Mn	TAI THAM SIGN SAKOT
1A61	; XID_Continue # Mc	TAI THAM VOWEL SIGN A
1A62	; XID_Continue # Mn	TAI THAM VOWEL SIGN MAI SAT
1A63..1A64	; XID_Continue # Mc	[2] TAI THAM VOWEL SIGN AA..TALL
AA		
1A65..1A6C	; XID_Continue # Mn	[8] TAI THAM VOWEL SIGN I..OA
BELOW		

1A6D..1A72	; XID_Continue # Mc	[6]	TAI THAM VOWEL SIGN OY..THAM AI
1A73..1A7C	; XID_Continue # Mn	[10]	TAI THAM VOWEL SIGN OA ABOVE.. KHUEN-LUE KARAN
1A7F	; XID_Continue # Mn		TAI THAM COMBINING CRYPTOGRAMMIC DOT
1AB0..1ABD	; XID_Continue # Mn	[14]	COMBINING DOUBLED CIRCUMFLEX ACCENT..
1ABF..1ACE	; XID_Continue # Mn	[16]	COMBINING PARENTHESES BELOW COMBINING LATIN SMALL LETTER W BELOW..
1B00..1B03	; XID_Continue # Mn	[4]	INSULAR T BALINESE SIGN ULU RICEM..SURANG
1B04	; XID_Continue # Mc		BALINESE SIGN BISAH
1B34	; XID_Continue # Mn		BALINESE SIGN REREKAN
1B35	; XID_Continue # Mc		BALINESE VOWEL SIGN TEDUNG
1B36..1B3A	; XID_Continue # Mn	[5]	BALINESE VOWEL SIGN ULU..RA REPA
1B3B	; XID_Continue # Mc		BALINESE VOWEL SIGN RA REPA TEDUNG
1B3C	; XID_Continue # Mn		BALINESE VOWEL SIGN LA LENGA
1B3D..1B41	; XID_Continue # Mc	[5]	BALINESE VOWEL SIGN LA LENGA TEDUNG..
1B42	; XID_Continue # Mn		TALING REPA TEDUNG BALINESE VOWEL SIGN PEPET
1B43..1B44	; XID_Continue # Mc	[2]	BALINESE VOWEL SIGN PEPET TEDUNG..
1B6B..1B73	; XID_Continue # Mn	[9]	BALINESE ADEG ADEG BALINESE MUSICAL SYMBOL COMBINING TEGEH..
1B80..1B81	; XID_Continue # Mn	[2]	GONG SUNDANESE SIGN PANYECEK..PANGLAYAR
1B82	; XID_Continue # Mc		SUNDANESE SIGN PANGWISAD
1BA1	; XID_Continue # Mc		SUNDANESE CONSONANT SIGN PAMINGKAL
1BA2..1BA5	; XID_Continue # Mn	[4]	SUNDANESE CONSONANT SIGN PANYAKRA..
1BA6..1BA7	; XID_Continue # Mc	[2]	SUNDANESE VOWEL SIGN PANYUKU SUNDANESE VOWEL SIGN PANAELAENG..PANOLONG
1BA8..1BA9	; XID_Continue # Mn	[2]	SUNDANESE VOWEL SIGN PAMEPET..PANEULEUNG
1BAA	; XID_Continue # Mc		SUNDANESE SIGN PAMAAEH
1BAB..1BAD	; XID_Continue # Mn	[3]	SUNDANESE SIGN VIRAMA.. CONSONANT SIGN PASANGAN WA
1BE6	; XID_Continue # Mn		BATAK SIGN TOMPI

1BE7	; XID_Continue # Mc	BATAK VOWEL SIGN E
1BE8..1BE9	; XID_Continue # Mn	[2] BATAK VOWEL SIGN PAKPAK E..EE
1BEA..1BEC	; XID_Continue # Mc	[3] BATAK VOWEL SIGN I..O
1BED	; XID_Continue # Mn	BATAK VOWEL SIGN KARO O
1BEE	; XID_Continue # Mc	BATAK VOWEL SIGN U
1BEF..1BF1	; XID_Continue # Mn	[3] BATAK VOWEL SIGN U FOR SIMALUNGUN SA..
		BATAK CONSONANT SIGN H
1BF2..1BF3	; XID_Continue # Mc	[2] BATAK PANGOLAT..BATAK PANONGONAN
1C24..1C2B	; XID_Continue # Mc	[8] LEPCHA SUBJOINED LETTER YA..VOWEL SIGN UU
1C2C..1C33	; XID_Continue # Mn	[8] LEPCHA VOWEL SIGN E..CONSONANT SIGN T
1C34..1C35	; XID_Continue # Mc	[2] LEPCHA CONSONANT SIGN NYIN- DO..KANG
1C36..1C37	; XID_Continue # Mn	[2] LEPCHA SIGN RAN..NUKTA
1CD0..1CD2	; XID_Continue # Mn	[3] VEDIC TONE KARSHANA..PRENKHA
1CD4..1CE0	; XID_Continue # Mn	[13] VEDIC SIGN YAJURVEDIC MIDLINE SVARITA..
		VEDIC TONE RIGVEDIC KASHMIRI INDEPENDENT
1CE1	; XID_Continue # Mc	SVARITA VEDIC TONE ATHARVAVEDIC INDEPENDENT
		SVARITA
1CE2..1CE8	; XID_Continue # Mn	[7] VEDIC SIGN VISARGA SVARITA.. VEDIC SIGN VISARGA ANUDATTA WITH TAIL
1CED	; XID_Continue # Mn	VEDIC SIGN TIRYAK
1CF4	; XID_Continue # Mn	VEDIC TONE CANDRA ABOVE
1CF7	; XID_Continue # Mc	VEDIC SIGN ATIKRAMA
1CF8..1CF9	; XID_Continue # Mn	[2] VEDIC TONE RING ABOVE..DOUBLE RING ABOVE
1DC0..1DFF	; XID_Continue # Mn	[64] COMBINING DOTTED GRAVE ACCENT.. ARROWHEAD BELOW
		RIGHT ARROWHEAD AND DOWN
20D0..20DC	; XID_Continue # Mn	[13] COMBINING LEFT HARPOON ABOVE.. COMBINING FOUR DOTS ABOVE
20E1	; XID_Continue # Mn	COMBINING LEFT RIGHT ARROW ABOVE
20E5..20F0	; XID_Continue # Mn	[12] COMBINING REVERSE SOLIDUS OVERLAY..
		COMBINING ASTERISK ABOVE
2CEF..2CF1	; XID_Continue # Mn	[3] COPTIC COMBINING NI ABOVE..SPIRITUS LENIS
2D7F	; XID_Continue # Mn	TIFINAGH CONSONANT JOINER

2DE0..2DFF	; XID_Continue # Mn	[32]	COMBINING CYRILLIC LETTER BE.. IOTIFIED BIG YUS
302A..302D	; XID_Continue # Mn	[4]	IDEOGRAPHIC LEVEL TONE MARK.. IDEOGRAPHIC ENTERING TONE MARK
302E..302F	; XID_Continue # Mc	[2]	HANGUL SINGLE DOT TONE MARK.. HANGUL DOUBLE DOT TONE MARK
3099..309A	; XID_Continue # Mn	[2]	COMBINING KATAKANA-HIRAGANA VOICED SOUND MARK..SEMI-VOICED SOUND MARK
A66F	; XID_Continue # Mn		COMBINING CYRILLIC VZMET
A674..A67D	; XID_Continue # Mn	[10]	COMBINING CYRILLIC LETTER UKRAINIAN IE.. PAYEROK
A69E..A69F	; XID_Continue # Mn	[2]	COMBINING CYRILLIC LETTER EF..IOTIFIED E
A6F0..A6F1	; XID_Continue # Mn	[2]	BAMUM COMBINING MARK KOQNDON..TUKWENTIS
A802	; XID_Continue # Mn		SYLOTI NAGRI SIGN DVISVARA
A806	; XID_Continue # Mn		SYLOTI NAGRI SIGN HASANTA
A80B	; XID_Continue # Mn		SYLOTI NAGRI SIGN ANUSVARA
A823..A824	; XID_Continue # Mc	[2]	SYLOTI NAGRI VOWEL SIGN A..I
A825..A826	; XID_Continue # Mn	[2]	SYLOTI NAGRI VOWEL SIGN U..E
A827	; XID_Continue # Mc		SYLOTI NAGRI VOWEL SIGN OO
A82C	; XID_Continue # Mn		SYLOTI NAGRI SIGN ALTERNATE HASANTA
A880..A881	; XID_Continue # Mc	[2]	SAURASHTRA SIGN ANUSVARA..VISARGA
A8B4..A8C3	; XID_Continue # Mc	[16]	SAURASHTRA CONSONANT SIGN HAARU.. SAURASHTRA VOWEL SIGN AU
A8C4..A8C5	; XID_Continue # Mn	[2]	SAURASHTRA SIGN VIRAMA..CANDRABINDU
A8E0..A8F1	; XID_Continue # Mn	[18]	COMBINING DEVANAGARI DIGIT ZERO.. SIGN AVAGRAHA
A8FF	; XID_Continue # Mn		DEVANAGARI VOWEL SIGN AY
A926..A92D	; XID_Continue # Mn	[8]	KAYAH LI VOWEL UE..TONE CALYA PLOPHU
A947..A951	; XID_Continue # Mn	[11]	REJANG VOWEL SIGN I..CONSONANT SIGN R
A952..A953	; XID_Continue # Mc	[2]	REJANG CONSONANT SIGN H..REJANG VIRAMA
A980..A982	; XID_Continue # Mn	[3]	JAVANESE SIGN PANYANGGA..LAYAR
A983	; XID_Continue # Mc		JAVANESE SIGN WIGNYAN
A9B3	; XID_Continue # Mn		JAVANESE SIGN CECAK TELU

A9B4..A9B5	; XID_Continue # Mc	[2]	JAVANESE VOWEL SIGN
TARUNG..TOLONG			
A9B6..A9B9	; XID_Continue # Mn	[4]	JAVANESE VOWEL SIGN WULU..SUKU
MENDUT			
A9BA..A9BB	; XID_Continue # Mc	[2]	JAVANESE VOWEL SIGN
TALING..DIRGA MURE			
A9BC..A9BD	; XID_Continue # Mn	[2]	JAVANESE VOWEL SIGN
PEPET..KERET			
A9BE..A9C0	; XID_Continue # Mc	[3]	JAVANESE CONSONANT SIGN
PENGKAL..PANGKON			
A9E5	; XID_Continue # Mn		MYANMAR SIGN SHAN SAW
AA29..AA2E	; XID_Continue # Mn	[6]	CHAM VOWEL SIGN AA..OE
AA2F..AA30	; XID_Continue # Mc	[2]	CHAM VOWEL SIGN O..AI
AA31..AA32	; XID_Continue # Mn	[2]	CHAM VOWEL SIGN AU..UE
AA33..AA34	; XID_Continue # Mc	[2]	CHAM CONSONANT SIGN YA..RA
AA35..AA36	; XID_Continue # Mn	[2]	CHAM CONSONANT SIGN LA..WA
AA43	; XID_Continue # Mn		CHAM CONSONANT SIGN FINAL NG
AA4C	; XID_Continue # Mn		CHAM CONSONANT SIGN FINAL M
AA4D	; XID_Continue # Mc		CHAM CONSONANT SIGN FINAL H
AA7B	; XID_Continue # Mc		MYANMAR SIGN PAO KAREN TONE
AA7C	; XID_Continue # Mn		MYANMAR SIGN TAI LAING TONE-2
AA7D	; XID_Continue # Mc		MYANMAR SIGN TAI LAING TONE-5
AAB0	; XID_Continue # Mn		TAI VIET MAI KANG
AAB2..AAB4	; XID_Continue # Mn	[3]	TAI VIET VOWEL I..U
AAB7..AAB8	; XID_Continue # Mn	[2]	TAI VIET MAI KHIT..VOWEL IA
AABE..AABF	; XID_Continue # Mn	[2]	TAI VIET VOWEL AM..TONE MAI EK
AAC1	; XID_Continue # Mn		TAI VIET TONE MAI THO
AAEB	; XID_Continue # Mc		MEETEI MAYEK VOWEL SIGN II
AAEC..AAED	; XID_Continue # Mn	[2]	MEETEI MAYEK VOWEL SIGN
UU..AAI			
AAEE..AAEF	; XID_Continue # Mc	[2]	MEETEI MAYEK VOWEL SIGN
AU..AAU			
AAF5	; XID_Continue # Mc		MEETEI MAYEK VOWEL SIGN
VISARGA			
AAF6	; XID_Continue # Mn		MEETEI MAYEK VIRAMA
ABE3..ABE4	; XID_Continue # Mc	[2]	MEETEI MAYEK VOWEL SIGN
ONAP..INAP			
ABE5	; XID_Continue # Mn		MEETEI MAYEK VOWEL SIGN ANAP
ABE6..ABE7	; XID_Continue # Mc	[2]	MEETEI MAYEK VOWEL SIGN
YENAP..SOUNAP			
ABE8	; XID_Continue # Mn		MEETEI MAYEK VOWEL SIGN UNAP
ABE9..ABEA	; XID_Continue # Mc	[2]	MEETEI MAYEK VOWEL SIGN
CHEINAP..NUNG			
ABEC	; XID_Continue # Mc		MEETEI MAYEK LUM IYEK
ABED	; XID_Continue # Mn		MEETEI MAYEK APUN IYEK

FB1E	; XID_Continue # Mn	HEBREW POINT JUDEO-SPANISH
VARIKA		
FE00..FE0F	; XID_Continue # Mn [16]	VARIATION SELECTOR-1..-16
FE20..FE2F	; XID_Continue # Mn [16]	COMBINING LIGATURE LEFT HALF..
HALF		COMBINING CYRILLIC TITLO RIGHT
101FD	; XID_Continue # Mn	PHAISTOS DISC SIGN COMBINING
OBLIQUE		STROKE
102E0	; XID_Continue # Mn	COPTIC EPACT THOUSANDS MARK
10376..1037A	; XID_Continue # Mn [5]	COMBINING OLD PERMIC LETTER
AN..SII		
10A01..10A03	; XID_Continue # Mn [3]	KHAROSHTHI VOWEL SIGN
I..VOCALIC R		
10A05..10A06	; XID_Continue # Mn [2]	KHAROSHTHI VOWEL SIGN E..0
10A0C..10A0F	; XID_Continue # Mn [4]	KHAROSHTHI VOWEL LENGTH MARK..
		SIGN VISARGA
10A38..10A3A	; XID_Continue # Mn [3]	KHAROSHTHI SIGN BAR ABOVE..DOT
BELOW		
10A3F	; XID_Continue # Mn	KHAROSHTHI VIRAMA
10AE5..10AE6	; XID_Continue # Mn [2]	MANICHAEAN ABBREVIATION MARK
ABOVE..BELOW		
10D24..10D27	; XID_Continue # Mn [4]	HANIFI ROHINGYA SIGN
HARBAHAY..TASSI		
10EAB..10EAC	; XID_Continue # Mn [2]	YEZIDI COMBINING HAMZA
MARK..MADDA MARK		
10F46..10F50	; XID_Continue # Mn [11]	SOGDIAN COMBINING DOT
BELOW..STROKE BELOW		
10F82..10F85	; XID_Continue # Mn [4]	OLD UYGHUR COMBINING DOT
ABOVE..		
		TWO DOTS BELOW
11000	; XID_Continue # Mc	BRAHMI SIGN CANDRABINDU
11001	; XID_Continue # Mn	BRAHMI SIGN ANUSVARA
11002	; XID_Continue # Mc	BRAHMI SIGN VISARGA
11038..11046	; XID_Continue # Mn [15]	BRAHMI VOWEL SIGN AA..BRAHMI
VIRAMA		
11070	; XID_Continue # Mn	BRAHMI SIGN OLD TAMIL VIRAMA
11073..11074	; XID_Continue # Mn [2]	BRAHMI VOWEL SIGN OLD TAMIL
SHORT E..0		
1107F..11081	; XID_Continue # Mn [3]	BRAHMI NUMBER JOINER..SIGN
ANUSVARA		
11082	; XID_Continue # Mc	KAITHI SIGN VISARGA
110B0..110B2	; XID_Continue # Mc [3]	KAITHI VOWEL SIGN AA..II
110B3..110B6	; XID_Continue # Mn [4]	KAITHI VOWEL SIGN U..AI
110B7..110B8	; XID_Continue # Mc [2]	KAITHI VOWEL SIGN O..AU
110B9..110BA	; XID_Continue # Mn [2]	KAITHI SIGN VIRAMA..KAITHI
SIGN NUKTA		
110C2	; XID_Continue # Mn	KAITHI VOWEL SIGN VOCALIC R

11100..11102 ; XID_Continue # Mn CANDRABINDU..VISARGA	[3] CHAKMA SIGN
11127..1112B ; XID_Continue # Mn	[5] CHAKMA VOWEL SIGN A..UU
1112C ; XID_Continue # Mc	CHAKMA VOWEL SIGN E
1112D..11134 ; XID_Continue # Mn MAAYYAA	[8] CHAKMA VOWEL SIGN AI..CHAKMA
11145..11146 ; XID_Continue # Mc	[2] CHAKMA VOWEL SIGN AA..EI
11173 ; XID_Continue # Mn	MAHAJANI SIGN NUKTA
11180..11181 ; XID_Continue # Mn CANDRABINDU..ANUSVARA	[2] SHARADA SIGN
11182 ; XID_Continue # Mc	SHARADA SIGN VISARGA
111B3..111B5 ; XID_Continue # Mc	[3] SHARADA VOWEL SIGN AA..II
111B6..111BE ; XID_Continue # Mn	[9] SHARADA VOWEL SIGN U..O
111BF..111C0 ; XID_Continue # Mc	[2] SHARADA VOWEL SIGN AU..VIRAMA
111C9..111CC ; XID_Continue # Mn	[4] SHARADA SANDHI MARK.. EXTRA SHORT VOWEL MARK
111CE ; XID_Continue # Mc PRISHTHAMATRA E	SHARADA VOWEL SIGN
111CF ; XID_Continue # Mn CANDRABINDU	SHARADA SIGN INVERTED
1122C..1122E ; XID_Continue # Mc	[3] KHOJKI VOWEL SIGN AA..II
1122F..11231 ; XID_Continue # Mn	[3] KHOJKI VOWEL SIGN U..AI
11232..11233 ; XID_Continue # Mc	[2] KHOJKI VOWEL SIGN O..AU
11234 ; XID_Continue # Mn	KHOJKI SIGN ANUSVARA
11235 ; XID_Continue # Mc	KHOJKI SIGN VIRAMA
11236..11237 ; XID_Continue # Mn	[2] KHOJKI SIGN NUKTA..SHADDA
1123E ; XID_Continue # Mn	KHOJKI SIGN SUKUN
112DF ; XID_Continue # Mn	KHUDAWADI SIGN ANUSVARA
112E0..112E2 ; XID_Continue # Mc	[3] KHUDAWADI VOWEL SIGN AA..II
112E3..112EA ; XID_Continue # Mn	[8] KHUDAWADI VOWEL SIGN U..VIRAMA
11300..11301 ; XID_Continue # Mn ANUSVARA ABOVE..	[2] GRANTHA SIGN COMBINING GRANTHA SIGN CANDRABINDU
11302..11303 ; XID_Continue # Mc	[2] GRANTHA SIGN ANUSVARA..VISARGA
1133B..1133C ; XID_Continue # Mn SIGN NUKTA	[2] COMBINING BINDU BELOW..GRANTHA
1133E..1133F ; XID_Continue # Mc	[2] GRANTHA VOWEL SIGN AA..I
11340 ; XID_Continue # Mn	GRANTHA VOWEL SIGN II
11341..11344 ; XID_Continue # Mc RR	[4] GRANTHA VOWEL SIGN U..VOCALIC
11347..11348 ; XID_Continue # Mc	[2] GRANTHA VOWEL SIGN EE..AI
1134B..1134D ; XID_Continue # Mc	[3] GRANTHA VOWEL SIGN OO..VIRAMA
11357 ; XID_Continue # Mc	GRANTHA AU LENGTH MARK
11362..11363 ; XID_Continue # Mc L..LL	[2] GRANTHA VOWEL SIGN VOCALIC

11366..1136C ; XID_Continue # Mn	[7] COMBINING GRANTHA DIGIT ZERO..SIX
11370..11374 ; XID_Continue # Mn	[5] COMBINING GRANTHA LETTER A..PA
11435..11437 ; XID_Continue # Mc	[3] NEWA VOWEL SIGN AA..II
11438..1143F ; XID_Continue # Mn	[8] NEWA VOWEL SIGN U..AI
11440..11441 ; XID_Continue # Mc	[2] NEWA VOWEL SIGN O..AU
11442..11444 ; XID_Continue # Mn	[3] NEWA SIGN VIRAMA..ANUSVARA
11445 ; XID_Continue # Mc	NEWA SIGN VISARGA
11446 ; XID_Continue # Mn	NEWA SIGN NUKTA
1145E ; XID_Continue # Mn	NEWA SANDHI MARK
114B0..114B2 ; XID_Continue # Mc	[3] TIRHUTA VOWEL SIGN AA..II
114B3..114B8 ; XID_Continue # Mn	[6] TIRHUTA VOWEL SIGN U..VOCALIC LL
114B9 ; XID_Continue # Mc	TIRHUTA VOWEL SIGN E
114BA ; XID_Continue # Mn	TIRHUTA VOWEL SIGN SHORT E
114BB..114BE ; XID_Continue # Mc	[4] TIRHUTA VOWEL SIGN AI..AU
114BF..114C0 ; XID_Continue # Mn	[2] TIRHUTA SIGN CANDRABINDU..ANUSVARA
114C1 ; XID_Continue # Mc	TIRHUTA SIGN VISARGA
114C2..114C3 ; XID_Continue # Mn	[2] TIRHUTA SIGN VIRAMA..NUKTA
115AF..115B1 ; XID_Continue # Mc	[3] SIDDHAM VOWEL SIGN AA..II
115B2..115B5 ; XID_Continue # Mn	[4] SIDDHAM VOWEL SIGN U..VOCALIC RR
115B8..115BB ; XID_Continue # Mc	[4] SIDDHAM VOWEL SIGN E..AU
115BC..115BD ; XID_Continue # Mn	[2] SIDDHAM SIGN CANDRABINDU..ANUSVARA
115BE ; XID_Continue # Mc	SIDDHAM SIGN VISARGA
115BF..115C0 ; XID_Continue # Mn	[2] SIDDHAM SIGN VIRAMA..NUKTA
115DC..115DD ; XID_Continue # Mn	[2] SIDDHAM VOWEL SIGN ALTERNATE U..UU
11630..11632 ; XID_Continue # Mc	[3] MODI VOWEL SIGN AA..II
11633..1163A ; XID_Continue # Mn	[8] MODI VOWEL SIGN U..AI
1163B..1163C ; XID_Continue # Mc	[2] MODI VOWEL SIGN O..AU
1163D ; XID_Continue # Mn	MODI SIGN ANUSVARA
1163E ; XID_Continue # Mc	MODI SIGN VISARGA
1163F..11640 ; XID_Continue # Mn	[2] MODI SIGN VIRAMA..ARDHACANDRA
116AB ; XID_Continue # Mn	TAKRI SIGN ANUSVARA
116AC ; XID_Continue # Mc	TAKRI SIGN VISARGA
116AD ; XID_Continue # Mn	TAKRI VOWEL SIGN AA
116AE..116AF ; XID_Continue # Mc	[2] TAKRI VOWEL SIGN I..II
116B0..116B5 ; XID_Continue # Mn	[6] TAKRI VOWEL SIGN U..AU
116B6 ; XID_Continue # Mc	TAKRI SIGN VIRAMA
116B7 ; XID_Continue # Mn	TAKRI SIGN NUKTA

1171D..1171F ; XID_Continue # Mn	[3] AHOM CONSONANT SIGN MEDIAL
LA..	
	LIGATING RA
11720..11721 ; XID_Continue # Mc	[2] AHOM VOWEL SIGN A..AA
11722..11725 ; XID_Continue # Mn	[4] AHOM VOWEL SIGN I..UU
11726 ; XID_Continue # Mc	AHOM VOWEL SIGN E
11727..1172B ; XID_Continue # Mn	[5] AHOM VOWEL SIGN AW..KILLER
1182C..1182E ; XID_Continue # Mc	[3] DOGRA VOWEL SIGN AA..II
1182F..11837 ; XID_Continue # Mn	[9] DOGRA VOWEL SIGN U..ANUSVARA
11838 ; XID_Continue # Mc	DOGRA SIGN VISARGA
11839..1183A ; XID_Continue # Mn	[2] DOGRA SIGN VIRAMA..NUKTA
11930..11935 ; XID_Continue # Mc	[6] DIVES AKURU VOWEL SIGN AA..E
11937..11938 ; XID_Continue # Mc	[2] DIVES AKURU VOWEL SIGN AI..O
1193B..1193C ; XID_Continue # Mn	[2] DIVES AKURU SIGN
ANUSVARA..CANDRABINDU	
1193D ; XID_Continue # Mc	DIVES AKURU SIGN HALANTA
1193E ; XID_Continue # Mn	DIVES AKURU VIRAMA
11940 ; XID_Continue # Mc	DIVES AKURU MEDIAL YA
11942 ; XID_Continue # Mc	DIVES AKURU MEDIAL RA
11943 ; XID_Continue # Mn	DIVES AKURU SIGN NUKTA
119D1..119D3 ; XID_Continue # Mc	[3] NANDINAGARI VOWEL SIGN AA..II
119D4..119D7 ; XID_Continue # Mn	[4] NANDINAGARI VOWEL SIGN
U..VOCALIC RR	
119DA..119DB ; XID_Continue # Mn	[2] NANDINAGARI VOWEL SIGN E..AI
119DC..119DF ; XID_Continue # Mc	[4] NANDINAGARI VOWEL SIGN
O..VISARGA	
119E0 ; XID_Continue # Mn	NANDINAGARI SIGN VIRAMA
119E4 ; XID_Continue # Mc	NANDINAGARI VOWEL SIGN
PRISHTHAMATRA E	
11A01..11A0A ; XID_Continue # Mn	[10] ZANABAZAR SQUARE VOWEL SIGN
I..	
	LENGTH MARK
11A33..11A38 ; XID_Continue # Mn	[6] ZANABAZAR SQUARE FINAL
CONSONANT MARK..	
	ZANABAZAR SQUARE SIGN ANUSVARA
11A39 ; XID_Continue # Mc	ZANABAZAR SQUARE SIGN VISARGA
11A3B..11A3E ; XID_Continue # Mn	[4] ZANABAZAR SQUARE CLUSTER-FINAL
LETTER YA..	
	ZANABAZAR SQUARE CLUSTER-FINAL
LETTER VA	
11A47 ; XID_Continue # Mn	ZANABAZAR SQUARE SUBJOINER
11A51..11A56 ; XID_Continue # Mn	[6] SOYOMBO VOWEL SIGN I..OE
11A57..11A58 ; XID_Continue # Mc	[2] SOYOMBO VOWEL SIGN AI..AU
11A59..11A5B ; XID_Continue # Mn	[3] SOYOMBO VOWEL SIGN VOCALIC R..
	SOYOMBO VOWEL LENGTH MARK

11A8A..11A96 ; XID_Continue # Mn	[13]	SOYOMBO FINAL CONSONANT SIGN G..ANUSVARA
11A97 ; XID_Continue # Mc		SOYOMBO SIGN VISARGA
11A98..11A99 ; XID_Continue # Mn	[2]	SOYOMBO GEMINATION MARK..SUBJOINER
11C2F ; XID_Continue # Mc		BHAIKSUKI VOWEL SIGN AA
11C30..11C36 ; XID_Continue # Mn	[7]	BHAIKSUKI VOWEL SIGN I..VOCALIC L
11C38..11C3D ; XID_Continue # Mn	[6]	BHAIKSUKI VOWEL SIGN E..ANUSVARA
11C3E ; XID_Continue # Mc		BHAIKSUKI SIGN VISARGA
11C3F ; XID_Continue # Mn		BHAIKSUKI SIGN VIRAMA
11C92..11CA7 ; XID_Continue # Mn	[22]	MARCHEN SUBJOINED LETTER KA..ZA
11CA9 ; XID_Continue # Mc		MARCHEN SUBJOINED LETTER YA
11CAA..11CB0 ; XID_Continue # Mn	[7]	MARCHEN SUBJOINED LETTER RA.. MARCHEN VOWEL SIGN AA
11CB1 ; XID_Continue # Mc		MARCHEN VOWEL SIGN I
11CB2..11CB3 ; XID_Continue # Mn	[2]	MARCHEN VOWEL SIGN U..E
11CB4 ; XID_Continue # Mc		MARCHEN VOWEL SIGN O
11CB5..11CB6 ; XID_Continue # Mn	[2]	MARCHEN SIGN ANUSVARA..CANDRABINDU
11D31..11D36 ; XID_Continue # Mn	[6]	MASARAM GONDI VOWEL SIGN AA.. MASARAM GONDI VOWEL SIGN VOCALIC R
11D3A ; XID_Continue # Mn		MASARAM GONDI VOWEL SIGN E
11D3C..11D3D ; XID_Continue # Mn	[2]	MASARAM GONDI VOWEL SIGN AI..O
11D3F..11D45 ; XID_Continue # Mn	[7]	MASARAM GONDI VOWEL SIGN AU.. MASARAM GONDI VIRAMA
11D47 ; XID_Continue # Mn		MASARAM GONDI RA-KARA
11D8A..11D8E ; XID_Continue # Mc	[5]	GUNJALA GONDI VOWEL SIGN AA..UU
11D90..11D91 ; XID_Continue # Mn	[2]	GUNJALA GONDI VOWEL SIGN EE..AI
11D93..11D94 ; XID_Continue # Mc	[2]	GUNJALA GONDI VOWEL SIGN OO..AU
11D95 ; XID_Continue # Mn		GUNJALA GONDI SIGN ANUSVARA
11D96 ; XID_Continue # Mc		GUNJALA GONDI SIGN VISARGA
11D97 ; XID_Continue # Mn		GUNJALA GONDI VIRAMA
11EF3..11EF4 ; XID_Continue # Mn	[2]	MAKASAR VOWEL SIGN I..U
11EF5..11EF6 ; XID_Continue # Mc	[2]	MAKASAR VOWEL SIGN E..O
16AF0..16AF4 ; XID_Continue # Mn	[5]	BASSA VAH COMBINING HIGH TONE.. TONE BASSA VAH COMBINING HIGH-LOW
16B30..16B36 ; XID_Continue # Mn	[7]	PAHAWH HMONG MARK CIM TUB..CIM TAUM

16F4F	; XID_Continue # Mn		MIAO SIGN CONSONANT MODIFIER
BAR			
16F51..16F87	; XID_Continue # Mc	[55]	MIAO SIGN ASPIRATION..MIAO VOWEL SIGN UI
16F8F..16F92	; XID_Continue # Mn	[4]	MIAO TONE RIGHT..MIAO TONE BELOW
16FE4	; XID_Continue # Mn		KHITAN SMALL SCRIPT FILLER
16FF0..16FF1	; XID_Continue # Mc	[2]	VIETNAMESE ALTERNATE READING MARK CA..
			VIETNAMESE ALTERNATE READING MARK NHAY
1BC9D..1BC9E	; XID_Continue # Mn	[2]	DUPLOYAN THICK LETTER SELECTOR..
			DUPLOYAN DOUBLE MARK
1CF00..1CF2D	; XID_Continue # Mn	[46]	ZNAMENNY COMBINING MARK GORAZDO NIZKO S
			KRYZHEM ON LEFT..
			ZNAMENNY COMBINING MARK KRYZH ON LEFT
1CF30..1CF46	; XID_Continue # Mn	[23]	ZNAMENNY COMBINING TONAL RANGE MARK
			MRACHNO..PRIZNAK MODIFIER ROG
1D165..1D166	; XID_Continue # Mc	[2]	MUSICAL SYMBOL COMBINING STEM..
			SPRECHGESANG STEM
1D167..1D169	; XID_Continue # Mn	[3]	MUSICAL SYMBOL COMBINING TREMOLO-1..3
1D16D..1D172	; XID_Continue # Mc	[6]	MUSICAL SYMBOL COMBINING AUGMENTATION
			DOT..FLAG-5
1D17B..1D182	; XID_Continue # Mn	[8]	MUSICAL SYMBOL COMBINING ACCENT..LOURE
1D185..1D18B	; XID_Continue # Mn	[7]	MUSICAL SYMBOL COMBINING DOIT..
			MUSICAL SYMBOL COMBINING TRIPLE TONGUE
1D1AA..1D1AD	; XID_Continue # Mn	[4]	MUSICAL SYMBOL COMBINING DOWN BOW..
			MUSICAL SYMBOL COMBINING SNAP PIZZICATO
1D242..1D244	; XID_Continue # Mn	[3]	COMBINING GREEK MUSICAL TRISEME..
			COMBINING GREEK MUSICAL PENTASEME
1DA00..1DA36	; XID_Continue # Mn	[55]	SIGNWRITING HEAD RIM..
			SIGNWRITING AIR SUCKING IN
1DA3B..1DA6C	; XID_Continue # Mn	[50]	SIGNWRITING MOUTH CLOSED NEUTRAL..
			SIGNWRITING EXCITEMENT
1DA75	; XID_Continue # Mn		SIGNWRITING UPPER BODY TILTING FROM

			HIP JOINTS
1DA84	; XID_Continue # Mn		SIGNWRITING LOCATION HEAD NECK
1DA9B..1DA9F	; XID_Continue # Mn	[5]	SIGNWRITING FILL MODIFIER-2..
			SIGNWRITING FILL MODIFIER-6
1DAA1..1DAAF	; XID_Continue # Mn	[15]	SIGNWRITING ROTATION MODIFIER-2...-16
1E000..1E006	; XID_Continue # Mn	[7]	COMBINING GLAGOLITIC LETTER AZU..ZHIVETE
1E008..1E018	; XID_Continue # Mn	[17]	COMBINING GLAGOLITIC LETTER ZEMLJA..HERU
1E01B..1E021	; XID_Continue # Mn	[7]	COMBINING GLAGOLITIC LETTER SHTA..YATI
1E023..1E024	; XID_Continue # Mn	[2]	COMBINING GLAGOLITIC LETTER YU..SMALL YUS
1E026..1E02A	; XID_Continue # Mn	[5]	COMBINING GLAGOLITIC LETTER YO..FITA
1E130..1E136	; XID_Continue # Mn	[7]	NYIAKENG PUACHUE HMONG TONE-B...-D
1E2AE	; XID_Continue # Mn		TOTO SIGN RISING TONE
1E2EC..1E2EF	; XID_Continue # Mn	[4]	WANCHO TONE TUP..WANCHO TONE KOINI
1E8D0..1E8D6	; XID_Continue # Mn	[7]	MENDE KIKAKUI COMBINING NUMBER TEENS..
			MENDE KIKAKUI COMBINING NUMBER MILLIONS
1E944..1E94A	; XID_Continue # Mn	[7]	ADLAM ALIF LENGTHENER..ADLAM NUKTA
E0100..E01EF	; XID_Continue # Mn	[240]	VARIATION SELECTOR-17...-256

17 Appendix E - IDType Technical

Needed for **#8 TR39 Identifier Type**. List of Technical ID characters, added the TR39 Recommended and Inclusion IDTypes. TR39#Table 1

https://www.unicode.org/reports/tr39/#Identifier_Status_and_Type

```
grep ' Technical ' IdentifierType.txt |
  egrep -v 'Not_XID|Obsolete|Exclusion|Uncommon_Use|Limited_Use'
```

0180	; Technical # 1.1		LATIN SMALL LETTER B WITH STROKE
01C0..01C3	; Technical # 1.1	[4]	LATIN LETTER DENTAL CLICK.. RETROFLEX CLICK
0234..0236	; Technical # 4.0	[3]	LATIN SMALL LETTER L WITH CURL..
			T WITH CURL

0250..0252	; Technical # 1.1	[3]	LATIN SMALL LETTER TURNED A..ALPHA
0255	; Technical # 1.1		LATIN SMALL LETTER C WITH CURL
0258	; Technical # 1.1		LATIN SMALL LETTER REVERSED E
025A	; Technical # 1.1		LATIN SMALL LETTER SCHWA WITH HOOK
025C..0262	; Technical # 1.1	[7]	LATIN SMALL LETTER REVERSED OPEN E..
			LATIN LETTER SMALL CAPITAL G
0264..0267	; Technical # 1.1	[4]	LATIN SMALL LETTER RAMS HORN..
			LATIN SMALL LETTER HENG WITH HOOK
026A..0271	; Technical # 1.1	[8]	LATIN LETTER SMALL CAPITAL I..
			LATIN SMALL LETTER M WITH HOOK
0273..0276	; Technical # 1.1	[4]	LATIN SMALL LETTER N WITH RETROFLEX
			HOOK..LATIN LETTER SMALL CAPITAL OE
0278..027B	; Technical # 1.1	[4]	LATIN SMALL LETTER PHI..
			LATIN SMALL LETTER TURNED R WITH HOOK
027D..0288	; Technical # 1.1	[12]	LATIN SMALL LETTER R WITH TAIL..
			LATIN SMALL LETTER T WITH RETROFLEX HOOK
028A..0291	; Technical # 1.1	[8]	LATIN SMALL LETTER UPSILON..
			LATIN SMALL LETTER Z WITH CURL
0293..029D	; Technical # 1.1	[11]	LATIN SMALL LETTER EZH WITH CURL..
			LATIN SMALL LETTER J WITH CROSSED-TAIL
029F..02A8	; Technical # 1.1	[10]	LATIN LETTER SMALL CAPITAL L..
			LATIN SMALL LETTER TC DIGRAPH WITH CURL
02A9..02AD	; Technical # 3.0	[5]	LATIN SMALL LETTER FENG DIGRAPH..
			LATIN LETTER BIDENTAL PERCUSSIVE
02AE..02AF	; Technical # 4.0	[2]	LATIN SMALL LETTER TURNED H WITH FISHHOOK..AND TAIL
02B9..02BA	; Technical # 1.1	[2]	MODIFIER LETTER PRIME..DOUBLE PRIME
02BD..02C1	; Technical # 1.1	[5]	MODIFIER LETTER REVERSED COMMA..
			MODIFIER LETTER REVERSED GLOTTAL STOP
02C6..02D1	; Technical # 1.1	[12]	MODIFIER LETTER CIRCUMFLEX ACCENT..

	TRIANGULAR COLON		MODIFIER LETTER HALF
02EE	; Technical # 3.0		MODIFIER LETTER DOUBLE
	APOSTROPHE		
030E	; Technical # 1.1		COMBINING DOUBLE VERTICAL LINE
	ABOVE		
0312	; Technical # 1.1		COMBINING TURNED COMMA ABOVE
0315	; Technical # 1.1		COMBINING COMMA ABOVE RIGHT
0317..031A	; Technical # 1.1	[4]	COMBINING ACUTE ACCENT BELOW..
			COMBINING LEFT ANGLE ABOVE
031C..0320	; Technical # 1.1	[5]	COMBINING LEFT HALF RING
	BELOW..		
			COMBINING MINUS SIGN BELOW
0329..032C	; Technical # 1.1	[4]	COMBINING VERTICAL LINE
	BELOW..		
			COMBINING CARON BELOW
032F	; Technical # 1.1		COMBINING INVERTED BREVE BELOW
0333	; Technical # 1.1		COMBINING DOUBLE LOW LINE
0337	; Technical # 1.1		COMBINING SHORT SOLIDUS
	OVERLAY		
033A..033F	; Technical # 1.1	[6]	COMBINING INVERTED BRIDGE
	BELOW..		
			COMBINING DOUBLE OVERLINE
0346..034E	; Technical # 3.0	[9]	COMBINING BRIDGE ABOVE..
			COMBINING UPWARDS ARROW BELOW
0350..0357	; Technical # 4.0	[8]	COMBINING RIGHT ARROWHEAD
	ABOVE..		
			HALF RING ABOVE
0359..035C	; Technical # 4.1	[4]	COMBINING ASTERISK BELOW..
			COMBINING DOUBLE BREVE BELOW
035D..035F	; Technical # 4.0	[3]	COMBINING DOUBLE BREVE..MACRON
	BELOW		
0360..0361	; Technical # 1.1	[2]	COMBINING DOUBLE
	TILDE..INVERTED BREVE		
0362	; Technical # 3.0		COMBINING DOUBLE RIGHTWARDS
	ARROW BELOW		
03CF	; Technical # 5.1		GREEK CAPITAL KAI SYMBOL
03D7	; Technical # 3.0		GREEK KAI SYMBOL
0560	; Technical # 11.0		ARMENIAN SMALL LETTER TURNED
	AYB		
0588	; Technical # 11.0		ARMENIAN SMALL LETTER YI WITH
	STROKE		
0953..0954	; Technical # 1.1	[2]	DEVANAGARI GRAVE ACCENT..
			DEVANAGARI ACUTE ACCENT
0D81	; Technical # 13.0		SINHALA SIGN CANDRABINDU
0F18..0F19	; Technical # 2.0	[2]	TIBETAN ASTROLOGICAL SIGN -
	KHYUD PA..		

SDONG TSHUGS			TIBETAN ASTROLOGICAL SIGN	
17CE..17CF	; Technical	# 3.0	[2]	KHMER SIGN KAKABAT.. KHMER SIGN AHSDA
1ABF..1AC0 BELOW..	; Technical	# 13.0	[2]	COMBINING LATIN SMALL LETTER W TURNED W BELOW
1D00..1D2B EL	; Technical	# 4.0	[44]	LATIN LETTER SMALL CAPITAL A.. CYRILLIC LETTER SMALL CAPITAL
1D2F B	; Technical	# 4.0		MODIFIER LETTER CAPITAL BARRED
1D3B REVERSED N	; Technical	# 4.0		MODIFIER LETTER CAPITAL
1D4E	; Technical	# 4.0		MODIFIER LETTER SMALL TURNED I
1D6B	; Technical	# 4.0		LATIN SMALL LETTER UE
1D6C..1D77 MIDDLE TILDE..	; Technical	# 4.1	[12]	LATIN SMALL LETTER B WITH LATIN SMALL LETTER TURNED G
1D79..1D9A	; Technical	# 4.1	[34]	LATIN SMALL LETTER INSULAR G.. EZH WITH RETROFLEX HOOK
1DC4..1DCA BELOW	; Technical	# 5.0	[7]	COMBINING MACRON-ACUTE.. COMBINING LATIN SMALL LETTER R
1DCB..1DCD ABOVE	; Technical	# 5.1	[3]	COMBINING BREVE-MACRON.. COMBINING DOUBLE CIRCUMFLEX
1DCF..1DD0	; Technical	# 5.1	[2]	COMBINING ZIGZAG BELOW.. COMBINING IS BELOW
1DE7..1DF5 ALPHA..	; Technical	# 7.0	[15]	COMBINING LATIN SMALL LETTER COMBINING UP TACK ABOVE
1DF6..1DF9 BELOW	; Technical	# 10.0	[4]	COMBINING KAVYKA ABOVE RIGHT.. COMBINING WIDE INVERTED BRIDGE
1DFB	; Technical	# 9.0		COMBINING DELETION MARK
1DFC BREVE BELOW	; Technical	# 6.0		COMBINING DOUBLE INVERTED
1DFD BELOW	; Technical	# 5.2		COMBINING ALMOST EQUAL TO
1DFE..1DFF ABOVE.. DOWN	; Technical	# 5.0	[2]	COMBINING LEFT ARROWHEAD COMBINING RIGHT ARROWHEAD AND ARROWHEAD BELOW
1E9C..1E9D DIAGONAL	; Technical	# 5.1	[2]	LATIN SMALL LETTER LONG S WITH STROKE..WITH HIGH STROKE

1E9F	; Technical	# 5.1	LATIN SMALL LETTER DELTA
1EFA..1EFF	; Technical	# 5.1	[6] LATIN CAPITAL LETTER MIDDLE- WELSH LL..
203F..2040	; Technical	# 1.1	LATIN SMALL LETTER Y WITH LOOP
20D0..20DC	; Technical	# 1.1	[2] UNDERTIE.. CHARACTER TIE
20E1	; Technical	# 1.1	[13] COMBINING LEFT HARPOON ABOVE.. COMBINING FOUR DOTS ABOVE COMBINING LEFT RIGHT ARROW
20E5..20EA	; Technical	# 3.2	[6] COMBINING REVERSE SOLIDUS OVERLAY.. COMBINING LEFTWARDS ARROW
20EB	; Technical	# 4.1	OVERLAY COMBINING LONG DOUBLE SOLIDUS
20EC..20EF	; Technical	# 5.0	[4] COMBINING RIGHTWARDS HARPOON WITH BARB DOWNWARDS..COMBINING RIGHT ARROW BELOW
20F0	; Technical	# 5.1	COMBINING ASTERISK ABOVE
2118	; Technical	# 1.1	SCRIPT CAPITAL P
212E	; Technical	# 1.1	ESTIMATED SYMBOL
2C60..2C67	; Technical	# 5.0	[8] LATIN CAPITAL LETTER L WITH DOUBLE BAR.. LATIN CAPITAL LETTER H WITH DESCENDER
2C77	; Technical	# 5.0	LATIN SMALL LETTER TAILLESS PHI
2C78..2C7B	; Technical	# 5.1	[4] LATIN SMALL LETTER E WITH NOTCH.. LATIN LETTER SMALL CAPITAL TURNED E
3021..302D	; Technical	# 1.1	[13] HANGZHOU NUMERAL ONE.. IDEOGRAPHIC ENTERING TONE MARK
3031..3035	; Technical	# 1.1	[5] VERTICAL KANA REPEAT MARK.. VERTICAL KANA REPEAT MARK
303B..303C	; Technical	# 3.2	[2] VERTICAL IDEOGRAPHIC ITERATION MARK.. MASU MARK
A78E	; Technical	# 6.0	LATIN SMALL LETTER L WITH RETROFLEX HOOK AND BELT
A7AF	; Technical	# 11.0	LATIN LETTER SMALL CAPITAL Q
A7BA..A7BF	; Technical	# 12.0	[6] LATIN CAPITAL LETTER GLOTTAL A.. LATIN SMALL LETTER GLOTTAL U

A7FA	; Technical # 6.0	LATIN LETTER SMALL CAPITAL
TURNED M		
AB68	; Technical # 13.0	LATIN SMALL LETTER TURNED R
WITH MIDDLE		
		TILDE
FE20..FE23	; Technical # 1.1	[4] COMBINING LIGATURE LEFT HALF..
HALF		COMBINING DOUBLE TILDE RIGHT
FE24..FE26	; Technical # 5.1	[3] COMBINING MACRON LEFT HALF..
		COMBINING CONJOINING MACRON
FE27..FE2D	; Technical # 7.0	[7] COMBINING LIGATURE LEFT HALF
BELOW..		
BELOW		COMBINING CONJOINING MACRON
FE73	; Technical # 3.2	ARABIC TAIL FRAGMENT
1CF00..1CF2D	; Technical # 14.0	[46] ZNAMENNY COMBINING MARK
GORAZDO NIZKO S		
		KRYZHEM ON LEFT..KRYZH ON LEFT
1CF30..1CF46	; Technical # 14.0	[23] ZNAMENNY COMBINING TONAL RANGE
MARK		
		MRACHNO..PRIZNAK MODIFIER ROG
1D165..1D169	; Technical # 3.1	[5] MUSICAL SYMBOL COMBINING
STEM..TREMOLO-3		
1D16D..1D172	; Technical # 3.1	[6] MUSICAL SYMBOL COMBINING
AUGMENTATION		
		DOT..MUSICAL SYMBOL COMBINING
FLAG-5		
1D17B..1D182	; Technical # 3.1	[8] MUSICAL SYMBOL COMBINING
ACCENT..LOURE		
1D185..1D18B	; Technical # 3.1	[7] MUSICAL SYMBOL COMBINING
DOIT..		
		MUSICAL SYMBOL COMBINING
TRIPLE TONGUE		
1D1AA..1D1AD	; Technical # 3.1	[4] MUSICAL SYMBOL COMBINING DOWN
BOW..		
		MUSICAL SYMBOL COMBINING SNAP
PIZZICATO		

18 Appendix F - Greek Confusables

Needed for exclusion in the **TR39 Mixed Scripts** Greek rule. Where-ever we have a Greek letter confusable with Latin, and we already saw Latin, forbid the Greek letter in favor of the Latin letter. See TR39 [confusables.txt](#). Note that these confusables cannot be excluded upfront in the TR31 identifier parsing, as Greek alone is allowed.

18.1 Exceptions

Allow these 10 Greek letters and symbols to be confusable with Latin: 037A, 0381, 0398, 03B5, 03B7, 03B8, 03B9, 03D1, 03F1, 03F4.

```
037A ; ( ι → i ) GREEK YPOGEGRAMMENI → LATIN SMALL LETTER I
0381 ; ( α → a ) GREEK SMALL LETTER ALPHA
0398 ; ( θ → Θ ) GREEK CAPITAL LETTER THETA → LATIN CAPITAL LETTER O,
    ...
03B5 ; ( ε → ε ) GREEK SMALL LETTER EPSILON
03B7 ; ( η → η ) GREEK SMALL LETTER ETA → LATIN SMALL LETTER N,
    COMBINING
    VERTICAL LINE BELOW
03B8 ; ( θ → Θ ) GREEK SMALL LETTER THETA → LATIN CAPITAL LETTER O,
    ...
03B9 ; ( ι → i ) GREEK SMALL LETTER IOTA → LATIN SMALL LETTER I
03D1 ; ( ϑ → Θ ) GREEK THETA SYMBOL → LATIN CAPITAL LETTER O, ...
03F1 ; ( ϱ → ρ ) GREEK RHO SYMBOL → LATIN SMALL LETTER P
03F4 ; ( θ → Θ ) GREEK CAPITAL THETA SYMBOL → LATIN CAPITAL LETTER O,
    ...
```

18.2 Confusables

List of the Greek-Latin confusables: (Note: these include the exceptions above)

```
grep GREEK confusables.txt | grep LETTER | grep LATIN
```

```
03B1 ; ( α → a ) GREEK SMALL LETTER ALPHA → LATIN SMALL LETTER A
0391 ; ( Α → A ) GREEK CAPITAL LETTER ALPHA → LATIN CAPITAL LETTER A
1D217; ( ∀ → ∀ ) GREEK VOCAL NOTATION SYMBOL-24 → LATIN CAPITAL LETTER
    TURNED A
0392 ; ( Β → B ) GREEK CAPITAL LETTER BETA → LATIN CAPITAL LETTER B
03F2 ; ( Ϸ → Ϸ ) GREEK LUNATE SIGMA SYMBOL → LATIN SMALL LETTER C
03F9 ; ( Ϻ → Ϻ ) GREEK CAPITAL LUNATE SIGMA SYMBOL → LATIN CAPITAL
    LETTER C
03B5 ; ( ε → ε ) GREEK SMALL LETTER EPSILON → LATIN SMALL LETTER C
    WITH BAR
03F5 ; ( ϵ → ϵ ) GREEK LUNATE EPSILON SYMBOL → LATIN SMALL LETTER C
    WITH BAR
037D ; ( Ϸ → Ϸ ) GREEK SMALL REVERSED DOTTED LUNATE SIGMA SYMBOL →
    LATIN SMALL
    LETTER REVERSED C WITH DOT
03FF ; ( Ϸ → Ϸ ) GREEK CAPITAL REVERSED DOTTED LUNATE SIGMA SYMBOL →
    LATIN CAPITAL
    LETTER REVERSED C WITH DOT
```


03B4 ; (δ → δ) GREEK SMALL LETTER DELTA → LATIN SMALL LETTER DELTA
0395 ; (Ε → Ε) GREEK CAPITAL LETTER EPSILON → LATIN CAPITAL LETTER E
1D221; (Ε → Ε) GREEK INSTRUMENTAL NOTATION SYMBOL-7 → LATIN CAPITAL
LETTER

OPEN E

1D213; (F → F) GREEK VOCAL NOTATION SYMBOL-20 → LATIN CAPITAL LETTER
F

03DC ; (F → F) GREEK LETTER DIGAMMA → LATIN CAPITAL LETTER F

1D230; (Ϝ → Ϝ) GREEK INSTRUMENTAL NOTATION SYMBOL-30 → LATIN
EPIGRAPHIC

LETTER REVERSED F

0397 ; (Η → Η) GREEK CAPITAL LETTER ETA → LATIN CAPITAL LETTER H

0370 ; (Ϟ → Ϟ) GREEK CAPITAL LETTER HETA → LATIN CAPITAL LETTER HALF
H

03B9 ; (ι → ι) GREEK SMALL LETTER IOTA → LATIN SMALL LETTER I

1FBF ; (, → ι) GREEK PROSGEGRAMMENI → LATIN SMALL LETTER I

037A ; (, → ι) GREEK YPOGEGRAMMENI → LATIN SMALL LETTER I

03F3 ; (j → j) GREEK LETTER YOT → LATIN SMALL LETTER J

037F ; (J → J) GREEK CAPITAL LETTER YOT → LATIN CAPITAL LETTER J

039A ; (Κ → Κ) GREEK CAPITAL LETTER KAPPA → LATIN CAPITAL LETTER K

0399 ; (Ι → ι) GREEK CAPITAL LETTER IOTA → LATIN SMALL LETTER L

1D22A; (L → L) GREEK INSTRUMENTAL NOTATION SYMBOL-23 → LATIN CAPITAL
LETTER L

039C ; (Μ → Μ) GREEK CAPITAL LETTER MU → LATIN CAPITAL LETTER M

03FA ; (Μ → Μ) GREEK CAPITAL LETTER SAN → LATIN CAPITAL LETTER M

039D ; (Ν → Ν) GREEK CAPITAL LETTER NU → LATIN CAPITAL LETTER N

03B7 ; (η → η) GREEK SMALL LETTER ETA → LATIN SMALL LETTER N, ...

0377 ; (η → η) GREEK SMALL LETTER PAMPHYLIAN DIGAMMA → LATIN LETTER
SMALL

CAPITAL REVERSED N

03BF ; (ο → ο) GREEK SMALL LETTER OMICRON → LATIN SMALL LETTER O

03C3 ; (σ → ο) GREEK SMALL LETTER SIGMA → LATIN SMALL LETTER O

039F ; (Ο → Ο) GREEK CAPITAL LETTER OMICRON → LATIN CAPITAL LETTER O

1D21A; (Ϟ → Ϟ) GREEK VOCAL NOTATION SYMBOL-52 → LATIN CAPITAL LETTER
O, ...

03B8 ; (θ → Ϟ) GREEK SMALL LETTER THETA → LATIN CAPITAL LETTER O,
...

03D1 ; (ϑ → Ϟ) GREEK THETA SYMBOL → LATIN CAPITAL LETTER O, ...

0398 ; (θ → Ϟ) GREEK CAPITAL LETTER THETA → LATIN CAPITAL LETTER O,
...

03F4 ; (θ → Ϟ) GREEK CAPITAL THETA SYMBOL → LATIN CAPITAL LETTER O,
...

037B ; (Ϸ → Ϸ) GREEK SMALL REVERSED LUNATE SIGMA SYMBOL → LATIN
SMALL

LETTER OPEN O

03FD ; (Ϻ → Ϻ) GREEK CAPITAL REVERSED LUNATE SIGMA SYMBOL → LATIN CAPITAL
CAPITAL

LETTER OPEN O

03C1 ; (ϱ → ϱ) GREEK SMALL LETTER RHO → LATIN SMALL LETTER P

03F1 ; (ϱ → ϱ) GREEK RHO SYMBOL → LATIN SMALL LETTER P

03A1 ; (Ρ → Ρ) GREEK CAPITAL LETTER RHO → LATIN CAPITAL LETTER P

1D29 ; (Ρ → Ρ) GREEK LETTER SMALL CAPITAL RHO → LATIN LETTER SMALL CAPITAL P

03C6 ; (φ → φ) GREEK SMALL LETTER PHI → LATIN SMALL LETTER PHI

03D5 ; (φ → φ) GREEK PHI SYMBOL → LATIN SMALL LETTER PHI

03BA ; (κ → κ) GREEK SMALL LETTER KAPPA → LATIN SMALL LETTER KRA

03F0 ; (κ → κ) GREEK KAPPA SYMBOL → LATIN SMALL LETTER KRA

1D26 ; (ϓ → ϓ) GREEK LETTER SMALL CAPITAL GAMMA → LATIN SMALL LETTER R

1D216; (R → R) GREEK VOCAL NOTATION SYMBOL-23 → LATIN CAPITAL LETTER R

2129 ; (ϣ → ϣ) TURNED GREEK SMALL LETTER IOTA → LATIN SMALL LETTER REVERSED R WITH FISHHOOK

03B2 ; (β → β) GREEK SMALL LETTER BETA → LATIN SMALL LETTER SHARP S

03D0 ; (β → β) GREEK BETA SYMBOL → LATIN SMALL LETTER SHARP S

03A3 ; (Σ → Σ) GREEK CAPITAL LETTER SIGMA → LATIN CAPITAL LETTER ESH

03A4 ; (Τ → Τ) GREEK CAPITAL LETTER TAU → LATIN CAPITAL LETTER T

03C4 ; (τ → τ) GREEK SMALL LETTER TAU → LATIN LETTER SMALL CAPITAL T

03C5 ; (υ → υ) GREEK SMALL LETTER UPSILON → LATIN SMALL LETTER U

03BD ; (ν → ν) GREEK SMALL LETTER NU → LATIN SMALL LETTER V

1D20D; (V → V) GREEK VOCAL NOTATION SYMBOL-14 → LATIN CAPITAL LETTER V

1D27 ; (λ → λ) GREEK LETTER SMALL CAPITAL LAMDA → LATIN SMALL LETTER TURNED V

039B ; (Λ → Λ) GREEK CAPITAL LETTER LAMDA → LATIN CAPITAL LETTER TURNED V

03A7 ; (Χ → Χ) GREEK CAPITAL LETTER CHI → LATIN CAPITAL LETTER X

03B3 ; (γ → γ) GREEK SMALL LETTER GAMMA → LATIN SMALL LETTER Y

03A5 ; (Υ → Υ) GREEK CAPITAL LETTER UPSILON → LATIN CAPITAL LETTER Y

03D2 ; (Υ → Υ) GREEK UPSILON WITH HOOK SYMBOL → LATIN CAPITAL LETTER Y

0396 ; (Ζ → Ζ) GREEK CAPITAL LETTER ZETA → LATIN CAPITAL LETTER Z

03F8 ; (ϧ → ϧ) GREEK SMALL LETTER SHO → LATIN SMALL LETTER THORN

03F7 ; (ϧ → ϧ) GREEK CAPITAL LETTER SHO → LATIN CAPITAL LETTER THORN

03C7 ; (χ → χ) LATIN SMALL LETTER CHI → GREEK SMALL LETTER CHI

03C9 ; (ω → ω) LATIN SMALL LETTER OMEGA → GREEK SMALL LETTER OMEGA

19 References

- [AltId] Unicode Standard Annex. http://www.unicode.org/reports/tr31/tr31-11.html#Alternative_Identifier_Syntax
- [DefId] Unicode Standard Annex. http://www.unicode.org/reports/tr31/tr31-11.html#Default_Identifier_Syntax
- [ISO 15924 Codes] TR24 Unicode Script Property Values and ISO 15924 Codes. https://www.unicode.org/reports/tr24/#Relation_To_ISO15924
- [libu8ident] Reini Urban. 2020. unicode security guidelines for identifiers <https://github.com/rurban/libu8ident/>
- [N3146] Clark Nelson. 2010. Recommendations for extended identifier characters for C and C++. <https://wg21.link/n3146>
- [P1949] Steve Downey et al. 2021. C++ Identifier Syntax using Unicode Standard Annex 31 <http://www.open-std.org/jtc1/sc22/wg21/docs/papers/2021/p1949r7.html>
- [TR15] Ken Whistler. Unicode Normalization Forms. <http://www.unicode.org/reports/tr15>
- [TR24] Ken Whistler. Unicode Script Property. <https://www.unicode.org/reports/tr24/#Common>
- [TR24#5.1] Handling Characters with the Common Script Property <https://www.unicode.org/reports/tr24/#Common>
- [TR24#5.2] Handling Combining Marks https://www.unicode.org/reports/tr24/#Nonspacing_Marks
- [TR31] Mark Davis. Unicode Identifier and Pattern Syntax. <http://www.unicode.org/reports/tr31>
- [TR31#2.1] Combining Marks https://www.unicode.org/reports/tr31/#Combining_Marks
- [TR31#2.2] Modifier Letters https://www.unicode.org/reports/tr31/#Modifier_Letters
- [TR31#Table 4] Table Candidate Characters for Exclusion from Identifiers https://www.unicode.org/reports/tr31/#Table_Candidate_Characters_for_Exclusion_from_Identifier
- [TR31#Table 7] Limited Use Scripts http://www.unicode.org/reports/tr31/#Table_Limited_Use_Scripts

- [TR36] Mark Davis and Michel Suignard. Unicode Security Considerations.
<http://www.unicode.org/reports/tr36>
- [TR39] Mark Davis and Michel Suignard. Unicode Security Mechanisms.
<http://www.unicode.org/reports/tr36>
- [TR39#Table 1] Identifier Status and Type Table 1
https://www.unicode.org/reports/tr39/#Identifier_Status_and_Type
- [TR39#5.2] Mixed-Scripts Restriction-Level Detection
https://www.unicode.org/reports/tr39/#Restriction_Level_Detection
- [TR39#5.4] Optional Detection
https://www.unicode.org/reports/tr39/#Optional_Detection
- [TR44] Ken Whistler and Laurențiu Iancu. Unicode Character Database.
<http://www.unicode.org/reports/tr44>
- [TR46] Mark Davis and Michel Suignard. Unicode IDNA Compatibility Processing.
<http://www.unicode.org/reports/tr46>