

Pattern Matching: **match** Expression

Document #: P2688R4
Date: 2024-12-17
Project: Programming Language C++
Audience: Evolution
Reply-to: Michael Park
<mcypark@gmail.com>

Contents

- [Updates R3 → R4](#)
- [Updates R2 → R3](#)
- [Updates R1 → R2](#)
- [1 Introduction](#)
- [2 Motivation and Scope](#)
- [3 Comparison Tables](#)
 - [3.1 Matching Integrals](#)
 - [3.2 Matching Strings](#)
 - [3.3 Matching Tuples](#)
 - [3.4 Matching Variants](#)
 - [3.5 Matching Polymorphic Types](#)
 - [3.6 Matching Nested Structures](#)
- [4 Design Overview](#)
 - [4.1 Syntax Overview](#)
 - [4.2 Pattern Specifications](#)
 - [4.2.1 Wildcard Pattern](#)
 - [4.2.2 Let Pattern](#)
 - [4.2.3 Constant Pattern](#)
 - [4.2.4 Parenthesized Pattern](#)
 - [4.2.5 Optional Pattern](#)
 - [4.2.6 Alternative Pattern](#)

- 4.2.7 Structured Bindings Pattern
- 4.3 Scope of Bindings
- 4.4 Lifetime Extension of Match Subject
- 4.5 Static and Dynamic Conditions
 - 4.5.1 Static Conditions
 - 4.5.2 Dynamic Conditions
- 5 Design Decisions and Discussions
 - 5.1 Unified `match` Expression
 - 5.2 Wildcard Pattern Syntax
 - 5.3 Why We Want Expressions in Patterns
 - 5.4 Exploration of Variable Declaration Syntax for Alternative Pattern
 - 5.5 Discussion on Variant-like Types
 - 5.6 Reflection-based Tuple-like and Variant-like Customization Points
 - 5.7 More on Static Conditions
 - 5.8 Operator Precedence of `match`
 - 5.8.1 Proposed Solution: Between Pointer-to-member and Multiplicative Operator
 - 5.8.2 Alternative Considered: Between Spaceship and Relational Operator
 - 5.9 Require Parentheses on Match Guards
 - 5.10 Matching Multiple Values
 - 5.10.1 Problem with the *braced-init-list* Syntax
 - 5.10.2 Rejected Idea: Using Parentheses for Matching Multiple Values
 - 5.11 Note on the Implication Operator
- 6 Future Extension Exploration
 - 6.1 Static Type Checking with Constraint Pattern
 - 6.2 Testing the Static Conditions with `match requires`
 - 6.3 Pattern Combinators
 - 6.4 Designator Support for Structured Bindings
 - 6.5 Value-based discriminators
- 7 Implementation Experience
 - 7.1 Parsing the `match` operator
 - 7.2 Parsing the Parenthesized Pattern
- 8 Proposed Wording

— [9 Acknowledgements](#)

— [10 References](#)

§ Updates R3 → R4

- Submitted companion papers for LEWG
 - [P3521R0](#): Pattern Matching: Customization Point for Open Sum Types
 - [P3527R0](#): Pattern Matching: *variant-like* and `std::expected`
- Further progress on [Proposed Wording](#)
- At the Wrocław meeting in November 2024, the following poll was taken in EWG:

Poll: [[P2688R3](#)] — Pattern Matching: `match` Expression, we encourage more work on the language-only paper towards C++26 in the next meeting (note: voting against this poll does not exclude getting pattern matching in C++29)

SF	F	N	A	SA
17	16	6	1	9

§ Updates R2 → R3

- Required parentheses for the match guard syntax.
 - Example: `expr match pattern if (. condition )`
 - Added support for *init-stmt* and condition variables in match guards.
 - See [Require Parentheses on Match Guards](#) for details.
- Removed support for matching multiple values.
 - This paper now relies on `std::tuple` facilities, with room for the feature to be added separately in the future.
 - See [Matching Multiple Values](#) for details.
- Added a section on [Note on the Implication Operator](#).
- Added a section on [Lifetime Extension of Match Subject](#).
- At the EWG Telecon in October 2024, the following poll was taken:

Poll: [[P2688R2](#)] - Pattern Matching: EWG likes direction of the paper.

SF	F	N	A	SA
13	3	1	0	1

§ Updates R1 → R2

- Gained further [Implementation Experience](#)
- Started on [Proposed Wording](#)
- Defined [Operator Precedence of match](#)
- Decided against proposing a reflection-based tuple-like and variant-like protocols.
- At the Tokyo meeting in March 2024, the following poll was taken in EWG:

Poll: [[P2688R1](#)] - Pattern Matching: EWG encourages more work on pattern matching, knowing our time is limited.

SF	F	N	A	SA
34	9	0	0	0

§ 1 Introduction

This paper fleshes out the version of pattern matching that was described in [[P2688R0](#)]. It introduces a unified `match` expression that can perform a single pattern match using the syntax:

```
expression match pattern
```

as well as the selection of pattern matches using the following syntax:

```
expression match {  
    pattern => expression-statement  
    /* ... */  
}
```

A single pattern match yields a boolean, and therefore can be used in other contexts such as `if`, `while`, `for`, and `requires`.

`let` is used to introduce new names within patterns, and are always “bindings” like the ones introduced by structured bindings in C++17 [[P0144R2](#)].

The set of patterns are trimmed down to match the following entities:

1. Values (e.g. `42`, `"hello"`, `compute_value()`)
2. Pointer-like types (e.g. `T*`, `optional`)
3. Tuple-like types, extending structured bindings (e.g. `pair`, `tuple`)
4. Sum types (e.g. `variant`, `expected`, `any`, `exception_ptr`, polymorphic types)

§ 2 Motivation and Scope

The goal and motivation of this paper is to make further progress on pattern matching for C++.

At the Kona meeting in November 2022, the previous version of this paper [P2688R0] and [P2392R2] was discussed over whether patterns should be composed vs chained. EWG clearly expressed the desire for patterns to be composable (i.e. nested patterns):

Poll: “EWG prefers composition over chaining in pattern matching syntax.”

SF	F	N	A	SA
13	9	2	1	0

This paper presents (as did [P1371R3]) a design that continues to offer composable patterns.

At the EWG Telecon July 7, 2021, EWG clearly expressed the desire for pattern matching to be available outside of `inspect`:

Poll: “Should we spend more time on patmat expressions outside of `inspect` (as proposed in P2392 or otherwise), knowing that time is limited and we already have put in a lot of effort towards another patmat proposal?”

SF	F	N	A	SA
11	12	4	2	0

This paper offers single pattern matching via *expression* `match pattern` which is similar to the `is`-expression from [P2392R2].

Additionally, it aims to address the following pieces of feedback:

“Declaration of new names should have an introducer like most other places in the language.”

New names need the `let` introducer to introduce bindings, just like other new names in most other places in the language.

“We shouldn’t bifurcate expressions like this.”

That is, expressions are just expressions without needing anything everywhere else in the language. This is true in this design. That is, `x` by itself is an expression referring to an existing name like it does everywhere else.

“I don’t want the documentation of pattern matching to have to mention a caveat that `x` is a new name and therefore shadows an existing variable.”

As mentioned above, `x` is an expression that refers to an existing variable.

Another contribution of this paper is [Static and Dynamic Conditions](#), which aim to more clearly specify and discuss the framework of requirements for patterns. They determine how uses of patterns are checked and/or tested at compile-time and/or runtime, within template contexts and outside.

Features such as predicates, extractors, structured bindings with designators, static type matching by type or concepts, and pattern combinators [and](#) and [or](#) are proposed to be deferred as future extensions.

The following is a list of key goals of the paper:

- Introduce [match](#) expression with [let](#) bindings.
- Trim down the set of patterns to focus on.
- Allow pattern matching in more places.
- Determine how patterns should be treated in templates.

§ 3 Comparison Tables

The following are 4-way comparison tables between C++23, [\[P1371R3\]](#), [\[P2392R2\]](#), and this paper.

§ 3.1 Matching Integrals

C++23	P1371R3
<pre>switch (x) { case 0: std::print("got zero"); break; case 1: std::print("got one"); break; default: std::print("don't care"); }</pre>	<pre>inspect (x) { 0 => std::print("got zero"); 1 => std::print("got one"); __ => std::print("don't care"); };</pre>
P2392R2	This Paper
<pre>inspect (x) { is 0 => std::print("got zero"); is 1 => std::print("got one"); is _ => std::print("don't care"); };</pre>	<pre>x match { 0 => std::print("got zero"); 1 => std::print("got one"); _ => std::print("don't care"); };</pre>

§ 3.2 Matching Strings

C++23	P1371R3
<pre> if (s == "foo") { std::print("got foo"); } else if (s == "bar") { std::print("got bar"); } else { std::print("don't care"); } </pre>	<pre> inspect (s) { "foo" => std::print("got foo"); "bar" => std::print("got bar"); _ => std::print("don't care"); }; </pre>

P2392R2	This Paper
<pre> inspect (s) { is "foo" => std::print("got foo"); is "bar" => std::print("got bar"); is _ => std::print("don't care"); }; </pre>	<pre> s match { "foo" => std::print("got foo"); "bar" => std::print("got bar"); _ => std::print("don't care"); }; </pre>

§ 3.3 Matching Tuples

C++23	P1371R3
<pre> auto&& [x, y] = p; if (x == 0 && y == 0) { std::print("on origin"); } else if (x == 0) { std::print("on y-axis at {}", y); } else if (y == 0) { std::print("on x-axis at {}", x); } else { std::print("at {}, {}", x, y); } </pre>	<pre> inspect (p) { [0, 0] => std::print("on origin"); [0, y] => std::print("on y-axis at {}", y); [x, 0] => std::print("on x-axis at {}", x); [x, y] => std::print("at {}, {}", x, y); }; </pre>

P2392R2	This Paper
<pre> inspect (p) { is [0, 0] => std::print("on origin"); [_, y] is [0, _] => std::print("on y-axis at {}", y); [x, _] is [_, 0] => std::print("on x-axis at {}", x); [x, y] is _ => </pre>	<pre> p match { [0, 0] => std::print("on origin"); [0, let y] => std::print("on y-axis at {}", y); [let x, 0] => std::print("on x-axis at {}", x); let [x, y] => </pre>

P2392R2	This Paper
<pre>std::print("at {}, {}", x, y); };</pre>	<pre>std::print("at {}, {}", x, y); };</pre>

§ 3.4 Matching Variants

C++23	P1371R3
<pre>struct visitor { void operator()(int32_t i32) const { std::print("got int32: {}", i32); } void operator()(int64_t i64) const { std::print("got int64: {}", i64); } void operator()(float f) const { std::print("got float: {}", f); } void operator()(double d) const { std::print("got double: {}", d); } }; std::visit(visitor{}, v);</pre>	<pre>inspect (v) { <int32_t> i32 => std::print("got int32: {}", i32); <int64_t> i64 => std::print("got int64: {}", i64); <float> f => std::print("got float: {}", f); <double> d => std::print("got double: {}", d); };</pre>

P2392R2	This Paper
<pre>inspect (v) { i32 as int32_t => std::print("got int32: {}", i32); i64 as int64_t => std::print("got int64: {}", i64); f as float => std::print("got float: {}", f); d as double => std::print("got double: {}", d); };</pre>	<pre>v match { int32_t: let i32 => std::print("got int32: {}", i32); int64_t: let i64 => std::print("got int64: {}", i64); float: let f => std::print("got float: {}", f); double: let d => std::print("got double: {}", d); };</pre>

This example is matching the variant alternatives using concepts.

C++23	P1371R3
<pre> struct visitor { void operator()(std::integral auto i) const { std::print("got integral: {}", i); } void operator()(std::floating_point auto f) const { std::print("got float: {}", f); } }; std::visit(visitor{}, v); </pre>	<pre> inspect (v) { <std::integral> i => std::print("got integral: {}", i); <std::floating_point> f => std::print("got float: {}", f); }; </pre>

P2392R2	This Paper
<pre> // not supported </pre>	<pre> v match { std::integral: let i => std::print("got integral: {}", i); std::floating_point: let f => std::print("got float: {}", f); }; </pre>

§ 3.5 Matching Polymorphic Types

```

struct Shape { virtual ~Shape() = default; };
struct Circle : Shape { int radius; };
struct Rectangle : Shape { int width, height; };

```

C++23	P1371R3
<pre> virtual int Shape::get_area() const = 0; int Circle::get_area() const override { return 3.14 * radius * radius; } int Rectangle::get_area() const override { return width * height; } </pre>	<pre> int get_area(const Shape& shape) { return inspect (shape) { <Circle> [r] => 3.14 * r * r; <Rectangle> [w, h] => w * h; }; } </pre>

P2392R2	This Paper
<pre>int get_area(const Shape& shape) { return inspect (shape) { [r] as Circle => 3.14 * r * r; [w, h] as Rectangle => w * h; }; }</pre>	<pre>int get_area(const Shape& shape) { return shape match { Circle: let [r] => 3.14 * r * r; Rectangle: let [w, h] => w * h; }; }</pre>

§ 3.6 Matching Nested Structures

```
struct Rgb { int r, g, b; };
struct Hsv { int h, s, v; };

using Color = variant<Rgb, Hsv>;

struct Quit {};
struct Move { int x, y; };
struct Write { string s; };
struct ChangeColor { Color c; };

using Command = variant<Quit, Move, Write, ChangeColor>;

Command cmd = ChangeColor { Hsv { 0, 160, 255 } };
```

C++23	P1371R3
<pre>struct CommandVisitor { void operator()(Quit) const {} void operator()(const Move& move) const { const auto& [x, y] = move; // ... } void operator()(const Write& write) const { const auto& text = write.s; // ... } void operator()(const ChangeColor& cc) const { struct ColorVisitor { void operator()(const Rgb& rgb) { const auto& [r, g, b] = rgb; // ... } void operator()(const Hsv& hsv) { const auto& [h, s, v] = hsv; // ... } }; cc.c.visit(ColorVisitor{}); } };</pre>	<pre>inspect (cmd) { <Quit> _ => // ... <Move> [x, y] => // ... <Write> [text] => // ... <ChangeColor> [<Rgb> [r, g, b]] => // ... <ChangeColor> [<Hsv> [h, s, v]] => // ... };</pre>

C++23	P1371R3
<pre> } }; std::visit(ColorVisitor{}, cc.c); } }; std::visit(CommandVisitor{}, cmd); </pre>	
P2392R2	This Paper
<pre> inspect (cmd) { is Quit => // ... [x, y] as Move => // ... [text] as Write => // ... [[r, g, b]] as ChangeColor as [Rgb] => // ... [[h, s, v]] as ChangeColor as [Hsv] => // ... } cmd match { Quit: _ => // ... Move: let [x, y] => // ... Write: let [text] => // ... ChangeColor: [Rgb: let [r, g, b]] => // ... ChangeColor: [Hsv: let [h, s, v]] => // ... }; </pre>	

Example from [Destructuring Nested Structs and Enums](#) section from Rust documentation.

§ 4 Design Overview

The overall idea is to introduce a single `match` construct that can be used to perform single pattern match, or a selection of pattern matches.

```

expression match {
  pattern => expression-statement
  // ...
}

```

`let` denotes that an identifier is a new name rather than an existing name.

```

constexpr int x = 42;

expression match {
  x => ... // match against existing `x`
  let x => ... // introduce new x.
}

```

On the right of `=>` is an *expression-statement* rather than a *statement*. This means that only expressions are allowed, and I believe it will be best to pursue `do` expressions [P2806R2] to do *statement* things.

The following is used to match a value against a single pattern.

```

expression match pattern

```

The following is the `match` expression being used within an `if` statement.

```

if (expr match [0, let foo]) {
  // `foo` is available here
} else {
  // but not here
}

```

A optional guard can be added for a single pattern match as well:

```

std::pair<int, int> fetch(int id);

bool is_acceptable(int id, int abs_limit) {
  return fetch(id) match let [min, max] if (-abs_limit <= min && max <=
    abs_limit);
}

```

§ 4.1 Syntax Overview

This is an informal overview of the syntax proposed in this paper. See [7.6.4+1 Pattern matching operator [expr.match]] for the formal grammar.

```

// Single pattern match
expression match constexpropt pattern guardopt

// Selection pattern match
expression match constexpropt trailing-return-typeopt {
  pattern guardopt => expr-or-braced-init-list ;
  pattern guardopt => break ;
  pattern guardopt => continue ;
  pattern guardopt => return expr-or-braced-init-listopt ;
  pattern guardopt => co_return expr-or-braced-init-listopt ;
}

guard:
  if ( init-statementopt condition )

pattern:
  match-pattern
  let binding-pattern
  match-pattern let binding-pattern

match-pattern:
  - // wildcard
  constant-expression // value
  ? pattern // pointer-like
  discriminator : pattern // variant-like, polymorphic, etc.
  ( pattern ) // grouping
  [ pattern-0 , ... , pattern-N ] // tuple-like

binding-pattern:
  identifier
  [ binding-pattern-0 , ... , binding-pattern-N ]

discriminator:

```

```
type-id
type-constraint
```

§ 4.2 Pattern Specifications

§ 4.2.1 Wildcard Pattern

—

A wildcard pattern always matches any *subject*.

```
int v = 42;
v match {
  _ => std::print("ignored");
// ^ wildcard pattern
};
```

This paper reattempts for `_` to be the wildcard pattern. See [Wildcard Pattern Syntax](#) for further discussion.

— Matching Condition: None

§ 4.2.2 Let Pattern

```
let binding-pattern
```

A let pattern always matches any *subject*. The *binding-pattern* is either an *identifier* or a structured bindings pattern.

```
int v = 42;
v match {
  let x => std::print("ignored");
// ^^^^^ let pattern
};
```

`let` can be used to introduce new names individually, or all-in-one.

```
let x           // x is new
[a, let y]      // a is old, y is new
[let x, b]       // x is new, b is old
let [x, y]       // x and y are both new
let [x, [y, z]] // x, y, z are all new
```

```
match-pattern let binding-pattern
```

A `let` pattern can appear after a *match-pattern* to create bindings to the value that was matched with *match-pattern*.

```
int i = 42;
i match {
  42 => // match 42
  let x => // bind name
  42 let x => // match 42 and bind name at the same time
```

```
};

std::pair p = {0, 0};
p match {
    [0, let y] => // match and bind a piece
    let whole => // bind whole pair
    [0, let y] let whole => // do both
};
```

§ 4.2.3 Constant Pattern

constant-expression

A constant pattern tests the value of *subject* against the value of the constant pattern. The constant pattern can be any *constant-expression*, such as literals, `constexpr` variables, or values of an `enum`.

— Matching Condition: `bool(subject == constant-expression);`

§ 4.2.4 Parenthesized Pattern

(pattern)

A parenthesized pattern is used to group non-delimited patterns.

— Matching Condition: `subject match pattern`

Example:

```
void f(const Shape* s) {
    s match {
        ? (Circle: let c) => // ...
        ? (Rectangle: let r) => // ...
        _ => // ...
    };
}
```

```
std::optional<int> maybe_int();

void f() {
    maybe_int() match {
        (? let i) let o => // i is int, o is the whole optional
        _ => // ...
    };
}
```

§ 4.2.5 Optional Pattern

? pattern

An optional pattern tests pointer-like objects. It matches if *subject* contextually converts to `true` and `*subject` matches *pattern*.

— Matching Condition: `bool(subject) && *subject match pattern`

§ 4.2.6 Alternative Pattern

type-id : *pattern*
type-constraint : *pattern*

An alternative pattern tests sum type objects such as `variant`, `any`, and polymorphic types.

Let *s* be *subject*, *S* be `std::remove_cvref_t<decltype(subject)>`.

Case 1: Variant-like

An alternative pattern matches if the variant-like object stores a value of type *type-id* or the value of type satisfies *type-constraint*, and the stored value matches *pattern*.

If `std::variant_size<S>` is well-formed and `std::variant_size<S>::value` is an integral, let *I* be the value of `s.index()`. An alternative pattern matches if `std::variant_alternative_t<I, S>` is *type-id* or if it satisfies *type-constraint*, and *pattern* matches `get<I>(s)`.

Case 2: Casts

If `auto* p = cast<S>::operator()<type-id>(s)` is well-formed, alternative pattern matches if *p* contextually converts to `true` and `std::forward_like<decltype(s)>(*p)` matches *pattern*.

A cast customization point is proposed, rather than using `any_cast`. Since `any` has an implicit constructor from anything, overloading `any_cast` which takes `const any&` will likely cause a problem. Moreover, [P2927R0] is in the process of introducing `std::try_cast`.

```
template <typename>
struct cast;

template <>
struct cast<std::any> {
    template <typename T>
    static const T* operator()(const std::any& a) noexcept {
        return std::any_cast<T>(&a);
    }

    template <typename T>
    static T* operator()(std::any& a) noexcept {
        return std::any_cast<T>(&a);
    }
};

template <>
struct cast<std::exception_ptr> {

    static const T* operator()(const std::exception_ptr& p) noexcept {
        return std::try_cast<T>(p); // P2927R0
    }
};
```

```
}  
};
```

Case 3: Polymorphic Types

This is listed as a separate case in case it's needed for optimization flexibility. In principle though, the following specialization of `cast` should provide the desired semantics.

```
template <typename>  
struct cast;  
  
template <typename Base>  
requires requires { std::is_polymorphic_v<Base>; }  
struct cast<Base> {  
    template <typename T>  
    static const T* operator()(const Base& b) noexcept {  
        return dynamic_cast<const T*>(&b);  
    }  
  
    template <typename T>  
    static T* operator()(Base& b) noexcept {  
        return dynamic_cast<T*>(&b);  
    }  
};
```

§ 4.2.7 Structured Bindings Pattern

$[pattern_0, \dots, pattern_N]$

Given the following structured binding declaration:

```
auto&& [  $e_0, \dots, e_N$  ] = subject ;
```

Let e_i be a unique exposition-only identifier if $pattern_i$ is a *pattern* and an ellipsis (...) if $pattern_i$ is an ellipsis (...). Structured bindings pattern matches *subject* if e_i matches $pattern_i$ for all i where e_i is an identifier.

§ 4.3 Scope of Bindings

The scope of the bindings introduced by `let` are as follows:

- If the *pattern* is left of `=>`, the scope of the binding is the corresponding handler.
- If the *pattern* is in `expression match pattern guardopt`, the scope of the binding is the expression including the optional guard, unless:
- If a *match-test-expression* is the direct *condition* of an `if` statement, the scope of the binding is the *then* substatement of the `if` statement.
- If a *match-test-expression* is the direct *condition* of a `for`, or `while` statement, the scope of the binding is the substatement of `for` or `while` statement.

Example:

```
bool b1 = e1 match [0, let x] if (x > 1);
// x not available here.

bool b2 = e2 match [let x]; // not a redeclaration
// x not available here.

if (e3 match (? let elem)) {
    // elem available here
} else {
    // elem not available here
}

while (queue.next() match (? let elem)) {
    // elem available here
}
```

§ 4.4 Lifetime Extension of Match Subject

The lifetime of the subject of a `match` expression follows the typical lifetime rules as per any other expression, except:

Temporary objects may be created by the subject of a *match-test-expression*. If the *match-test-expression* is a direct *condition* of an `if`, `for` or `while`, and if such temporary objects would otherwise be destroyed at the end of the *match-test-expression* full-expression, the objects persist for the lifetime of a hypothetical condition variable `auto&& temp = subject;`. For example,

```
std::optional<Item> next();

if (next() match (? let elem)) {
    // ...
} // temporary destroyed here

while (next() match (? let elem)) {
    // ...
} // next destroyed at the end of each iteration
```

The proposed solution here is such that rules are consistent with the *for-range-initializer* of a range-based `for`.

The following is an example similar to Example 2 in 8.6.5 [`stmt.ranged`]:

```
using T = std::optional<int>;
const T& f(const T& t) { return t; }
T g();

void foo() {
    if (f(g()) match (? let elem)) {} // OK, lifetime of return value of
    // g() extended
    const T& r = f(g()); // dangling reference
}
```

§ 4.5 Static and Dynamic Conditions

Every *pattern* has a corresponding condition which is tested against the *subject* to determine whether the *pattern* matches the *subject*.

For example, the constant pattern `0` has a condition that it matches if `subject == 0` is true. However, there are static and dynamic dimensions to which this condition can be applied. These dimensions are defined here.

§ 4.5.1 Static Conditions

Static conditions are the static requirements of a pattern. The patterns being introduced in this paper have dynamic behavior, and therefore their static conditions are the validity of a *pattern*'s match condition.

See [Static Type Checking with Constraint Pattern](#) for an example where this isn't the case.

The main question is, are these static requirements checked or tested? Going back to the constant pattern `0`, its static condition is whether `subject == 0` is a valid expression.

```
void f1(int x) {  
  x match {  
    0 => // ...  
    _ => // ...  
  };  
}
```

In this example, whether `x == 0` is a valid expression is checked at compile-time. If `x` is a `std::string` for example, the program is ill-formed.

```
void f2(std::string x) {  
  x match {  
    0 => // ill-formed  
    _ => // ...  
  };  
}
```

This behavior is likely to be pretty obvious to folks. But what if `x` were a templated parameter instead?

```
void f3(auto x) {  
  x match {  
    0 => // fine here  
    _ => // ...  
  };  
}  
  
f3("hello"s); // proposed: ill-formed
```

This paper proposes that this example be ill-formed at the instantiation site. While a model that treats `0` as a no-match would be doable, I believe it'll be better and safer as an opt-in

feature. For `f3<std::string>` to have different type-checking behavior than `f2` would be novel and likely lead to subtle bugs.

This means that static conditions of patterns are always checked and enforced at compile-time. See [More on Static Conditions](#) for further design discussions, and [Testing the Static Conditions with `match` requires](#) which suggests an extension to explicitly treat the static conditions as compile-time tests rather than checks.

The semantics for this was not precisely defined in [P1371R3], and [P2392R2] proposes for `f3("hello"s)` to be well-formed and `0` is a no-match.

§ 4.5.2 Dynamic Conditions

Dynamic conditions are more obvious and straight-forward. The constant pattern `0` matches if `subject == 0` is true. But true when?

This paper proposes that `match` tests the dynamic condition at runtime, (think `if`) and `match constexpr` tests it at compile-time (think `if constexpr`).

<code>match</code>	<code>match constexpr</code>
<pre>void f(int x) { x match { 0 => // ... 1 => // ... _ => // ... }; }</pre>	<pre>template <std::size_t I> const auto& get(const S& s) { return I match constexpr -> const auto& { 0 => s.foo(); 1 => s.bar(); _ => static_assert(false); }; }</pre>

§ 5 Design Decisions and Discussions

§ 5.1 Unified `match` Expression

The `match` expression presented in this paper unifies the syntax for a single pattern match and a selection of pattern matches. Namely, `expr match pattern` and `expr match { ... }`.

The single pattern match `expr match pattern` is very similar to `expr is pattern` introduced in [P2392R2].

Early attempts at pattern matching with `inspect` also explored the idea of being a statement and an expression depending on its context. In short, if it appears in an expression-only context (e.g. `int x = inspect { ... };`) then it's an expression. If it appears in a context where a statement or an expression can appear (e.g. `{ inspect { ... } }`), then it's interpreted as a statement.

Having to differentiate between the statement-form and expression-form was a novel situation with no other precedent in the language. Additionally, whatever the keyword, it would've needed to be a *full* keyword. Maybe `inspect` would've been okay, but something like `match` was not even a possibility.

With this approach, `match` is feasible as a context-sensitive keyword, and there is only an expression-form, which simplifies the design.

§ 5.2 Wildcard Pattern Syntax

This paper proposes `_` as the syntax for wildcard patterns. Note that this is different from bindings that are introduced with the name `_`.

For example,

```
e match {  
  _ => // ...  
  // ^ this is a wildcard  
  let [_, _] => // ...  
  //   ^ ^ these are bindings  
};
```

In the bindings case, the semantics are the same as [P2169R4], which was accepted for C++26. That is, a single declaration of `_` is usable but a use after a redeclaration is ill-formed.

In the wildcard case, it is a special rule in that `_` can be an existing variable. For example,

```
int i = 101;  
int _ = 202;  
  
i match {  
  _ => // 101 != 202 but _ is a wildcard, so this matches.  
};
```

The recommended workaround is to use a guard:

```
int i = 101;  
int _ = 202;  
  
i match {  
  let x if (x == _) => // ...  
};
```

- [P1371R3] proposed `__` which was also the syntax recommended in [P1110R0].
- [P1469R0] proposed disallowing use of `_` as an identifier in the context of structured bindings, but this was rejected by EWG.
- [P2392R2] proposed `_` as well.

This is a relatively small cost to get `_` as the wildcard pattern, given the prevalence and scope of adoption of `_` across the industry. Languages such as Python, Rust, Scala, Swift, C#, Erlang, Prolog, Haskell, OCaml and many others already use `_`. Pattern matching facilities across different languages do vary, but I'm not aware of *any* language that disagree on `_`.

§ 5.3 Why We Want Expressions in Patterns

If expressions are not supported at all, this would mean we couldn't do some of the most simple operations that `switch` can handle. We should be able to at the very least match integrals, strings, and enums.

So we need to allow expressions at least in *some* capacity. Let's say for example we only allow literals. This would give us matching for integral and string literals, but we wouldn't be able to match against `constexpr` variables of integrals and strings.

It also doesn't get us enums, since enum values are not literals. We need unqualified names to be able to access `enum` values, and qualified names to be able to access `enum class` values.

At this point, we already basically have *primary-expression*. The question of how to handle referring to existing names vs introducing new names have to be addressed. Only allowing *primary-expression* rather than *constant-expression* might still be useful or needed to avoid further grammar complications, but the fundamental issue of existing vs new names I don't think could nor should be avoided.

§ 5.4 Exploration of Variable Declaration Syntax for Alternative Pattern

The proposed syntax in this paper is

```
type-id : pattern
type-constraint : pattern
```

Here's a simple example:

```
std::variant<int, bool, std::string> parse(std::string_view);

parse(some_input) match {
  int: let i => // ...
  bool: let b => // ...
  std::string: let s => // ...
};
```

This looks more like `case` labels where the alternatives are listed and the appropriate one is chosen. The corresponding value is then matched with a nested pattern.

The absolute minimal syntax would be `std::string s`, which is rather appealing but ultimately not what is proposed.

An example using this syntax might be something like:

```
std::variant<int, bool, std::string> parse(std::string_view);

parse(some_input) match {
    int i => // ...
    bool b => // ...
    std::string s => // ...
};
```

Question 1: What are `i`, `b`, and `s`?

They certainly look like variable declarations, and I think it'll be too surprising for them to be anything else. So let's for now assume that they are variable declarations. In this case, they should probably be used as a general way to introduce new names within a pattern for binding purposes. We want patterns to compose, so this applies to nested patterns as well, but at the top-level this might look like:

```
int parse_int(std::string_view);

parse_int(some_input) match {
    0 => // ...
    1 => // ...
    auto i => // use `i` which is `int` returned by `parse_int`
              // not 0 or 1
}
```

Question 2: How do you disambiguate `auto x` between variant itself vs the alternative inside?

`std::variant` is a very unique sum type, in that you are able to handle the “catch-all” case where you can generically access the value inside of it.

C++23	Variable Declaration Approach
<pre>std::visit(overload([](int i) { /* ... */ }, [](auto x) { /* ... */ },), parse(some_input));</pre>	<pre>parse(some_input) match { // not proposed int i => // ... auto x => // ... };</pre>

In the variable declaration approach, what would `auto x` be? Is it the unhandled alternatives of the variant, or is it the variant itself? Recall that in the `parse_int` example from above, `auto i` was a binding to the whole value!

Note that for polymorphic types we could actually make this work since there's no way to generically operate on the runtime value of a polymorphic type anyway.

```
struct Shape { virtual ~Shape() = default; };
struct Circle : Shape { int radius; };
```

```

struct Rectangle : Shape { int width, height; };

const Shape& get_shape();

get_shape() match {
    const Circle& c => // runtime downcast to `Circle`.
    const auto& s => // `s` can't generically be `Triangle` or `Rectangle` anyway.
};

```

This is what C# does for example:

```

Shape get_shape();

get_shape() switch {
    Circle c => // runtime downcast to `Circle`
    var s => // `s` is the whole shape.
};

```

While this syntax would work for polymorphic types specifically, there is a general desire to unify the handling of sum types like variant and polymorphic types. For example, [P2411R0] points out:

The ‘is’-and-‘as’ notation [P2392] is cleaner and more general than the [P1371] and successors notation. For example, it eliminates the need to use the different notation styles for variant, optional, and any access. Uniform notation is the backbone of generic programming.

[P1371R3] already had uniform notation at least for variant, any and polymorphic types, but regardless, the point is that using syntax that works only for polymorphic types but not variant is not desired.

Question 3: Initialization? Conversions? First-match? Best-match?

Going back to the first example:

```

std::variant<int, bool, std::string> parse(std::string_view);

parse(some_input) match {
    int i => // ...
    bool b => // ...
    std::string s => // ...
};

```

Are these variable declarations initialized by direct-initialization, copy-initialization, list-initialization, something else? Having to answer this question isn’t necessarily a blocker, but one needs to be chosen.

Regardless of the answer though, there’s no initialization form that disallows conversions in general. If these have first-match semantics (the only form of matching that has been proposed so far), `int i` would match if the variant is in the `bool` state, since all of these are valid:

```
int i1(true); // direct
int i2 = true; // copy
int i3{true}; // list
int i4 = {true}; // copy-list
```

On the other hand, best-match semantics would introduce significant complexity. Value-matching needs to consider becoming best-match, and this would likely mean evaluating more than necessary in order to compute a score to best-match with. If value-matching remained first-match, then we would have best-match semantics weaved into first-match semantics. This is likely very difficult for users.

Note that even with best-match semantics, allowing conversions makes code like this difficult to diagnose missing cases:

```
parse(some_input) match {
  int i => // ...
  std::string s => // ...
  // maybe missing bool case? it is covered by `int` though...
};
```

Question 4: How do we match against an existing value?

Variable declaration syntax isn't conducive to referring to an existing value. Suppose there is a constexpr value `batch_size` that we want to match against. `int batch_size` wouldn't work since that would be introducing a new variable. `batch_size` could be annotated somehow, but annotating existing names rather than the new names has already been attempted.

More generally, variable declaration syntax isn't conducive to composition.

With this paper, the first example would be written as:

```
std::variant<int, bool, std::string> parse(std::string_view);

parse(some_input) match {
  int: let i => // ...
  bool: let b => // ...
  std::string: let s => // ...
};
```

1. `i`, `b`, and `s` are bindings, introduced by `let`.
2. How do you disambiguate `auto x` between variant itself vs the alternative inside?

With this paper, `let x` binds the whole value, whereas `auto: let x` binds to the value inside the variant. The following is an example of `let x` binding the whole value:

```
int parse_int(std::string_view);

parse_int(some_input) match {
  0 => // ...
```



```

1 => // ...
let i => // use `i` which is `int` returned by `parse_int`
        // not 0 or 1
}

```

The following is an example of `auto: let` `x` where we bind the alternative inside the variant.

<pre> std::visit(overload([](int i) { /* ... */ }, [](auto x) { /* ... */ },), parse(some_input)); </pre>	<pre> parse(some_input) match { int: let i => // ... auto: let x => // x is bool or string }; </pre>
--	--

3. Initialization? Conversions? First-match? Best-match?

Initialization and conversions are dictated by the rules and principles of bindings as introduced by structured bindings.

The problem of first-match vs best-match is solved by requiring an **exact-match** for alternative types. With exact-match, first-match and best-match become equivalent.

Variable Declaration Approach	This Paper
<pre> parse(some_input) match { int i => // ... std::string s => // ... // missing bool case, but covered by // `int`. }; </pre>	<pre> parse(some_input) match { int: let i => // ... std::string: let s => // ... // error: missing bool // case }; </pre>

To be precise, the type to the left of the `:` is used to match an alternative **as declared**. This is similar to how `std::get` works. For example:

```

void f(std::variant<const int, std::string> v) {
  v match {
    const int: let i => // `const int` is required here.
    std::string: let s => // ...
  };
}

```

§ 5.5 Discussion on Variant-like Types

We have a few variant-like facilities: `optional`, `expected`, and `variant`. Type-based alternative matching for `std::variant` seems pretty obvious.

```

void f(std::variant<int, std::string> v) {
  v match {

```

```

    int: let i => // ...
    std::string: let s => // ...
};
}

```

The `int` and `string` are the states that a `variant<int, std::string>` can be in, and facilities such as `holds_alternative<int>` and `get<int>` clearly provide type-based access to `variant`.

Of course, in general there's more to it. The `variant` could be in a valueless-by-exception state, or we can have `std::variant<T, T>`. Let's table these for now.

The `? pattern` specifically supports the pointer-like usage pattern, so we can write:

```

void f(int* p) {
    p match {
        ? let i => // ...
        nullptr => // ...
    };
}

```

`optional` and `expected` are “variant-like” in that they have “one-of” states. However, their interfaces are not `std::variant`-like at all. They carry much more semantic implications. `optional<T>` behaves more like `T` than `variant<std::nullopt_t, T>` would. `expected<T, E>` behaves more like `T` than `E`, and again, more like `T` than `variant<T, E>` would. Their interfaces are also pointer-like rather than `std::variant`-like.

Given this, it seems natural enough to match on an `optional` like this:

```

void f(std::optional<int> o) {
    o match {
        ? let i => // ...
        std::nullopt => // ...
    };
}

```

A `std::variant`-like approach would look like this:

```

void f(std::optional<int> o) {
    o match {
        int: let i => // ...
        std::nullopt_t: _ => // ...
    };
}

```

Here, if we changed `std::optional<int>` to say, a `std::optional<double>` the `int: let i` pattern would be ill-formed, whereas the `?` would continue to work. This is consistent with the usage of `optional` today:

```

void f(std::optional<int> o) {
    // no mention of `int` in the below usage.
    if (o) {

```

```

    use(*o);
} else {
    // ...
}
}

```

Open Question: For exhaustiveness checking purposes, matching with `?` then `_` will always be sufficient. But this means `?` will need to be matched first. For types like `T*` and `unique_ptr`, it should be possible to say matching with `?` and `nullptr` is exhaustive, and `nullptr` can be matched first as well. For optional though, the null state is `std::nullopt`. To use `nullptr` for this seems wrong, given that optional design explicitly introduced `nullopt` over using `nullptr` itself. The solution in [P2392R2] is to introduce `is void`, but this seems problematic at least for `expected<void, error>` where the question becomes ambiguous.

But `expected<T, E>` gets more tricky. The “no value” case is not just some sentinel type/value, but is some type `E` retrieved by `.error()`.

```

void f(std::expected<int, parse_error> e) {
    e match {
        ? let i => // ...
        // How do we match and access `.error()` ?
    };
}

```

So perhaps a variant-like approach would be better here:

```

void f(std::expected<int, parse_error> e) {
    e match {
        int: let i => // ...
        parse_error: let err => // ...
    };
}

```

This seems simple and clean enough. Similar to variant however, we can have `expected<T, T>`. Unlike variant though, it actually goes out of its way to store a `std::unexpected<T>` as the error state to distinguish the two. It’s conceivable to use this `unexpected` type to support `expected<T, T>`:

```

void f(std::expected<int, int> e) {
    e match {
        int: let i => // ...
        std::unexpected<int>: let err => // distinguish
    };
}

```

But that would really hinder the by-far more common use cases:

```

void f(std::expected<int, parse_error> e) {
    e match {
        int: let i => // ...
        std::unexpected<parse_error>: let err => // yuck
    }
}

```

```
};
}
```

It was considered to allow matching `std::expected<T, T>` with `T` and `std::unexpected<T>` while matching `std::expected<T, E>` with `T` and `E`. But it's a bit weird for `std::unexpected<E>` to then not work at all, and also weird for `err` in `std::unexpected<E>`: `let err` to not be a binding to a `std::unexpected<E>`, but rather a binding to a `E`. A reference to the underlying `std::unexpected<E>` is also not an interface that `std::expected` exposes. Furthermore, this wouldn't solve the problem of `variant<T, T>` in a consistent manner. At best it'd be a special case for `std::expected`.

Ideally, value and error would be **names** associated to the **types** `T` and `E`, such that they can be used even when `T` and `E` are the same, and are stable even when `T` and `E` changes.

This is essentially how the `Result` type in Rust is defined, as well as many other languages that provide similar functionalities.

```
enum Result<T, E> {
    Ok(T),
    Err(E),
}
```

This is matched like this:

```
match parse(some_input) {
    Ok(v) => // use `v`
    Err(err) => // use `err`
}
```

A few approaches were considered to emulate this “name-based” dispatch.

1. Introduce a parallel `enum class` with the desired names.

```
enum class expected_state { value, error };

template <typename T, typename E>
class expected {
    // ...

    expected_state index() const {
        return has_value() ? expected_state::value : expected_state::error;
    }

    template <expected_state S>
    auto&& get(this auto&& self) {
        if constexpr (S == expected_state::value) {
            return *std::forward<decltype(self)>(self);
        } else if constexpr (S == expected_state::error) {
            return std::forward<decltype(self)>(self).error();
        } else {
            static_assert(false);
        }
    }
}
```

```

};

template <typename T, typename E>
struct variant_size<expected<T, E>> : std::integral_constant<std::size_t,
    2> {};

template <typename T, typename E>
struct variant_alternative<(std::size_t)expected_state::value, expected<T,
    E>> {
    using type = T;
};

template <typename T, typename E>
struct variant_alternative<(std::size_t)expected_state::error, expected<T,
    E>> {
    using type = E;
};

```

The usage would need to be something along the lines of:

```

std::expected<int, parse_error> parse(std::string_view sv);

void f() {
    parse(some_input) match {
        using enum std::expected_state;
        value: let v => // ...
        error: let err => // ...
    };
}

```

While the introduction of `std::expected_state` seems a bit odd on first glance, it actually doesn't seem any more odd than other related helper types such as `std::in_place_t`, `std::unexpected_t`, `std::unexpected`, etc.

2. Use the existing tag types

We already have tag types, and they roughly correspond with the various states. For example, `std::expected` uses `std::in_place_t` and `std::unexpected_t`.

```

void f(std::expected<int, parse_error> e) {
    e match {
        std::in_place_t: let v => // ...
        std::unexpected_t: let err => // ...
    };
}

```

The names `std::in_place_t` and `std::unexpected_t` are terrible substitute for value and error. We'd be better off with just using the types directly, and not fully supporting the `std::expected<T, T>` case.

3. Use the reflection of the accessors as the tags

This idea would be to come up with a new variant-like protocol using reflection. If a type let's say were to advertise its alternatives through `std::vector<std::meta::info>`, and

we use those as the tags for dispatching...

```
template <typename T, typename E>
struct expected {
    static constexpr std::vector<std::meta::info> alternatives() {
        return { ^value, ^error };
    }

    constexpr const T& value() const&;
    constexpr const E& error() const& noexcept;
    // other qualified versions...
};
```

With this, perhaps we could pull off something like:

```
void f(std::expected<int, parse_error> e) {
    e match {
        e.value: let v => // ...
        e.error: let err => // ...
    };
}
```

I think this is a very interesting direction for both tuple-like and variant-like protocols, but I haven’t been able to flesh out the details. See [Reflection-based Tuple-like and Variant-like Customization Points](#).

In the end, the suggested path for now is:

T*	std::optional<T>
<pre>ptr match { ? let x => // ... nullptr => // ... };</pre>	<pre>opt match { ? let x => // ... std::nullopt => // ... };</pre>
std::expected<T, E>	std::variant<T, U>
<pre>e match { T: let v => // ... E: let err => // ... };</pre>	<pre>v match { T: let t => // ... U: let u => // ... };</pre>

§ 5.6 **Reflection-based Tuple-like and Variant-like Customization Points**

“Tuple-like” customization today involves specializing `std::tuple_size`, `std::tuple_element`, and implementing a `get<I>` function. Section 2.3.6 “Cleaner form for structured bindings” “tuple-like” customization” from [P2392R2] has a good summary of the problem.

It also also says:

If we want to go further, then as Bjarne Stroustrup points out, the logical minimum is something like this, which can be viewed as a jump table (similar to a vtbl) – the most general form, ideally provided by the class author:

```
structure_map (EncapsulatedRect) { topLeft, width, height };
```

and as Bjarne Stroustrup points out in [\[P2411R0\]](#):

The mapping from an encapsulating type to a set of values used by pattern matching must be simple and declarative. The use of `get<>()` for structured binding is an expert-only mess. Any code-based, as opposed to declarative, mapping will have such problems in use and complicate optimization. We can do much better.

Perhaps this problem can be tackled with reflection.

```
struct EncapsulatedRect {
    static constexpr std::vector<std::meta::info> elements() {
        return { ^topLeft, ^width, ^height };
    };

    Point topLeft() const;
    int width() const;
    int height() const;
};
```

The advantage of this is that we can put data members as well as member functions into elements as opaque reflections and apply them when needed.

Similarly, it seems feasible for there to be a reflection-based variant-like protocol as well.

```
template <typename... Ts>
struct variant {
    static constexpr std::vector<std::meta::info> alternatives() {
        return { ^Ts... };
    };

    // ...
};
```

Note that for tuple-like protocol, even if we were to come up with something better, I think we'll still have to continue supporting the current protocol. There are types written that opted into that protocol that use structured bindings and `std::apply` and other things today.

Variant-like protocol is actually a different story. Unlike tuple-like protocol, The variant helpers such as `std::variant_size`, `std::variant_alternative` are solely used by `std::variant`. `std::visit`, the only thing that might already be using a “variant-like protocol” does not support non-`std::variant`s. It does support types that directly inherit

from `std::variant` [P2162R2], but they work by being converted into `std::variant` beforehand.

As such, there's a bigger opportunity for variant-like protocol to not bless the existing set of facilities but to come up with something better.

Update R2: This paper proposes to go with the existing facilities for now. While this direction is interesting, it is likely better to gain experience with reflection in C++26 before really coming up with a solution to supersede the existing facilities.

§ 5.7 More on Static Conditions

This is an elaboration of the discussion from [Static Conditions](#). The question is: how are the requirements and validity of patterns handled? The proposed solution in this paper is for the static conditions to always be checked. For templates, this means they are checked at instantiation.

Another approach is for some patterns to allow to be invalid if the *subject* is a dependent value. Since in this case, the pattern **can be** valid under some instantiations.

This can be made to work, and would certainly be useful. As the default behavior however, it seems like it will likely cause subtle bugs.

Consider an example like this:

```
template <typename Operator>
void f(const Operator& op) {
    op.kind() match {
        '+' => // ...
        '-' => // ...
        '*' => // ...
        "/" => // ...
        _ => throw UnknownOperator{};
    };
}
```

Let's say `op.kind()` returns a `char`, but we can't be sure of that since `op` is templated. With the approach in this proposal, the type of `"/"` (should be `'/'`!) will be detected as a compile-time error. In a model where a pattern can be invalid because the *subject* is dependent, this will likely be well-formed, fallthrough to the `_` case, and throw an exception at runtime.

It's true that this function should probably be better constrained using concepts, but the reality is that this kind of code is extremely prevalent today. Note that just using `if`, we would have been provided this safety:

```
template <typename Operator>
void f(const Operator& op) {
    if (op.kind() == '+') {
        // ...
    }
}
```



```

} else if (op.kind() == '-') {
    // ...
} else if (op.kind() == '*') {
    // ...
} else if (op.kind() == "/") { // error: comparison between pointer and
    integer
    // ...
} else {
    throw UnknownOperator{};
}
}

```

Testing the Static Conditions with `match requires` is described as a future extension where users can explicitly opt in to relax this requirement on *static conditions*.

§ 5.8 Operator Precedence of `match`

§ 5.8.1 Proposed Solution: Between Pointer-to-member and Multiplicative Operator

The proposed solution in this paper is for `match` to have a precedence between pointer-to-member operators 7.6.4 [`expr.mptr.oper`] and multiplicative operators 7.6.5 [`expr.mul`]. This is consistent with the approach proposed for the `is` operator in [P2392R2], and similar to the precedence of C# `switch` expression.

Input	Parsed
<code>*a match { /* ... */ }</code>	<code>(*a) match { /* ... */ }</code>
<code>a.*b match { /* ... */ }</code>	<code>(a.*b) match { /* ... */ }</code>
<code>a * b match { /* ... */ }</code>	<code>a * (b match { /* ... */ })</code>
<code>a + b match { /* ... */ }</code>	<code>a + (b match { /* ... */ })</code>
<code>a << b match { /* ... */ }</code>	<code>a << (b match { /* ... */ })</code>
<code>a <=> b match { /* ... */ }</code>	<code>a <=> (b match { /* ... */ })</code>
<code>a < b match { /* ... */ }</code>	<code>a < (b match { /* ... */ })</code>
<code>a == b match { /* ... */ }</code>	<code>a == (b match { /* ... */ })</code>
<code>a & b match { /* ... */ }</code>	<code>a & (b match { /* ... */ })</code>
<code>a && b match { /* ... */ }</code>	<code>a && (b match { /* ... */ })</code>

Input	Parsed
<code>*a match c</code>	<code>(*a) match c</code>
<code>a.*b match c</code>	<code>(a.*b) match c</code>
<code>a * b match c</code>	<code>a * (b match c)</code>
<code>a + b match c</code>	<code>a + (b match c)</code>
<code>a << b match c</code>	<code>a << (b match c)</code>
<code>a <=> b match c</code>	<code>a <=> (b match c)</code>
<code>a < b match c</code>	<code>a < (b match c)</code>
<code>a == b match c</code>	<code>a == (b match c)</code>
<code>a & b match c</code>	<code>a & (b match c)</code>
<code>a && b match c</code>	<code>a && (b match c)</code>

The main advantage of this approach is that the model is quite simple. The main idea is “`match` binds tighter than any binary operator except pointer-to-member.” Pointer-to-member operators are excluded since many folks expect it to bind tighter than they actually do.

There are a couple of other advantages worth mentioning. One is that this approach still reads as expected with parentheses. Consider the following example:

```
a * (b + c) match {  
  0 => // ...  
  1 => // ...  
  _ => // ...  
}
```

Here, I’d argue that `(b + c)` looks like the match subject, and with this precedence it is indeed the match subject.

Another advantage is that (though perhaps silly) it’s typically less work to add parentheses around the subject rather than around the whole `match`.

For example, given:

```
a + b match {  
  0 => // ...  
  1 => // ...  
  _ => // ...  
}
```

Parenthesizing the subject is typically less work:

```
(a + b) match {  
  0 => // ...  
  1 => // ...  
  _ => // ...  
}
```

Compared to having to add them around the whole `match` like this:

```
a + (b match {  
  0 => // ...  
  1 => // ...  
  _ => // ...  
})
```

The disadvantages of this approach is basically that if the desired semantics are to match against the result of `a + b`, parentheses are required.

```
(a + b) match {  
  0 => // ...  
  1 => // ...  
  _ => // ...  
}
```

Similarly, another use case is to match against the result of `<=>`, which also need parentheses:

```
(a <=> b) match {
  std::strong_ordering::equal => // ...
  std::strong_ordering::less  => // ...
  std::strong_ordering::greater => // ...
}
```

Another disadvantage is the deviation from `==` in the `expr match expr` form:

Input	Parsed
<code>a + b == c</code>	<code>(a + b) == c</code>
<code>a + b match c</code>	<code>a + (b match c)</code>

Despite the disadvantages, this paper proposes the simplified model, and users are expected to “parenthesize binary expressions”.

§ **5.8.2 Alternative Considered: Between Spaceship and Relational Operator**

This approach is to have the `match` precedence between the three-way comparison operator 7.6.8 [expr.spaceship] and relational operators 7.6.9 [expr.rel].

The main idea here is that `<=>` and above, e.g. `*`, `+`, etc yield interesting values to match, whereas `<` and below, e.g. `==`, `&`, etc yield a boolean values which are typically less interesting.

This approach addresses some of the disadvantages mentioned in the previous section.

```
a + b match {
  0 => // ...
  1 => // ...
  _ => // ...
}
```

```
a <=> b match {
  std::strong_ordering::equal => // ...
  std::strong_ordering::less  => // ...
  std::strong_ordering::greater => // ...
}
```

The disadvantage here is that the above examples may give a “false sense of security”. If one wants to match on the result of say, `a < b`, parentheses are still required:

```
(a < b) match {
  true => ...
  false => ...
}
```

However, these use cases are likely to be less common than the above cases. Furthermore, we do not want to go much lower than this. Examples such as `a == b && x match { /* ... */ }` are relatively common, and the desired parsing is `(a == b) && (x match { /* ... */ })`. Especially for the `expr match expr` form, given `a && b match c` it's more likely we want `a && (b match c)`.

As mentioned in the previous section, this approach could cause some confusion in the face of parenthesized expressions. For example,

```
a * (b + c) match {  
  // ...  
}
```

This would parse as

```
(a * (b + c)) match {  
  // ...  
}
```

which could be surprising.

Input	Parsed
<code>*a match { /* ... */ }</code>	<code>(*a) match { /* ... */ }</code>
<code>a.*b match { /* ... */ }</code>	<code>(a.*b) match { /* ... */ }</code>
<code>a * b match { /* ... */ }</code>	<code>(a * b) match { /* ... */ }</code>
<code>a + b match { /* ... */ }</code>	<code>(a + b) match { /* ... */ }</code>
<code>a << b match { /* ... */ }</code>	<code>(a << b) match { /* ... */ }</code>
<code>a <=> b match { /* ... */ }</code>	<code>(a <=> b) match { /* ... */ }</code>
<code>a < b match { /* ... */ }</code>	<code>a < (b match { /* ... */ })</code>
<code>a == b match { /* ... */ }</code>	<code>a == (b match { /* ... */ })</code>
<code>a & b match { /* ... */ }</code>	<code>a & (b match { /* ... */ })</code>
<code>a && b match { /* ... */ }</code>	<code>a && (b match { /* ... */ })</code>

Input	Parsed
<code>*a match c</code>	<code>(*a) match c</code>
<code>a.*b match c</code>	<code>(a.*b) match c</code>
<code>a * b match c</code>	<code>(a * b) match c</code>
<code>a + b match c</code>	<code>(a + b) match c</code>
<code>a << b match c</code>	<code>(a << b) match c</code>
<code>a <=> b match c</code>	<code>(a <=> b) match c</code>
<code>a < b match c</code>	<code>a < (b match c)</code>
<code>a == b match c</code>	<code>a == (b match c)</code>
<code>a & b match c</code>	<code>a & (b match c)</code>
<code>a && b match c</code>	<code>a && (b match c)</code>

While this makes `match` more consistent with `==`, e.g. for `+`, but there remain deviations.

Input	Parsed
<code>a + b == c</code>	<code>(a + b) == c</code>
<code>a + b match c</code>	<code>(a + b) match c</code>
<code>a < b == c</code>	<code>(a < b) == c</code>
<code>a < b match c</code>	<code>a < (b match c)</code>

Lastly, a code search for `match` on boolean values in Rust code on GitHub showed that this use case is actually quite popular. This was a bit of a surprise, as Rust already supports `if` expressions which could be used for the same purpose. This finding also weakened the assumption the main argument behind the approach.

§ 5.9 Require Parentheses on Match Guards

As discussed in [Operator Precedence of match](#), this paper proposes `match` to bind tighter than all binary operators except pointer-to-member.

```
1 + 2 match 3 + 4
// parsed as:
1 + (2 match 3) + 4
```

Consider adding a match guard to this expression. Pre-R3 of this paper, match guards did not require parentheses.

```
bool b = p match let [x, y] if x == y;
```

If we apply the same precedence however, this would be parsed as:

```
bool b = p match let [x, y] if x == y;
// parsed as:
bool b = (p match let [x, y] if x) == y;
```

This is considerably worse than the `match` scenario since it's much more likely for match guard conditions to be boolean expressions involving logical operators.

The resolution of this in R3 is to require parentheses around the `if` like so:

```
bool b = p match let [x, y] if (x == y);
```

Combining this with subsequent logical operators is unambiguous and easier to read:

```
bool b = p match let [x, y] if (x == y) && pred();
// parsed as:
bool b = (p match let [x, y] if (x == y)) && pred();
```

The match guard inside of match select expressions do not have this problem, since it is delimited by `=>`. However, the proposed solution is to keep the two consistent, along with the rest of the language.

```
p match {
  let [x, y] if (x == y) => // parens around `if` required.
```

```

- => // ...
}

```

This approach also makes it easier to bring match guards up to parity with the existing `if` features such as condition variables and init-statements.

```

p match {
  let [x, y] if (bool b = x == y) => // `b` available here
  let [x, y] if (auto a = f(x, y); g(a)) =>
    // init-stmt for `a`, guard condition is `g(a)`.
  - => // ...
}

```

§ 5.10 Matching Multiple Values

In R3, the decision is to remove explicit support for matching multiple values. The proposal instead relies on existing `std::tuple` facilities such as `std::tie`, `std::forward_as_tuple`, and `std::tuple` construction using class template argument deduction.

§ 5.10.1 Problem with the *braced-init-list* Syntax

In previous versions of the proposal, the proposed syntax was to use *braced-init-list* like so:

```

int f(int a, int b) {
  return {a, b} match { // produces an implicit struct that can be
    [1, 2] => 0; // matched with the structured bindings pattern.
    let [x, y] => 1;
  };
}

```

There is a major drawback however at *statement-or-expression* contexts such as block scope:

```

void f(int a, int b) {
  {a, b} match { // the `{` introduces a compound statement
    [0, 0] => [] { std::print("on origin"); }();
    - => [] { std::print("not on origin"); }();
  };
}

```

The suggested workaround for this problem was instead to parenthesize the whole expression:

```

void f(int a, int b) {
  ({a, b} match { // kick us into expression-only syntax.
    [0, 0] => [] { std::print("on origin"); }();
    - => [] { std::print("not on origin"); }();
  });
}

```

However, during implementation I encountered another issue where the `{` actually introduces a [Statement Expression](#) in GCC and Clang. This is a very old and prevalent extension, that GCC and Clang both have enabled by default.

Unlike in block-scope, This problem is not limited to *statement-or-expression* contexts, but anywhere within an expression:

```
bool f(int a, int b) {
    return !({a, b} match [0, 0]); // the `{` introduces a statement-
    expression
}
```

A possible disambiguation strategy has been suggested by Daveed Vandevoorde where upon encountering the `{`, we can find the matching `}` and check if the subsequent token is a `)` (statement-expression) or `match` (pattern match).

However, there are 3 main reasons this proposal still drops the feature.

1. We have alternative solutions that work today using `std::tuple` facilities.
2. This syntax can be added later. Consider an example like this:

```
x = {1, 2} match {
    [0, 0] => 0;
    _ => 1;
};
```

If this were to be parsed like this without the feature:

```
(x = {1, 2}) match {
    [0, 0] => 0;
    _ => 1;
};
```

This would be problematic, as it wouldn't be able to become the desired parse later. However, given the operator precedence of `match`, this should be ill-formed in the initial proposal, similar to how `x = {1, 2} + foo` is ill-formed today.

3. The block-scope limitation is really unfortunate, and is the core reason why *braced-init-list* currently only appear in right side of structures. e.g. `return {1, 2};`, `co_yield {1, 2};`, `foo += {1, 2}`, etc.

If this direction were to be taken, it seems it should be taken with consideration of other expressions as well. Considering relevant examples such as `{1, 2} + foo`.

§ 5.10.2 Rejected Idea: Using Parentheses for Matching Multiple Values

Using parentheses instead of *braced-init-list* for matching multiple values was also explored. This was an exciting possibility since it did not have the same limitations at block scope:

```
void f(int a, int b) {
  (a, b) match { // this is good! -- not proposed
    [0, 0] => [] { std::print("on origin"); }();
    _ => [] { std::print("not on origin"); }();
  };
}
```

A single parenthesized expression is still just that value:

```
void f(int a, int b) {
  (a) match { // this is still just a parenthesized expression,
    1 => 0; // so structured bindings pattern cannot be used.
    _ => 1;
  };
}
```

This is a bit awkward, since the *braced-init-list* did not have such oddity:

```
void f(int a, int b) {
  bool _ = {a} match [1]; // braces always produces an implicit
    struct
  bool _ = {a, b} match [1, 2]; // so structured bindings pattern are
    always used.
  bool _ = (a) match 1; // parentheses are always parenthesized
    expressions.
  bool _ = (a, b) match 1; // effectively `b match 1` using comma
    operator.

  bool _ = (a) match 1; // only multi-value parens introduce an
    implicit struct
  bool _ = (a, b) match [1, 2]; // so structured bindings pattern are
    sometimes used.
}
```

While this seemed like an acceptable trade-off given the value of the functionality, the situation became more complicated with unary operators applied.

```
void f(int a, int b) {
  -(a, b) match { // effectively `~b match { ... }`
    1 => 0;
    _ => 1;
  };
}
```

The suggested semantics in this case was for `-(a, b)` to maintain its meaning today, that is, effectively `~b`. Similarly, `(a, b)++ match { ... }` would be effectively `b++ match { ... }`. This makes the grammar and its interpretation rather complicated. Several implementation concerns were raised as well.

§ 5.11 Note on the Implication Operator

[P2971R2] proposes an `operator=>` which would introduce the same token `=>`, and would allow expressions that look like `x => y`. It has been raised that this may conflict with

pattern matching's use of `=>`. While this is true, I don't consider it to be a showstopper either way.

If EWG desires to adopt [P2971R2], my proposed resolution for pattern matching is to interpret `=>` as a pattern matching token in pattern matching context. This is consistent with the treatment of other rare expressions that conflict with patterns in this proposal.

```
x match {  
  _ => // wildcard, NOT a reference to an `_` in scope.  
  let [x] => // structured bindings pattern with 1 element,  
            // NOT an array-access into a variable `let`.  
  a => b => c; // parsed as `a => (b => c);`  
  (a => b) => c; // match against the result of `(a => b)`.  
};
```

I suspect the desire to use the result of `a => b` as a pattern to be quite rare.

Another consideration is to use a different separation token for pattern matching. Eight other languages that provide pattern matching and their separation tokens were considered. Haskell, OCaml, and Java use `->`, Rust, Scala, and C# use `=>`, Python and Swift use `:`.

`->` would present the exact same problem as `=>`. `:` may be visually confusing given use cases such as

```
v match {  
  int: let i: 0;  
  std::string: let s: 1;  
};
```

compared to:

```
v match {  
  int: let i => 0;  
  std::string: let s => 1;  
};
```

A brand new token such as `~>` could work as well, though much less preferred.

§ 6 Future Extension Exploration

The following lists patterns and features excluded from this paper, but could still be useful future extensions.

§ 6.1 Static Type Checking with Constraint Pattern

A constraint pattern could be used to perform static type checks.

type-constraint

The static condition of a constraint pattern would be that `decltype(subject)` satisfies the *type-constraint*.

For example,

```
void f(auto p) {
    p match {
        [std::convertible_to<int>, 0] => // statically check that first elem
            converts to int.
        // ...
    };
}
```

If used with structured bindings, this becomes very similar to the static type checking proposed in [P0480R1].

```
auto [std::same_as<std::string> a, std::same_as<int> b] = f();
```

The syntax changes would be:

```
match-pattern
    // ...
+   type-constraint

binding-pattern
    // ...
+   type-constraint identifier
```

§ 6.2 Testing the Static Conditions with `match requires`

The sections [Static Conditions](#) and [More on Static Conditions](#) described what static conditions are. They also described why by default, `match` and `match constexpr` should both always check the static conditions.

`match requires` (or some other spelling) would offer a way to test the static conditions instead.

match requires	if constexpr (requires { ... })
<pre>void f(auto x) { x match requires { // not proposed 0 => // ... "hello" => // ... _ => // ... }; } f("hello"s); // fine, skips 0</pre>	<pre>void f(auto x) { if constexpr (requires { x == 0; }) { if (x == 0) { // ... goto done; } } if constexpr (requires { x == "hello"; }) { if (x == "hello") { // ... goto done; } } }</pre>

match requires	if constexpr (requires { ... })
	<pre> } // ... done::; } </pre>

Using the constraint pattern from [Static Type Checking with Constraint Pattern](#), we can perform a sequence of static type tests.

```

void f(auto x) {
  x match requires { // not proposed
    std::same_as<bool> => // ...
    std::integral => // ...
    std::same_as<std::string_view> => // ...
    std::range => // ...
  };
}

```

Using the `let` pattern, we can even bind names to each of these:

```

void f(auto x) {
  x match requires { // not proposed
    std::same_as<bool> let b => // ...
    std::integral let i => // ...
    std::same_as<std::string_view> let sv => // ...
    std::range let r => // ...
  };
}

```

Another example with structured bindings patterns:

```

void f(auto x) {
  x match requires { // not proposed
    let [x] => // ...
    let [x, y] => // ...
    let [x, y, z] => // ...
    let [...xs] => // ...
  };
}

```

Rather than the static condition (matching size requirement) of structured bindings pattern being checked, they are `if constexpr` tested instead.

match	match constexpr
<pre> if (condition) { // ... } </pre>	<pre> // match constexpr if constexpr (condition) { // ... } </pre>

match requires (not proposed)	match requires constexpr (not proposed)
<pre> if constexpr (requires { condition ; }) { if (condition) { // ... } } </pre>	<pre> if constexpr (requires { condition ; }) { if constexpr (condition) { // ... } } </pre>

§ 6.3 Pattern Combinators

Pattern combinators provide a way to succinctly combine multiple patterns.

```

or ( pattern-0 , ... , pattern-N )
and ( pattern-0 , ... , pattern-N )

```

Example:

This Paper	With or:
<pre> direction match { 'N' => f(); 'E' => g(); 'S' => f(); 'W' => g(); }; </pre>	<pre> direction match { or('N', 'S') => f(); or('E', 'W') => g(); }; </pre>
<pre> e match { A: let a => f(); B: let b => f(); C: let c => g(); }; </pre>	<pre> e match { or(A: let a, B: let b) => f(); C: let c => g(); }; </pre>

§ 6.4 Designator Support for Structured Bindings

This would extend structured bindings to allow designators (i.e. `.field_name`) to match on that field.

```

match-pattern
// ...
+ [ designator-0 : pattern-0 , ... , designator-N : pattern-N ]

binding-pattern
// ...
+ [ designator-0 : binding-pattern-0 , ... designator-N : binding-pattern-N ]

```

Example:

```
return scope match {
  GlobalScope: _ => Cxx::Scope::global();
  NamespaceScope: [.fact: let f] => Cxx::Scope::namespace_(f);
  ClassScope: [.fact: let f] => Cxx::Scope::recordWithAccess(f,
    access(acs));
  LocalScope: [.fact: let f] => Cxx::Scope::local(f);
//      ~~~~~
};
```

§ 6.5 Value-based discriminators

This would extend the alternative pattern to allow value-based discriminators.

```
discriminator:
  type-id
  type-constraint
+   constant-expression
```

From [Discussion on Variant-like Types](#), the example of `enum` values `value` and `error`:

```
enum class expected_state { value, error };

std::expected<int, parse_error> parse(std::string_view sv);

void f() {
  parse(some_input) match {
    using enum std::expected_state;
    value: let v => // ...
    error: let err => // ...
  };
}
```

variant<T, T>	expected<T, T>
<pre>void f(variant<int, int> v) { v match { 0: let first => // ... 1: let second => // ... }; }</pre>	<pre>void f(expected<int, int> e) { e match { 0: let value => // ... 1: let error => // ... }; }</pre>

§ 7 Implementation Experience

A Clang-based implementation is available at <https://github.com/mpark/llvm-project/tree/p2688-pattern-matching> (with option `-fpattern-matching`) and available on [Compiler Explorer](#) under x86-64 clang (pattern matching - P2688).

The following is a rough overview of the current status:

— Lexing

- `=>` is added as a new token
- `match`, `let`, and `_` added as context-sensitive keywords

— Parsing

— Structure

- Match test: `pm-expression match pattern`
- Match selection: `pm-expression match { pattern => expr; ... }`
- Match constexpr: `expr match constexpr { ... }`
- Trailing return type: `expr match -> int { ... }`
- Match cases: `pattern => expr;`, `pattern => jump-stmt;`, `pattern => {a, b};`
- Match case guards: `pattern if ( condition ) => expr;`
- Match test guards: `pair match let [x, y] if (x == y)`

— Patterns

- All of the proposed patterns: Wildcard, Constant, Parenthesized, Optional, Alternative, and Structured Bindings.
- *Missing*: “match-and-bind” (e.g. `[0, 1] let whole`)
- *Missing*: For alternative pattern, `type-id: pattern` is implemented but `type-constraint: pattern` is not yet.

— Semantic Analysis

- Type deduction: `auto f(char c) { return c match { 'a' => 0; 'b' => 1; }; }`
- AST Construction
- Type checking
- Inject bindings into the enclosing control statement. e.g. `if (expr match [0, let x]) { /* x available here */ }`
- *Missing*: Handling of templates
- *Missing*: More work needs to be done for jump-statement handlers (`break`, `continue`, etc), scope management, object lifetimes, etc. Similar concerns as `do` expressions: [P2806R2].

— Code Gen

- Most of constant evaluation has been implemented.
 - *Missing*: Handling jump-statements, injecting a stack where necessary (template arguments, default arguments, etc)

- *Missing*: For alternative pattern, `type-id: pattern, std::cast` specialization protocol is not implemented. Variant-like protocol and polymorphic types using `dynamic_cast` under the hood are implemented.
- *Missing*: Emitting actual code gen

§ 7.1 Parsing the `match` operator

Broadly speaking, in Clang, expressions are first parsed as a *cast-expression* with `ParseCastExpression`, then `ParseRHSOfBinaryExpression` looks ahead to see if there is an infix operator. If it finds an operator, it folds a sequence of RHS into LHS based on the associativity and precedence of the discovered operators.

The implementation first adds a `prec::Match` into the operator precedence table, then there are changes made to `ParseRHSOfBinaryExpression` to detect the upcoming `match` token. After we encounter a `match` token, if we have a `constexpr`, `->` or a `{` token, we have a match select expression `expr match { ... }`, otherwise we assume match test expression `expr match pattern`.

In the case of a match test expression, care is taken such that if *pattern* turns out to be an expression, we correctly parse it as *pm-expression*. This mostly just falls out of correct placement of `prec::Match` in the operator precedence table.

§ 7.2 Parsing the Parenthesized Pattern

For other patterns, the proposed solution is such that a leading pattern token takes us into pattern parsing. For example, `_` is a wildcard pattern, and it is so even if there is a variable named `_` in scope. On the other hand, `*_` is an expression that dereferences a variable `_`, because `*` takes us into expression parsing. Finally, `_ + 1` produces an error along the lines of "expected '=' after wildcard pattern". The leading `_` takes us into pattern parsing, even though `_ + 1` could be a valid expression.

```
expr match {
  _ => // wildcard pattern
  *_ => // dereference
  _ + 1 => // error: expected '=' after wildcard pattern
  let => // error: expected identifier or '[' after 'let'
  let x => // let pattern
  let [x] => // SB pattern
}
```

Now, without parenthesized pattern, a `(` would take us into expression parsing. It was considered to drop the parenthesized pattern for this simplicity. However, it's difficult to ignore that there is virtually no language that provide pattern matching without parenthesized patterns. Having them now I believe will also be better down the road in evolving the set of available patterns.

It turns out, the difficulty of parsing parenthesized pattern is not much harder than the difficulty of parsing parenthesized expressions. We already have parenthesized

expressions of the form `( expression )`, but this is a bit of a simplification as we also have cast expressions such as `(int)x`. We already can't just recurse into a `ParseExpression` upon seeing a `(`.

Even worse, the expression parsing today requires looking *past* the `)` to determine how to parse the expression. Given `T()`, we don't yet know whether the `T()` is a function type or a constructor call. In fact it changes based on what comes next.

```
(T()) * x // T() is a function type.    Cast of *x to T()
(T()) / x // T() is a constructor call. Same as T() / x
```

This involves blindly storing everything until the `)`, tentatively parsing what follows as a cast expression, then deciding what the `T()` means based on whether the cast expression parsing attempt succeeded or not. `* x` is a cast expression, so `T()` is a type, `/ x` is not a cast expression, so `T()` is an expression.

Equipped with that monstrosity, Clang basically tries to parse an expression that starts with `(` such as cast expression and fold expression, along with extensions such as statement expressions and compound literals. If that fails, it proceeds to parse `( expression )`.

For parenthesized patterns, the steps are similar:

1. If the token after the `(` is a `_`, `?`, `let`, or `[`, parse it as a pattern.
2. Otherwise, try parsing it as expression that starts with `(`.
3. Otherwise, parse it as `( pattern )`.
4. If the resulting pattern inside of the parenthesized pattern is an expression, convert it into an parenthesized expression and proceed parsing. (i.e. postfix, then RHS of binary operator) This handles situations like `(x) + y => // ...` so that we can proceed to parse the `+ y` with a parenthesized expression of `(x)`.

§ 8 Proposed Wording

§ 5.11 [lex.name] Identifiers

Add to 5.11 [lex.name]/2, Table 4:

- 2 The identifiers in Table 4 have a special meaning when appearing in a certain context. When referred to in the grammar, these identifiers are used explicitly rather than using the *identifier* grammar production. Unless otherwise specified, any ambiguity as to whether a given *identifier* has a special meaning is resolved to interpret the token as a regular *identifier*.

<code>final</code>	<code>import</code>	<code>module</code>	<code>override</code>	<code>match</code>	<code>let</code>
--------------------	---------------------	---------------------	-----------------------	--------------------	------------------

§ 5.8 [lex.operators] Operators and punctuators

Add to 5.8 [lex.operators]/1:

- 1 The lexical representation of C++ programs includes a number of preprocessing tokens that are used in the syntax of the preprocessor or are converted into tokens for operators and punctuators:

```
preprocessing-op-or-punc:
  preprocessing-operator
  operator-or-punctuator

preprocessing-operator: one of
  #      ##      %:      %::

operator-or-punctuator: one of
  {      }      [      ]      (      )
  <:      >:      <%      %>      ;      :      ...
  ?      ::      .      .*      ->      ->*      ~      ^
  !      +      -      *      /      %
  &      &      |
  =      +=      -=      *=      /=      %=      ^=
  &=      |=
  ==      !=      <      >      <=      >=      <=>
  &&      ||
  <<      >>      <<=      >>=      ++      --      ,
  ==>
  and      or      xor      not      bitand      bitor      compl
  and_eq    or_eq    xor_eq    not_eq
```

§ 7.6.5 [expr.mul] Multiplicative operators

Change 7.6.5 [expr.mul]/1:

- 1 The multiplicative operators `*`, `/`, and `%` group left-to-right.

```
multiplicative-expression:
-   pm-expression
+   match-expression
    multiplicative-expression * pm-expression
    multiplicative-expression / pm-expression
    multiplicative-expression % pm-expression
```

Add a new section after 7.6.4 [expr.mptr.oper]:

§ 7.6.4+1 [expr.match] Pattern matching expression

§ 7.6.4+1.1 [expr.match.general] General

- 1 Pattern matching expression groups left-to-right.

```
+ match-expression:
+   pm-expression
+   match-test-expression
```

```

+   match-select-expression
+
+ match-test-expression
+   pm-expression match constexpropt match-test-pattern match-guardopt
+
+ match-test-pattern
+   let-pattern
+   match-test-matching-pattern let-patternopt
+
+ match-test-matching-pattern:
+   -
+   pm-expression
+   ? match-test-pattern
+   discriminator : match-test-pattern
+   ( match-case-pattern )
+   [ match-case-pattern-list ]
+
+ let-pattern:
+   let binding-pattern
+
+ binding-pattern:
+   identifier
+   [ binding-pattern-list ]
+
+ binding-pattern-list:
+   binding-pattern
+   binding-pattern-list , binding-pattern
+
+ match-guard:
+   if ( init-statementopt condition )
+
+ match-select-expression
+   pm-expression match constexpropt trailing-return-typeopt { match-
+   case-seq }
+
+ match-case-seq:
+   match-case match-case-seqopt
+
+ match-case:
+   match-case-pattern match-guardopt => expr-or-braced-init-list ;
+   match-case-pattern match-guardopt => escape-statement ;
+
+ match-case-pattern:
+   let-pattern
+   match-case-matching-pattern let-patternopt
+
+ match-case-matching-pattern:
+   -
+   constant-expression
+   ? match-case-pattern
+   discriminator : match-case-pattern
+   ( match-case-pattern )
+   [ match-case-pattern-list ]
+

```

```

+ discriminator:
+   type-id
+   type-constraint
+
+ match-case-pattern-list:
+   match-case-pattern
+   match-case-pattern-list , match-case-pattern

```

- A pattern matching expression provides a concise way to compare a value against a sequence of patterns, and produce the corresponding expression.
- The *pm-expression* to the left of *match* is called the *subject expression*.
- A *pattern* is a construct used in *match-test-pattern* or *match-case-pattern* to describe the structure of the value being matched against.
- A pattern *matches* a value if a set of *matching conditions* are satisfied.
- The *expr-or-braced-init-list* to the right of *=>* in *match-case* is called the *result expression*.
- A *match-test-expression* is a prvalue of type `bool`. The result is `true` if *match-test-pattern* matches the subject expression and `false` otherwise.
- The type of a *match-select-expression* is the *trailing-return-type*. If the *trailing-return-type* is not present, it is considered to be `-> auto`. If the *trailing-return-type* contains a placeholder type, the type is deduced from the result expressions as described in 9.2.9.7 [dcl.spec.auto].
- A *match-select-expression* is an lvalue if the type is an lvalue reference type or an rvalue reference to function type, an xvalue if the type is an rvalue reference to object type, and a prvalue otherwise.

§ 7.6.4+1.2 [expr.pattern] Patterns

§ 7.6.4+1.3 [expr.pattern.wildcard] Wildcard Pattern

§ 7.6.4+1.4 [expr.pattern.let] Let Pattern

§ 7.6.4+1.5 [expr.pattern.const] Constant Pattern

§ 7.6.4+1.6 [expr.pattern.paren] Parenthesized Pattern

§ 7.6.4+1.7 [expr.pattern.optional] Optional Pattern

§ 7.6.4+1.8 [expr.pattern.alternative] Alternative Pattern

§ 7.6.4+1.9 [expr.pattern.struct.bind] Structured Bindings Pattern

§ 8.7.1 [stmt.jump.general] General

- ¹ Jump statements unconditionally transfer control.

```

jump-statement:
-   break ;
-   continue ;
-   return expr-or-braced-init-listopt ;
-   coroutine-return-statement
+   escape-statement
    goto identifier ;

+ escape-statement:
+   break ;
+   continue ;
+   return expr-or-braced-init-listopt ;
+   coroutine-return-statement

```

§ 9.2.9.7 [dcl.spec.auto] Placeholder type specifiers

§ 9.2.9.7.1 [dcl.spec.auto.general] General

- A placeholder type can appear in the *trailing-return-type* of a pattern matching expression ([*expr.match*]).
- If a pattern matching expression ([*expr.match*]) with a declared return type that contains a placeholder type has multiple non-discarded result expressions that are not *throw-expression*, the return type is deduced for each such result expression as though the result expression is the operand of a return statement of a function with the declared return type. If the type deduced is not the same in each deduction, the program is ill-formed.
- If a pattern matching expression ([*expr.match*]) with a declared return type that uses a placeholder type has no non-discarded result expressions that are not *throw-expression*, the return type is deduced as though from a return statement with no operand at the closing brace of the function body of a function with the declared return type.

§ 13.8.3.3 [temp.dep.expr] Type-dependent expressions

- 4 Expressions of the following forms are never type-dependent (because the type of the expression cannot be dependent):

```

literal
sizeof unary-expression
sizeof ( type-id )
sizeof ... ( identifier )
alignof ( type-id )
typeid ( expression )
typeid ( type-id )
::opt delete cast-expression
::opt delete [ ] cast-expression
throw assignment-expressionopt
noexcept ( expression )
requires-expression
+ match-test-expression

```

[*Note:* For the standard library macro `offsetof`, see 17.2 [\[support.types\]](#). — *end note*]

§ 9 Acknowledgements

Thank you to all of the following folks

- Corentin Jabot, Richard Smith, and Daveed Vandevoorde for their input on matching multiple values and implementation concerns.
- Matt Godbolt, for helping to get the implementation online on Compiler Explorer.
- Folks on the LLVM Discord who helped with the Clang implementation.
 - Specific thanks to [@Ætérnal](#), [@cor3ntin](#), and [@Aaron Ballman](#).
- Jens Maurer, for the time, effort, and guidance for wording work.
- Bruno Cardoso Lopes, specifically for his contributions to the implementation work.
- Bjarne Stroustrup for authoring [\[P3332R0\]](#) and email discussions regarding it.
- Zach Laine, Barry Revzin, and Bruno Cardoso Lopes for the encouragement and long discussions over much of what is proposed and discussed in this paper.
- David Sankel, Sergei Murzin, Bruno Cardoso Lopes, Dan Sarginson, and Bjarne Stroustrup for our prior work on [\[P1371R3\]](#).
- Herb Sutter for valuable feedback and the work done in [\[P2392R2\]](#).
- David Sankel, Sergei Murzin, Alex Chow, Yedidya Feldblum, and Jason Lucas for previous discussions.
- Everyone else who have had discussions about pattern matching and provided feedback in prior meetings and telecons!

§ 10 References

- [\[P0144R2\]](#) Herb Sutter. 2016-03-16. Structured Bindings.
<https://wg21.link/p0144r2>
- [\[P0480R1\]](#) Ville Voutilainen. 2018-10-08. Structured bindings with explicit types.
<https://wg21.link/p0480r1>
- [\[P1110R0\]](#) Jeffrey Yasskin, JF Bastien. 2018-06-07. A placeholder with no name.
<https://wg21.link/p1110r0>
- [\[P1371R3\]](#) Michael Park, Bruno Cardoso Lopes, Sergei Murzin, David Sankel, Dan Sarginson, Bjarne Stroustrup. 2020-09-15. Pattern Matching.
<https://wg21.link/p1371r3>
- [\[P1469R0\]](#) Sergei Murzin, Michael Park, David Sankel, Dan Sarginson. 2019-01-21. Disallow `_` Usage in C++20 for Pattern Matching in C++23.
<https://wg21.link/p1469r0>
- [\[P2162R2\]](#) Barry Revzin. 2021-02-18. Inheriting from `std::variant` (resolving LWG3052).
<https://wg21.link/p2162r2>

- [P2169R4] Corentin Jabot, Michael Park. 2023-06-16. A Nice Placeholder With No Name.
<https://wg21.link/p2169r4>
- [P2392R2] Herb Sutter. 2022-09-25. Pattern matching using `is` and `as`.
<https://wg21.link/p2392r2>
- [P2411R0] Bjarne Stroustrup. 2021-07-22. Thoughts on pattern matching.
<https://wg21.link/p2411r0>
- [P2688R0] Michael Park. 2022-10-16. Pattern Matching Discussion for Kona 2022.
<https://wg21.link/p2688r0>
- [P2688R1] Michael Park. 2024-02-15. Pattern Matching: ``match`` Expression.
<https://wg21.link/p2688r1>
- [P2688R2] Michael Park. 2024-09-17. Pattern Matching: ``match`` Expression.
<https://wg21.link/p2688r2>
- [P2688R3] Michael Park. 2024-10-16. Pattern Matching: ``match`` Expression.
<https://wg21.link/p2688r3>
- [P2806R2] Barry Revzin, Bruno Cardoso Lopez, Zach Laine, Michael Park. 2023-11-16.
do expressions.
<https://wg21.link/p2806r2>
- [P2927R0] Gor Nishanov. 2023-10-15. Observing exceptions stored in `exception_ptr`.
<https://wg21.link/p2927r0>
- [P2971R2] Walter E Brown. 2024-05-21. Implication for C++.
<https://wg21.link/p2971r2>
- [P3332R0] Bjarne Stroustrup. 2024-06-18. A simpler notation for PM.
<https://wg21.link/p3332r0>