

Document number	P3739R2
Date	2025-08-10
Reply-to	Jarrad J. Waterloo <descender76 at gmail dot com>
Audience	Library Working Group (LWG)

Standard Library Hardening - using `std::optional<T&>`

Table of contents

- Standard Library Hardening - using `std::optional<T&>`
 - Changelog
 - Abstract
 - Motivation
 - Wording
 - Impact on the standard
 - References

Changelog

R2

- added `Inspecting exception_ptr` ^[1] ^[2]
- added `define_static_{string,object,array}` ^[3]
- added more `const`
- added more formatting

Abstract

Utilize `std::optional<T&>` ^[4] and `T&` in the C++26 standard instead of `T*` order to harden it against null pointer dereference errors for similar memory safety reasons as Standard Library Hardening ^[5] and Minor additions to C++26 standard library hardening ^[6].

This was discussed during the standardization of `inplace_vector` ^[7] but could not be adopted since `std::optional<T&>` ^[4:1] was not sufficiently along in the C++26 standardization process. Now that `std::optional<T&>` ^[4:2] was adopted during the June 2025 Sophia meeting, it would be ideal that `inplace_vector` ^[7:1] and other superfluous instances of `T*` underwent minor revisions to better align it with the rest of C++26 and consequently provide a more robust interface.

The first request is that 3 of `inplace_vector`'s ^[7:2] modifiers be revised to return a `const std::optional<T&>` ^[4:3] instead of a pointer.

```
template< class... Args > constexpr pointerconst optional<T&> try_emplace_back(
    Args&&... args );

constexpr pointerconst optional<T&> try_push_back( const T& value );

constexpr pointerconst optional<T&> try_push_back( T&& value );
```

The second request is that `Inspecting_exception_ptr` ^[1:1] ^[2:1] be similarly revised.

```
template <class E> constexpr const E*const optional<const T&>
exception_ptr_cast(const exception_ptr& p) noexcept
```

The third request is that `define_static_{string,object,array}` ^[3:1] be similarly revised.

```
template <class T>
constexpr auto define_static_object(T&& v) -> remove_reference_t<T> const*const T&;
```

Motivation

Returning a pointer from these three methods are less than an ideal interface. The primary problem is that it leads to null pointer dereference errors. It is essentially a 100% unsafe interface. Now contrast that with the different iterations of `optional`.

While `optional<T>` can't be used as an alternative to pointer, in C++17 when it was standardized, `optional` had an equal number of unsafe and safe modifiers. The unsafe ones were `operator->` and `operator*` and the safe modifiers were `value` and `value_or`. In other words, `optional` was born with 50% null pointer dereference safety.

In C++23, the `and_then`, `transform` and `or_else` modifiers were added. This brought the total of modifiers to 5 of 7. The result is that 71% of all modifiers are safe from null pointer dereference errors.

However, only in C++26 with the advent of `std::optional<T&>` [4:4] does `optional` becomes a viable substitute for a nullable pointer. Also in this release is `std::optional` range support [8] which turns `optional` is a range of 0 or 1. This opens the door for 125 range algorithms and 34 range adapters to become null pointer dereference safe modifiers for `optional`. Those range algorithms and adapters are growing at a much faster rate than new modifiers being added to the `optional` class itself. This brings the modifier safety rating up to 98%. The original 2 unsafe modifiers and hence the remaining 2% are being addressed by Standard Library Hardening [5:1].

Besides the safety benefit, the monadic and range usage are more ergonomic than the legacy pointer based interface.

There are equivalent benefits for `exception_ptr_cast` [1:2] [2:2] and `define_static_object` [3:2].

Wording

23.3.16 Class template `inplace_vector` [`inplace.vector`]

23.3.16.1 Overview [`inplace.vector.overview`]

...

(5.3.3) — If

...

```
namespace std {  
template<class T, size_t N>  
class inplace_vector {  
public:
```

...

```
template< class... Args >  
constexpr pointerconst optional<T&> try_emplace_back( Args&&... args );  
  
constexpr pointerconst optional<T&> try_push_back( const T& value );  
  
constexpr pointerconst optional<T&> try_push_back( T&& value );
```

...

```
};  
}
```

...

23.3.16.5 Modifiers [inplace.vector.modifiers]

...

```
template<class... Args>  
constexpr pointerconst optional<T&> try_emplace_back(Args&&... args);  
constexpr pointerconst optional<T&> try_push_back(const T& x);  
constexpr pointerconst optional<T&> try_push_back(T&& x);
```

⁸ Let `vals` denote a pack:

(8.1) — `std::forward<Args>(args)...` for the first overload,

(8.2) — `x` for the second overload,

(8.3) — `std::move(x)` for the third overload.

⁹ *Preconditions:* `value_type` is Cpp17EmplaceConstructible into `inplace_vector` from `vals....`

- ¹⁰ *Effects*: If `size() < capacity()` is true , appends an object of type `T` direct-non-list-initialized with `vals....` . Otherwise, there are no effects.
- ¹¹ *Returns*: `nullptr` if `size() == capacity()` is true , otherwise `addressof(back())` .
- ¹² *Throws*: Nothing unless an exception is thrown by the initialization of the inserted element.
- ¹³ *Complexity*: Constant.
- ¹⁴ *Remarks*: If an exception is thrown, there are no effects on `*this` .

Impact on the standard

Other than `inplace_vector` ^[7:3], `Inspecting_exception_ptr` ^[1:3] ^[2:3] and `define_static_{string,object,array}` ^[3:3] which are all three completely new to the standard, there are no other changes to the library standard and since `C++26` has not be released, this tweak is not expected to cause any problems.

The proposed changes are relative to the current working draft `N5008` ^[9].

References

1. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p2927r3.html> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p2927r3.html>)    
2. <https://wiki.edg.com/pub/Wg21sofia2025/StrawPolls/P3748R0.html> (<https://wiki.edg.com/pub/Wg21sofia2025/StrawPolls/P3748R0.html>)    
3. <https://wiki.edg.com/pub/Wg21sofia2025/StrawPolls/p3491r3.html> (<https://wiki.edg.com/pub/Wg21sofia2025/StrawPolls/p3491r3.html>)    
4. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p2988r12.pdf> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p2988r12.pdf>)     
5. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p3471r4.html> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p3471r4.html>)  
6. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p3697r0.html> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/p3697r0.html>) 
7. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2024/p0843r14.html> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2024/p0843r14.html>)    

8. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2024/p3168r2.html> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2024/p3168r2.html>) 
9. <https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/n5008.pdf> (<https://www.open-std.org/jtc1/sc22/wg21/docs/papers/2025/n5008.pdf>) 