

SE2 Project Plan Document

Edoardo Giacomello Mattia Fontana

January 25, 2016

Contents

1	Introduction	2
1.1	Revision History	2
1.2	Purpose and Scope	2
1.2.1	Purpose	2
1.2.2	Scope	2
1.3	List of Definitions and Abbreviations	2
1.4	List of Reference Documents	3
2	Project Size and Cost Estimation	4
2.1	Project Size: Function Points	4
2.1.1	Complexity Weights	4
2.1.2	ILF: Internal Logical Files	5
2.1.3	EIFs (External Interface Files)	5
2.1.4	EIs (External Inputs)	5
2.1.5	EQs (External Inquiries)	6
2.1.6	EOs (External Outputs)	6
2.1.7	UFPs (Un-adjusted Function-Points)	6
2.2	Effort and Cost Estimation: COCOMO	7
2.2.1	Source Lines of Code (SLOC)	7
2.2.2	Scale Drivers	8
2.2.3	Cost Drivers	9
2.2.4	Effort Equation	12
2.2.5	Schedule Estimation	12
3	Tasks and Schedule	14
3.1	RASD :	14
3.2	DD :	14
3.3	Inspection Document :	14
3.4	Testing :	14
3.5	Planning :	15
3.6	Gantt Diagram :	15
4	Resources Allocation	15
5	Risks and Management	15
6	Work Hours	15

1 Introduction

1.1 Revision History

1.2 Purpose and Scope

1.2.1 Purpose

The purpose of this document is to provide an estimation of the size, the costs and the possible risks in the development context for the MyTaxiServiceSystem.

1.2.2 Scope

The scope of this document is the planning and allocation of resources designated at the MyTaxiServicesoftware development. This document represent a starting point in cost and effort estimation.

1.3 List of Definitions and Abbreviations

FP - Function Points : Function points measure a software project by quantifying the information processing functionality associated with major external data or control input, output, or file types.

RET - Record Element Type : A RET is user recognizable sub group of data elements within an ILF or an EIF.

DET - Data Element Type A DET is a unique user recognizable, non-recursive (non-repetitive) field. A DET is information that is dynamic and not static. A dynamic field is read from a file or created from DETs contained in a FTR. Additionally, a DET can invoke transactions or can be additional information regarding transactions. If a DET is recursive then only the first occurrence of the DET is considered not every occurrence.

EI - External Input : Every unique user data or user control input type that enters the external boundary of the software system being measured

EO - External Output : Every unique user data or control output type that leaves the external boundary of the software system being measured.

ILF - Internal Logical File : Every major logical group of user data or control information that is generated, used or maintained by the software system

EIF - External Interface File : Files that are passed or shared between different software systems.

EQ - External Inquiry Every unique input-output combination, where input causes and generates an immediate output.

1.4 List of Reference Documents

- Assignment 1: Project Description
- MyTaxiServiceRequirement and Specification Analysis Document
- MyTaxiServiceDesign Document

2 Project Size and Cost Estimation

2.1 Project Size: Function Points

2.1.1 Complexity Weights

In the evaluation of the complexity weights we referred to this table:

Table 2. FP Counting Weights			
For Internal Logical Files and External Interface Files			
Data Elements			
<u>Record Elements</u>	<u>1 - 19</u>	<u>20 - 50</u>	<u>51+</u>
1	Low	Low	Avg.
2 - 5	Low	Avg.	High
6+	Avg.	High	High
For External Output and External Inquiry			
Data Elements			
<u>File Types</u>	<u>1 - 5</u>	<u>6 - 19</u>	<u>20+</u>
0 or 1	Low	Low	Avg.
2 - 3	Low	Avg.	High
4+	Avg.	High	High
For External Input			
Data Elements			
<u>File Types</u>	<u>1 - 4</u>	<u>5 - 15</u>	<u>16+</u>
0 or 1	Low	Low	Avg.
2 - 3	Low	Avg.	High
3+	Avg.	High	High

2.1.2 ILF: Internal Logical Files

The data model resides in the database, which is typically counted as a single ILF which is structured as follow:

Name	RET	DET	Complexity
Zone	1	6	Low
Location	1	3	Low
Taxi	1	5	Low
Requests and Reservations	1	8	Low
Account	1	8	Low
Logs	1	≤ 4	Low

2.1.3 EIFs (External Interface Files)

The system does not rely on files that resides on external systems

2.1.4 EIs (External Inputs)

Name	RET	DET	Complexity
Login / Logout / Registration	1: Account	≤ 8	Low
TaxiProbe	1: Location	3	Low
TaxiReservation input and processing	2 Account, Reservation, Zones, Taxi	16	High
DriverResponse	1	3 (ReqId + TaxiId + Accepted)	Low
DriverNotification	1	3 (ReqId + TaxiId + Completed)	Low
LocationUpdate	1: Location	3	Low
BackupDatabase	n.a.		Avg
RestoreDatabase	n.a		Avg

2.1.5 EIQs (External Inquiries)

Name	RET	DET	Complexity
ShowProfile	1	8	Low
ShowAccounts	1	8	Low
ShowTaxiList	2	16	Avg
ShowLogs	n.a.		Avg

2.1.6 EOs (External Outputs)

Name	RET	DET	Complexity
TaxiProbeResponse	1	5(Taxi + Location)	Low
Confirmation	1Reservation	8	Low
Notification	1Reservation	8	Low
DriverRequest	1Reservation	8	Low

2.1.7 UFPs (Un-adjusted Function-Points)

Name	Low	Avg	High	Total
ILF	6*7	0	0	42
EIFs	0	0	0	0
EIs	5*3	2 *4	1*6	29
EIQs	2*3	2*4	0	14
EOs	4*4	0	0	16
UFP	79	16	6	101

2.2 Effort and Cost Estimation: COCOMO

All the tables used in this analysis have been taken from COCOMO II, Model Definition Manual at:

http://csse.usc.edu/csse/research/COCOMOII/cocomo2000.0/CH_modelman2000.0.pdf

Elements of the COCOMO II model:

- Source Lines of Code (SLOC)
- Scale Drivers
- Cost Drivers
- The Effort Equation
- The Effort Adjustment Factor
- The Schedule Equation
- The SCED (Schedule Constraints) Cost Driver

2.2.1 Source Lines of Code (SLOC)

101 FPs * 53 = 5353 SLOC

Where 53 is found from this table :

Table 4. UFP to SLOC Conversion Ratios

Language	Default SLOC / UFP	Language	Default SLOC / UFP
Access	38	Jovial	107
Ada 83	71	Lisp	64
Ada 95	49	Machine Code	640
AI Shell	49	Modula 2	80
APL	32	Pascal	91
Assembly - Basic	320	PERL	27
Assembly - Macro	213	PowerBuilder	16
Basic - ANSI	64	Prolog	64
Basic - Compiled	91	Query – Default	13
Basic - Visual	32	Report Generator	80
C	128	Second Generation Language	107
C++	55	Simulation – Default	46
Cobol (ANSI 85)	91	Spreadsheet	6
Database – Default	40	Third Generation Language	80
Fifth Generation Language	4	Unix Shell Scripts	107
First Generation Language	320	USR_1	1
Forth	64	USR_2	1
Fortran 77	107	USR_3	1
Fortran 95	71	USR_4	1
Fourth Generation Language	20	USR_5	1
High Level Language	64	Visual Basic 5.0	29
HTML 3.0	15	Visual C++	34
Java	53		

2.2.2 Scale Drivers

We use this table :

Table 10. Scale Factor Values, SF_j , for COCOMO II Models

Scale Factors	Very Low	Low	Nominal	High	Very High	Extra High
PREC SF_j :	thoroughly unprecedented 6.20	largely unprecedented 4.96	somewhat unprecedented 3.72	generally familiar 2.48	largely familiar 1.24	thoroughly familiar 0.00
FLEX SF_j :	rigorous 5.07	occasional relaxation 4.05	some relaxation 3.04	general conformity 2.03	some conformity 1.01	general goals 0.00
RESL SF_j :	little (20%) 7.07	some (40%) 5.65	often (60%) 4.24	generally (75%) 2.83	mostly (90%) 1.41	full (100%) 0.00
TEAM SF_j :	very difficult interactions 5.48	some difficult interactions 4.38	basically cooperative interactions 3.29	largely cooperative 2.19	highly cooperative 1.10	seamless interactions 0.00
PMAT SF_j :	The estimated Equivalent Process Maturity Level (EPML) or					
	SW-CMM Level 1 Lower 7.80	SW-CMM Level 1 Upper 6.24	SW-CMM Level 2 4.68	SW-CMM Level 3 3.12	SW-CMM Level 4 1.56	SW-CMM Level 5 0.00

for defining the following parameters:

Scale Driver	Factor	Value
Precedentedness	Low	4.96
Development Flexibility	High	2.03
Architecture / Risk Resolution	Very High	1.41
Team Cohesion	Nominal	3.29
Process Maturity	High	3.12
Total :	/	14.81

Analysis of the results :

- Precedentedness : Low, the team was not expert with business scale projects.
- Development Flexibility: High, the project has been structured in a way that facilitates further changes.
- Architecture / Risk Resolution: Reflects the extent of risk analysis carried out, most of risk was deleted.

- Team Cohesion : Reflects how well the development team know each other and work together, this is Nominal because this is the first project that we do together.
- Process Maturity : This was evaluated around the 18 Key Process Area (KPA's) in the SEI Capability Model.

2.2.3 Cost Drivers

Cost Driver	Factor	Value
Required Software Reliability	Very Low	0.82
Data Base Size	Low	0.90
Product Complexity	High	1.17
Required Reusability	High	1.07
Documentation match to life-cycle needs	Nominal	1.00
Execution Time Constraint	High	1.11
Main Storage Constraint	Nominal	1.00
Platform Volatility	Very Low	n/a
Analyst Capability	High	0.85
Programmer Capability	High	0.88
Application Experience	Low	1.10
Personnel continuity	Very Low	1.29
Platform Experience	Low	1.09
Language and Tool Experience	Low	1.09
Usage of Software Tools	Nominal	1.00
Multisite development	Extra High	0.80
Required development schedule	High	1.00
Total :	/	16.17/17=0.95

For define this table we use the information contained in these tables :
Required Software Reliability : Very Low, some slight inconvenience is allowed if recovered in a short time.

Table 17. RELY Cost Driver

RELY Descriptors:	slight inconvenience	low, easily recoverable losses	moderate, easily recoverable losses	high financial loss	risk to human life	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	0.82	0.92	1.00	1.10	1.26	n/a

Data Base Size : P=5353 SLOC D= 640 KB D/P=8.364

Table 18. DATA Cost Driver

DATA* Descriptors		Testing DB bytes/Pgm SLOC < 10	10 ≤ D/P < 100	100 ≤ D/P < 1000	D/P ≥ 1000	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	n/a	0.90	1.00	1.14	1.28	n/a

Product Complexity: high according to the new COCOMO II CPLEX rating scale.

Table 20. CPLX Cost Driver

Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	0.73	0.87	1.00	1.17	1.34	1.74

Required Reusability:

Table 21. RUSE Cost Driver

RUSE Descriptors:		none	across project	across program	across product line	across multiple product lines
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	n/a	0.95	1.00	1.07	1.15	1.24

Documentation match to life-cycle needs:

Table 22. DOCU Cost Driver

DOCU Descriptors:	Many life-cycle needs uncovered	Some life-cycle needs uncovered.	Right-sized to life-cycle needs	Excessive for life-cycle needs	Very excessive for life-cycle needs	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	0.81	0.91	1.00	1.11	1.23	n/a

Execution Time Constraint:

Table 23. TIME Cost Driver

TIME Descriptors:			≤ 50% use of available execution time	70% use of available execution time	85% use of available execution time	95% use of available execution time
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	n/a	n/a	1.00	1.11	1.29	1.63

Main Storage Constraint:

Table 24. STOR Cost Driver

STOR Descriptors:			≤ 50% use of available storage	70% use of available storage	85% use of available storage	95% use of available storage
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	n/a	n/a	1.00	1.05	1.17	1.46

Platform Volatility:

Table 25. PVOL Cost Driver

PVOL Descriptors:		Major change every 12 mo.; Minor change every 1 mo.	Major: 6 mo.; Minor: 2 wk.	Major: 2 mo.; Minor: 1 wk.	Major: 2 wk.; Minor: 2 days	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	n/a	0.87	1.00	1.15	1.30	n/a

Analyst Capability:

Table 26. ACAP Cost Driver

ACAP Descriptors:	15th percentile	35th percentile	55th percentile	75th percentile	90th percentile	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.42	1.19	1.00	0.85	0.71	n/a

Programmer Capability:

Table 27. PCAP Cost Driver

PCAP Descriptors	15th percentile	35th percentile	55th percentile	75th percentile	90th percentile	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.34	1.15	1.00	0.88	0.76	n/a

Application Experience:

Table 29. APEX Cost Driver

APEX Descriptors:	≤ 2 months	6 months	1 year	3 years	6 years	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.22	1.10	1.00	0.88	0.81	n/a

Platform Experience:

Table 30. PLEX Cost Driver

PLEX Descriptors:	≤ 2 months	6 months	1 year	3 years	6 year	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.19	1.09	1.00	0.91	0.85	n/a

Language and Tool Experience:

Table 31. LTEX Cost Driver

LTEX Descriptors:	≤ 2 months	6 months	1 year	3 years	6 year	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.20	1.09	1.00	0.91	0.84	

Personnel continuity:

Table 28. PCON Cost Driver

PCON Descriptors:	48% / year	24% / year	12% / year	6% / year	3% / year	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.29	1.12	1.00	0.90	0.81	

Usage of Software Tools:

Table 32. TOOL Cost Driver

TOOL Descriptors	edit, code, debug	simple, frontend, backend CASE, little integration	basic life-cycle tools, moderately integrated	strong, mature life-cycle tools, moderately integrated	strong, mature, proactive life-cycle tools, well integrated with processes, methods, reuse	
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.17	1.09	1.00	0.90	0.78	n/a

Multisite development:

Table 33. SITE Cost Driver

SITE: Collocation Descriptors:	Inter- national	Multi-city and Multi- company	Multi-city or Multi- company	Same city or metro. area	Same building or complex	Fully collocated
SITE: Communications Descriptors:	Some phone, mail	Individual phone, FAX	Narrow band email	Wideband electronic communication.	Wideband elect. comm., occasional video conf.	Interactive multimedia
Rating Levels	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multipliers	1.22	1.09	1.00	0.93	0.86	0.80

Required development schedule:

Table 34. SCED Cost Driver

SCED Descriptors	75% of nominal	85% of nominal	100% of nominal	130% of nominal	160% of nominal	
Rating Level	Very Low	Low	Nominal	High	Very High	Extra High
Effort Multiplier	1.43	1.14	1.00	1.00	1.00	n/a

2.2.4 Effort Equation

$$Effort = A * EAF * (KSLOC)^E$$

Where:

- $A = 2.94$
- $EAF =$ product of all the cost drivers, equal to : 0.95 ;
- $E =$ exponent derived from Scale Drivers. Is calculated as:
 $B + 0.01 * \sum\{i\} SF[i] := B + 0.01 * 14.81 = 0.91 + 0.1481 = 1.0581$;
in which B is equal to: 0.91 for COCOMO.2000 .
- $KSLOC =$ estimated lines of code using the FP analysis: 5,353

$$Effort = 2.94 * 0.95 * 5,353^{1.0581} = 16.4816 Person - months$$

2.2.5 Schedule Estimation

$$Duration := 3.67 * Effort^F$$

Where:

- $F := 0.28 + 0.2 * (E - B) = 0.28 + 0.2 * (1.0581 - 0.91) = 0.30962$

The estimated project duration is:

$$Duration = 3.67 * 16.4816^{0.30962} = 8.739 = 9 Months$$

The estimation of the team size for this project is:

$$P = Effort / Duration = 16.4816 / 9 = 1.83 = 2 People$$

We want to give a more precise estimation adjusting some Scale Driver. To evaluate the COCOMO II and determine the effort required to complete the software project we also used an online tool (<http://csse.usc.edu/tools/COCOMOII.php>). This is the result of the online tool:



COCOMO II - Constructive Cost Model

Software Size Sizing Method Source Lines of Code

[SLOC](#)

	% Design Modified	% Code Modified	% Integration Required	Assessment and Assimilation (0% - 8%)	Software Understanding (0% - 50%)	Unfamiliarity (0-1)
New	5353					
Reused		0	0			
Modified						

Software Scale Drivers

Precedentedness	Low	Architecture / Risk Resolution	Very High	Process Maturity	High
Development Flexibility	High	Team Cohesion	Nominal		

Software Cost Drivers

Product	Personnel	Platform	Project
Required Software Reliability	Very Low	Analyst Capability	High
Data Base Size	Low	Programmer Capability	High
Product Complexity	High	Personnel Continuity	Very Low
Developed for Reusability	High	Application Experience	Low
Documentation Match to Lifecycle Needs	Nominal	Platform Experience	Low
		Language and Toolset Experience	Low
		Use of Software Tools	Nominal
		Multisite Development	Extra High
		Required Development Schedule	High

Maintenance Off

Software Labor Rates

Cost per Person-Month (Dollars) 2000

Calculate

Results


Software Development (Elaboration and Construction)

Effort = 15.4 Person-months
 Schedule = 11.8 Months
 Cost = \$30851

Total Equivalent Size = 5353 SLOC

Acquisition Phase Distribution

Phase	Effort (Person-months)	Schedule (Months)	Average Staff	Cost (Dollars)
Inception	0.9	1.5	0.6	\$1851
Elaboration	3.7	4.4	0.8	\$7404
Construction	11.7	7.4	1.6	\$23447
Transition	1.9	1.5	1.3	\$3702



Software Effort Distribution for RUP/MBASE (Person-Months)

Phase/Activity	Inception	Elaboration	Construction	Transition
Management	0.1	0.4	1.2	0.3
Environment/CM	0.1	0.3	0.6	0.1
Requirements	0.4	0.7	0.9	0.1
Design	0.2	1.3	1.9	0.1
Implementation	0.1	0.5	4.0	0.4
Assessment	0.1	0.4	2.8	0.4
Deployment	0.0	0.1	0.4	0.6

Your output file is http://csse.usc.edu/tools/data/COCOMO_January_23_2016_06_20_49_490696.txt

Created by Ray Madachy at the Naval Postgraduate School. For more information contact him at rjmadach@nps.edu

3 Tasks and Schedule

3.1 RASD :

- Identify the project objectives.
- Describe the structure and functions of the project.
- Define the specific requirements.
- Identify the use cases and scenarios.
- Representing UML diagrams.
- Representing the model in Alloy.
- Latex document.

3.2 DD :

- Describe the architecture of the system.
- Describe component view and deployment view.
- Describe runtime view and component interfaces.
- Describe algorithm design.
- Define user interface design.
- Latex document.

3.3 Planning:

- Define Function points.
- Define effort and cost estimation : Cocomo.
- Describe tasks for the project and the schedule.
- Define the risks.
- Latex document.

3.4 Development

- Web Service
- Mobile Application
- Back-end
- Database
- Documentation

3.5 Unit Testing

- Web Service
- Mobile Application
- Back-end
- Database
- Documentation

3.6 Integration Testing:

- Describe integration strategy.
- Define individual steps and test description.
- Define program stubs.
- Latex document.


3.7 Inspection:

- Define functional rules.
- Describe assignment checklist.
- Latex document.

4 Resources Allocation and Gantt Diagram

Here is presented the resource (team members) allocation with the relative deadline for each task. If a deadline is not present it means that that task is not assigned to the team member.

Task ID	Description	Giacomello	Fontana
---------	-------------	------------	---------



5 Risks and Management

6 Work Hours

- **Edoardo Giacomello:**
- **Mattia Fontana:**