

BOOMCARD

Admin Operations Handbook

Venue onboarding, receipt templates, verification,
fraud detection, and cashback management

Version 2.2 — April 2026

CONFIDENTIAL — Internal Use Only


1. Access & Login Credentials

1.1 URLs

Environment	Service	URL
Production	Partner Dashboard (Vercel)	https://boomcard.bg
Production	Admin Login	https://boomcard.bg/login
Production	Backend API (Fly.io, Frankfurt)	https://boomcard-api.fly.dev
Production	Mobile Web App (Vercel)	https://mobile.boomcard.bg
Development	Partner Dashboard	http://localhost:5173
Development	Backend API	http://localhost:3000
Development	Prisma Studio (DB browser)	http://localhost:5555

1.2 Admin Login

Field	Value
Email	admin@boomcard.bg
Password	<i>(contact system administrator)</i>
Role	SUPER_ADMIN
Login URL (production)	https://boomcard.bg/login
Login URL (development)	http://localhost:5173/login



Login Page

1.3 API Login (cURL)

```
POST https://boomcard-api.fly.dev/api/auth/login
Content-Type: application/json
{ "email": "admin@boomcard.bg", "password": "<your-password>" }
```


Page	Route
Partner Types	/admin/partner-types
Partner Onboarding	/admin/partner-onboarding
Receipt Review	/admin/receipts
Sticker Scan Review	/admin/scan-review
Cashback Management	/admin/cashback
Offers Management	/admin/offers
Top Discounts	/admin/top-discounts
Bulk Import	/admin/bulk-import
Receipt Templates	/admin/receipt-templates
Venue Fraud Config	/admin/venue-fraud-config
Merchant Whitelist	/admin/merchant-whitelist

2.3 Environment Variables

The Vercel deployment uses these env vars (set in `vercel.json`):

Variable	Value
VITE_API_URL	https://boomcard-api.fly.dev
VITE_API_BASE_URL	https://boomcard-api.fly.dev/api

3. Venue (Partner) Onboarding

BoomCard separates Partners (business entities) from Venues (physical locations). A Partner can own multiple Venues. Partners are assigned a PartnerType (e.g., BASIC, GOLD, VIP) that caps their maximum discount rate.

3.1 Onboarding via Admin Wizard (Recommended)

Onboarding на партньор
Boom Card | Партньорски онбординг вълшебник

1 2 3 4 5

Бизнес и обекти

ОСНОВНА ИНФОРМАЦИЯ

Държава: България Град: Илханов град

Име на компанията: Компанията или на фирмата

Класически сайт на фирмата: https://www.google.com/

VAT / EORI номер: BG123456789 Релеф / Телефон: 0800 123456

Почтен адрес: 1000 София, България

Адрес на фирмата: 1000 София, България

Във външен обект: Обект в Boom Card

Описание на локацията

Кратко описание на локацията: Кратко описание, което ще се вижда от потребителите...

Контактна лице: Именно лице, което ще бъде регистрирано като Обект 1. Добавете допълнителна информация.

Допълнителна информация

Добави обект

Окончание Напред

Boom Card | Продукт | Контент | Правна информация | Помощник на партньора

© 2024 Boom Card. Всички права запазени.

Partner Onboarding Wizard

Dashboard route: <https://boomcard.bg/admin/partner-onboarding>

The 5-step wizard collects:

- Step 1 — Business info: legal name, VAT number, contact email
- Step 2 — Primary address, city, GPS coordinates
- Step 3 — Partner type selection & discount rate
- Step 4 — Additional venues (optional, up to 50)
- Step 5 — Social media, contract details, internal notes

On submit, the system creates both a User (PARTNER role) and Partner record in a single DB transaction. A random password is generated; the partner uses 'Forgot Password' to set theirs.

```
POST /api/partners/onboard (admin only)
```

3.2 Direct Partner Creation

```
POST /api/partners (admin only)
```

For existing users with PARTNER role. Validates $\text{discountRate} \leq \text{PartnerType's maxDiscountRate}$.

3.3 Venue Creation

```
POST /api/venues (partner or admin)
```

Required: partnerId, name, address, city. Partners can only create under their own record.

3.4 Venue Menu Upload

```
POST /api/venues/:id/menu (partner owner or admin)
```

- Accepts up to 20 images per request, max 20 MB each
- Formats: JPEG, PNG, WebP
- Uploads to S3 under venue-menus/ folder
- DELETE /api/venues/:id/menu clears all menu images

3.5 Partner Profile Edit Approval

When a partner edits their profile, changes are stored in pendingChanges and require admin approval.

- Approve: POST /api/partners/:id/approve
- Reject: POST /api/partners/:id/reject
- Admin direct edits take effect immediately

4. Partner & Sticker Status Lifecycle

4.1 Partner Statuses

Status	Effect	Transition
PENDING	Partner created but not yet verified. Not visible to end users.	Set on creation
ACTIVE	Fully operational. Visible to users. verifiedAt auto-set if null.	Admin sets via PUT /api/partners/:id
SUSPENDED	Temporarily disabled. Hidden from public views (GET /api/partners returns 404).	Admin sets via PUT /api/partners/:id
INACTIVE	Permanently disabled. Hidden from public views.	Admin sets via PUT /api/partners/:id

INFO: When a partner is SUSPENDED or INACTIVE, their venues and offers remain in the DB but are inaccessible because the partner no longer appears in public queries.

4.2 Sticker Statuses

Status	Meaning	Can Be Scanned?
PENDING	Created but not yet printed/activated	No
ACTIVE	Printed and active (printedAt and activatedAt set)	Yes
INACTIVE	Temporarily disabled	No
DAMAGED	Needs physical replacement	No
RETIRED	Permanently removed from service	No

NOTE: Only ACTIVE stickers can be scanned. The scan validation rejects non-ACTIVE stickers with the message 'Sticker is [status]'. There is currently no REST

endpoint to change sticker status beyond activation — status changes require direct DB operations.

5. Subscription Plans & Access Control

5.1 Subscription Plans

Plan	Price	Max Cashback	Payout Threshold
LIGHT (Premium Weekly)	EUR 6.99/week	Up to 20%	EUR 10
BASIC	EUR 8.99/month	Up to 10%	EUR 20
PREMIUM	EUR 13.99/month	Up to 20%	EUR 15

Начало

Топ отстъпки

BOOM Места

Изживявания

Партньори

Q

Admin

Partner Types

Define partner categories, their discount rate caps, and subscription plan access rules.

Create Type

TYPE	MAX DISCOUNT	COLOR	PLAN ACCESS	ACTIVE	ACTIONS
TEST_OPEN 0 partner(s)	25%	#6b7288	BASIC, PREMIUM, LIGHT	ACTIVE	Edit Delete
BASIC Entry-level partner — up to 10% discount 0 partner(s)	10%	#6b7288	LIGHT, BASIC, PREMIUM	ACTIVE	Edit Delete
LIGHT Mid-tier partner — up to 20% discount 0 partner(s)	20%	#1e355f	BASIC, PREMIUM	ACTIVE	Edit Delete
PREMIUM Top-tier partner — up to 20% discount 0 partner(s)	20%	#1c1917	PREMIUM	ACTIVE	Edit Delete

BOOM Card

Ексклузивни отстъпки и специални предложения в ресторанти, хотели, СПА центрове и изживявания в цяла България.

Продукт

Как работи / FAQ
FAQ
Мобилен приложение
Цени
Партньорска мрежа

Компания

За нас
Контакт
Страни партньор

Правна информация

Политика за поверителност
Общи условия
Политика за сигурност
Политика за възстановяване
Политика за бисквитки
Настройки на бисквитките

Последвайте ни

Facebook
Instagram
LinkedIn
Twitter

Споделете

© 2026 BOOM Card. Всички права запазени.

Partner Types

5.2 Plan-to-PartnerType Access Control (PlanTypeAccess)

Each subscription plan has configurable access rules per PartnerType. The PlanTypeAccess table defines which plans can view and redeem at which partner types.

Field	Type	Purpose
plan	LIGHT / BASIC / PREMIUM	The subscription plan
partnerTypeId	UUID	The partner type (e.g., BASIC, GOLD, VIP)
canView	Boolean	Can the user see this partner's offers?
canRedeem	Boolean	Can the user scan/redeem at this partner?

5.3 Enforcement

At sticker scan time, the system checks if the user's plan can redeem at the partner's type:

```
partnerTypeService.getRedeemableTypeIdsForPlan(userPlan)
```

If the partner's type is not in the result, the scan is rejected with:

```
"Your current subscription does not include access to this partner.  
Upgrade your plan to scan this venue."
```

Admin manages access rules at: <https://boomcard.bg/admin/partner-types>

```
PUT /api/admin/partner-types/:id (sets PlanTypeAccess rules)
```

5.4 Upgrade Credit Rates

When a user upgrades their subscription, a pro-rated wallet credit is issued:

Upgrade Path	Credit %	Notes
LIGHT (Weekly) → PREMIUM (Monthly)	100%	Full remaining weekly value credited
BASIC → PREMIUM	60%	Anti-abuse: only 60% of remaining value credited
All other transitions	0%	No credit issued

Formula: $\text{planPrice} \times \text{remainingFraction} \times \text{creditPercentage}$, converted EUR→BGN at 1.95583.

6. Receipt Templates & Multiple Receipt Types

6.1 Why Receipt Templates?

Receipt templates are reference images uploaded by the admin for each venue. Submitted receipts are compared against templates using visual hashing, merchant name matching, and keyword detection to catch fraudulent receipts from other establishments.


6.2 Multiple Receipt Types Per Venue

A single venue can produce different receipt formats. Each needs its own template:

Receipt Type	Source	Characteristics
Fiscal Receipt (Фискален Бон)	Cash register (fiscal printer)	Compact thermal paper; merchant name, EIK, items, ОБЩА СУМА (total), QR code, fiscal memory number. Standard NRA format.
POS Terminal Receipt (Бележка от ПОС)	Card payment terminal	Longer format; card type (Visa/MC), masked PAN (XXXX-XXXX), auth code, transaction ID, ОДОБРЕНА/ОТКАЗАНА status.
Restaurant System Receipt	Software POS (e.g., Barsy)	Custom format. Table number, server name, items, total in EUR+BGN. No fiscal QR code.

INFO: Example: Bar "КАФЕ-БАР" (КИТ ЕООД, ул. Аксаков 10А, София) produces both fiscal cash register receipts and POS card payment receipts. Upload a template for each.

6.3 Uploading Templates (Admin)



Receipt Templates

Dashboard route: <https://boomcard.bg/admin/receipt-templates>

Steps:

1. Select the venue from the dropdown
2. Click 'Upload Template'
3. Upload a clear photo of the receipt
4. Enter the Merchant Name as printed (e.g., 'КИТ ЕООД')
5. Add Expected Keywords comma-separated (e.g., 'КАФЕ-БАР, Аксаков, ФИСКАЛЕН БОН')
6. Optionally add a description (e.g., 'Cash register receipt')
7. Submit — perceptual hash (dHash) computed automatically

```
POST /api/receipts/venues/:venueId/templates
Content-Type: multipart/form-data
Fields: image (file), merchantName (required), description,
        expectedKeywords (JSON string[])
```

6.4 Template Matching Algorithm

Component	Default Weight	Method
Visual similarity	0.5 (50%)	Perceptual hash (dHash) Hamming distance. 16x16 grid, 240-bit hash.

Component	Default Weight	Method
Merchant name	0.3 (30%)	Jaccard token overlap with Cyrillic support.
Keyword presence	0.2 (20%)	Fraction of expectedKeywords found in OCR text.

Default minimum similarity threshold: 0.6 (60%). Below = +35 fraud points. All weights configurable per venue.

NOTE: If no templates are configured, or hash unavailable, system fails open — no penalty. Template matching must be explicitly enabled per venue.

7. Receipt Scanning & Submission (Mobile App)

7.1 Submission Flow (QR Sticker Required)

All receipt submissions require scanning a venue QR sticker first. The direct receipt upload path (Path A) was retired in April 2026 — the legacy endpoints (`POST /api/receipts/upload` , `/submit` , `/ocr`) now return **410 Gone**.

See **Section 18** for the full sticker scanning flow (QR scan → receipt upload → bill amount completion).

7.2 Live Photo Enforcement

- EXIF DateTimeOriginal checked; photos older than 30 minutes rejected
- Photos taken before QR session start also rejected (PRE_SESSION check)
- Timezone: Europe/Sofia
- Disable via env: `RECEIPT_LIVE_PHOTO_ENFORCEMENT=off`

7.3 Server-Side Processing

- SHA-256 hash for exact deduplication
- Perceptual hash (dHash) for near-duplicate detection
- Image uploaded to S3 (receipts/ folder)
- Single-use ReceiptUploadToken issued (1-hour TTL) — see Section 8
- Server-side OCR via Tesseract.js (Bulgarian + English, 2 concurrent workers)
- Merchant name verification: token-set overlap, threshold 0.5, mismatch = +40 fraud points
- All receipts go to MANUAL_REVIEW — no auto-approve

7.4 Minimum Bill Amount

MinBillAmount is enforced during the sticker scan flow:

Flow	Behavior	Default
Sticker scan	Hard reject — scan refused entirely with	0 (no minimum)

Flow	Behavior	Default
	error: 'Minimum bill amount is X BGN'	

Configure per venue via VenueStickerConfig.minBillAmount.

8. Upload Token Security

The ReceiptUploadToken prevents replay attacks and ensures image integrity:

Property	Implementation
Generation	256-bit cryptographic random (crypto.randomBytes(32).toString('hex'))
TTL	1 hour (TOKEN_TTL_MS = 3,600,000 ms). Expired tokens purged by nightly cron.
One-time use	Atomic consume: UPDATE ... WHERE consumedAt IS NULL. No TOCTOU gap.
User binding	consume() requires both token AND userId to match. Cross-user use blocked.
Server-side hash binding	Token stores imageHash (SHA-256), perceptualHash (dHash), livePhotoOk, imageUrl, imageKey — all computed server-side. /submit trusts ONLY these bound values.
Error opacity	Returns null for any failure (expired, consumed, wrong user, unknown) without distinguishing failure mode.

9. Device Fingerprint Tracking

Device fingerprints detect users switching devices (potential account sharing or fraud).

9.1 Fingerprint Components

The client sends a JSON object with 4 fields. The server computes a canonical SHA-256 hash:

```
SHA-256( JSON.stringify({
  installationId: "...",
  platform: "...",
  osVersion: "...",
  appVersion: "..."
}) )
```

Both the hash and raw JSON are stored on Receipt and StickerScan records.

9.2 Fraud Scoring

Scenario	Points	Threshold
Brand-new device, user has multiple known devices	+25	Device not seen in 90-day history
Brand-new device, first submission or single-device user	+15	Device not seen in 90-day history
Rarely-used device, user has 3+ devices	+15	Fewer than 3 submissions with this device in 90 days

Lookback window: 90 days. A device becomes 'familiar' after 3 submissions.

10. Verification & Manual Approval

INFO: All receipts and sticker scans require manual admin approval. No auto-approve path. Fraud score thresholds (30/60) are for risk-level labels and alert notifications only.

10.1 Receipt Review

The screenshot shows the 'Преглед на бележки' (Receipt Review) dashboard. At the top, there's a navigation bar with links: Начало, Топ отстъпки, BOOM Места, Изживявания, and Партньори. A search bar and user profile (Admin) are on the right. Below the navigation, the title 'Преглед на бележки' is followed by a subtitle: 'Всички бележки изискват одобрение — потвърдете, за да кредитирате кешбек'. The main area features five colored boxes representing different statuses: 'Чакащи' (0), 'За преглед' (0), 'Потвърдени' (0), 'Отхвърлени' (0), and 'Кредитиран кешбек (лв)' (0.00). Below these boxes are filter buttons: 'Всички', 'Чакащи', 'За преглед', 'Потвърдени', and 'Отхвърлени'. A large empty box with the text 'Няма бележки' (No receipts) and 'Няма намерени бележки' (No receipts found) is shown. At the bottom, there's a dark footer with links for BOOM Card, Product, Company, Legal information, and Follow us, along with a copyright notice: '© 2026 BOOM Card. Всички права запазени.'

Receipt Review

Dashboard: <https://boomcard.bg/admin/receipts>

Shows fraud score, merchant name, amounts, cashback, status badges.
Filterable by status.

Approve:

- Admin can provide verifiedAmount to override OCR amount
- Cashback recalculated with verified amount + subscription tier
- Wallet credited atomically (rollback on failure)
- Email + in-app notification sent to user

Reject:


- Requires rejectionReason (mandatory)
- Email + in-app notification sent to user

Concurrency: atomic reviewedBy: null claim prevents double-review.

Bulk Operations:

```
POST /api/receipts/bulk-approve
POST /api/receipts/bulk-reject
```

10.2 Sticker Scan Review



Sticker Scan Review

Dashboard: <https://boomcard.bg/admin/scan-review>

- Approve: POST /api/stickers/admin/approve/:scanId
- Reject: POST /api/stickers/admin/reject/:scanId
- Creates Transaction record and credits wallet on approval
- Pre-checks wallet lock status before crediting

11. Receipt & Scan Status Reference

11.1 Receipt Statuses (ReceiptStatus enum – 7 values)


Status	Description
PENDING	Awaiting OCR processing
PROCESSING	OCR in progress
VALIDATING	Fraud checks running
MANUAL_REVIEW	Flagged for admin review (all receipts land here)
APPROVED	Approved by admin; cashback credited to wallet
REJECTED	Rejected by admin
EXPIRED	Too old to process (exceeded processing window)

11.2 Sticker Scan Statuses (ScanStatus enum – 7 values)

Status	Description
SESSION_ACTIVE	QR scanned, session open, awaiting receipt upload
EXPIRED	Session deadline passed (6 AM next day) without receipt submission
PENDING	Receipt submitted, waiting for processing
VALIDATING	OCR processing in progress
MANUAL_REVIEW	Flagged for admin review
APPROVED	Approved; cashback credited
REJECTED	Rejected (fraud, invalid, etc.)

12. Fraud Detection & Scoring

12.1 Per-Venue Fraud Configuration



Venue Fraud Config

Dashboard: <https://boomcard.bg/admin/venue-fraud-config>

Category	Settings
Cashback	cashbackPercent, premiumBonus, platinumBonus, minBillAmount, maxCashbackPerScan
Rate Limiting	maxScansPerDay, maxScansPerMonth
Fraud Detection	gpsVerificationEnabled, gpsRadiusMeters (100m), ocrVerificationEnabled, autoApproveThreshold (30), autoRejectThreshold (60)
Template Matching	templateMatchEnabled (off), visual/merchant/keyword weights, similarity thresholds

12.2 Fraud Score Indicators

Check	Points	Details
Duplicate image (SHA-256)	+40	Exact binary match
Near-identical (dHash $\leq$ 10 bits)	+35	Perceptual hash very close
Similar image (dHash 11-20 bits)	+15	Perceptual hash moderate
Large amount mismatch (>50%)	+30	OCR vs. user amount
Moderate amount mismatch (>20%)	+15	OCR vs. user amount
GPS far (>500m)	+25	Far from venue
GPS outside range (>200m)	+15	Outside normal range
Low OCR confidence (<50%)	+20	Unreliable OCR
Moderate OCR confidence (<70%)	+10	Somewhat unreliable
Daily limit exceeded	+30	Submission rate exceeded
Monthly limit exceeded	+30	Submission rate exceeded
Blacklisted merchant	+50	On the blacklist
Whitelisted merchant	-10	Trusted merchant
Rapid submissions (3+ in 5min)	+15	Burst fraud attempt
Unusual time (2-6 AM)	+10	Suspicious hours
New device (multi-device)	+25	Brand-new device, user has history
New device (single-device)	+15	First submission or single device
Rare device (multi-device)	+15	Infrequently used device
Template mismatch	+35	Doesn't match venue templates

Check	Points	Details
Merchant name mismatch (OCR)	+40	Server-side OCR merchant $\neq$ venue
Amount too low	+10	Below venue's minBillAmount
Premium card holder	-5	Score reduction
Basic card holder	-3	Score reduction

12.3 Risk Level Labels

Score	Label	Admin Action
0-29	Low Risk	Review normally
30-59	Medium Risk	Check receipt image and GPS carefully
60+	High Risk	Fraud alert sent to all admins; review with scrutiny

13. Fraud Alert Notifications

When a receipt's fraud score reaches ≥ 60 (FRAUD_ALERT_SCORE_THRESHOLD), notifications are sent automatically:

Channel	Recipients	Content
In-app notification	All ADMIN and SUPER_ADMIN users	Receipt ID, user ID, fraud score, fraud reasons. Priority: HIGH.
Email	All admins with email addresses	Fraud alert email with receipt details. Sent fire-and-forget.

INFO: Push notifications are NOT sent for fraud alerts. FCM integration is stubbed but the fraud alert code path only uses in-app notifications + email.

14. Cashback Rules & Limitations

14.1 Cashback Matrix

Depends on partner's discount rate + user's active subscription. No subscription = zero cashback.

Partner Discount	Basic Plan	Premium / Light Plan
5%	5%	5%
10%	5%	8%
15%	8%	12%
20%	10%	16%
25%	10%	20%

Nearest step not exceeding partner's discount is used. <5% = 0%. Basic capped at 10%.

14.2 Cashback Validity

- Expires after 60 days from earning
- Estimated credit time: 7 days after admin approval
- Currency: Fixed EUR/BGN rate of 1.95583 (Bulgaria currency board)

14.3 Per-User Cashback Caps (Rolling Windows)

Rolling windows (24h / 30 days), not calendar resets:

Cap	Default	Configurable
Per scan	Unlimited	VenueFraudConfig.maxCashbackPerScan
Per day (24h rolling)	Unlimited	VenueFraudConfig
Per month (30-day rolling)	Unlimited	VenueFraudConfig

NOTE: If cap-check DB query fails, cashback is BLOCKED (zeroed) with CRITICAL log. Never uncapped on error.

14.4 Partner Cashback Payments

\$ Платания кешбек
Проследявайте задълженията на партньорите за кешбек

Дължимо (лв)	Платено този месец (лв)	Просрочени партньори	Активни партньори
0.00	0.00	0	0

Всички Чакащи Просрочени Платени Април 2026

Няма активност за избраните филтри

BOOM Card
Ексклузивни отстъпки и специални предложения в ресторанти, хотели, СПА центрове и изживявания в цяла България.

Продукт
Как работи / FAQ
FAQ
Мобилен приложение
Цени
Партньорска мрежа

Компания
За нас
Контакт
Стани партньор

Правна информация
Политика за поверителност
Общи условия
Политика за сигурност
Политика за възстановяване
Политика за бисквитки
Настройки на бисквитките

Последвайте ни
Facebook
Instagram
LinkedIn
Twitter
Споделете

© 2026 BOOM Card. Всички права запазени.

Cashback Management

Dashboard: <https://boomcard.bg/admin/cashback>

- Aggregates approved receipts by partner/month
- Tracks PartnerCashbackPayment status: PENDING / PAID / OVERDUE
- Can send reminder emails to partners
- Per-partner monthly receipt reconciliation

15. Cashback Rate Admin Override

The hardcoded cashback matrix (Section 14.1) can be overridden with versioned DB rates.

15.1 CashbackRate Model

Field	Type	Purpose
discountStep	Int (5/10/15/20/25)	Partner discount percentage step
basic	Float	User cashback % for Basic plan
premium	Float	User cashback % for Light/Premium plans
effectiveFrom	DateTime	When this rate set takes effect
createdBy	String?	Admin user who created the rate
notes	String?	Reason for rate change

15.2 How Override Works

For each discount step, the system queries CashbackRate for the most recent row where $\text{effectiveFrom} \leq \text{now}$. If found, DB rate is used. If not, falls back to hardcoded CASHBACK_MATRIX.

15.3 Admin API

Method	Endpoint	Purpose
GET	/api/admin/cashback/rates	Full rate history
GET	/api/admin/cashback/rates/current	Currently effective rates
POST	/api/admin/cashback/rates	

Method	Endpoint	Purpose
		Create new versioned rate set (all 5 steps required)
GET	/api/admin/cashback/summary	Per-partner monthly summaries
GET	/api/admin/cashback/stats	Dashboard stats cards
POST	/api/admin/cashback/:partnerId/:month/mark-paid	Mark payment as paid
POST	/api/admin/cashback/:partnerId/remind	Send email reminder to partner

16. Receipt Approval Limitations & Rate Limits

16.1 Submission Rate Limits

Limit	Default	Fraud Points
Daily submission limit	Unlimited	+30
Monthly submission limit	Unlimited	+30
Per-venue daily scans	999999	+30
Per-venue monthly scans	999999	+30

16.2 Rapid Submission Detection

3+ receipts in 5 minutes = +15 fraud points.

16.3 Sticker Scan Deadline

Receipt must be submitted by 6:00 AM Sofia time the morning after QR scan.


16.4 Deduplication

Method	Scope	Behavior
SHA-256 hash	Exact duplicate	Checked before S3 upload to save storage
Perceptual hash (dHash)	Near-duplicate	≤ 10 bits = +35 pts; 11-20 bits = +15 pts
Receipt SHA-256	Receipt table	Checks APPROVED/ PENDING/ MANUAL_REVIEW only (REJECTED excluded for re-submit)

16.5 Other Limits

- Suspicious time window: 2-6 AM = +10 fraud points
- Max receipt file size: 10 MB
- Allowed formats: JPEG, PNG, WebP
- OCR concurrency: 2 workers (configurable via OCR_MAX_CONCURRENT env)

17. Merchant Whitelist



Merchant Whitelist

Dashboard: <https://boomcard.bg/admin/merchant-whitelist>

Status	Effect on Fraud Score
APPROVED	-10 points (trusted merchant)
BLOCKED	+50 points (blacklisted)
PENDING	No effect

```
GET /api/receipts/merchants/whitelist
POST /api/receipts/merchants/whitelist
PATCH /api/receipts/merchants/whitelist/:id
```

18. Sticker Scanning Flow

18.1 Sticker Lifecycle

1. Create locations — POST /api/stickers/locations (TABLE/BAR/COUNTER)
2. Generate stickers — POST /api/stickers/generate/:locationId
3. Activate stickers — POST /api/stickers/activate/:stickerId
4. Print QR codes — JSON: { type, venueId, locationId, stickerId, version }

18.2 User Scanning (Two Steps)

Step 1: QR Scan

```
POST /api/stickers/session
```

- Validates sticker is ACTIVE and venueId matches
- Validates QR version ≥ 1.0
- Checks user's card + subscription access (PlanTypeAccess)
- GPS always mandatory — within gpsRadiusMeters (default 100m)
- Creates StickerScan with status SESSION_ACTIVE

Step 2: Receipt Upload

```
POST /api/stickers/scan/:scanId/receipt
```

- Live-photo EXIF check against session start
- SHA-256 dedup before S3 upload
- Server-side OCR merchant verification (async)
- Scan moves to MANUAL_REVIEW

18.3 Bill Amount Completion

```
POST /api/stickers/scan
```

- Deadline: 6:00 AM Sofia time the morning after
- Hard-rejects if billAmount < minBillAmount

- Calculates cashback via matrix

18.4 GPS Configuration

Setting	Value	Notes
Client-side (mobile)	60 meters	Hardcoded GPS_CONFIG.MAX_RADIUS_METERS
Server-side (authoritative)	100m default	Configurable per venue via VenueStickerConfig

19. Wallet Management

19.1 Wallet Lock/Unlock

Wallets can be locked to prevent any credits, debits, or payout requests.

Field	Type	Purpose
isLocked	Boolean (default false)	Whether the wallet is frozen
lockedReason	String?	Why the wallet was locked
lockedAt	DateTime?	When the lock was applied

19.2 Auto-Lock Triggers

- Wallet auto-locks when a payout reversal fails
- lockedReason: 'Payout reversal failed: ... Manual review required.'
- Both credit() and debit() throw immediately if wallet is locked

19.3 Admin Access

NOTE: There is no admin REST endpoint for wallet lock/unlock. The WalletService has lockWallet(userId, reason) and unlockWallet(userId) methods, but they are not exposed via API. Wallet lock/unlock must be done via Prisma Studio or direct DB operations.

19.4 Payout Fields

- payoutIban — user's bank account IBAN
- payoutBeneficiaryName — name on the bank account

20. Admin Dashboard Routes Reference

Управление на Партньори
Създавайте и управлявайте партньорски профили и техните нива

Търсене по име... Всички типове Всички статуси

ПАРТНЬОР	КАТЕГОРИЯ	НИВО	ОТСТЪПКА	СТАТУС
Test Venue 5% Sofia	Restaurant	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай
Test Venue 10% Sofia	Restaurant	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай
Test Venue 15% Sofia	Restaurant	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай
Test Venue 20% Sofia	Restaurant	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай
Test Venue 25% Sofia	Restaurant	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай
Shakespeare Hospitality EOOD Sofia	Bar	TEST_OPEN 25%	ACTIVE	+ QR + Обект Меню Редактирай

BOOM Card
Ексклузивни отстъпки и специални предложения в ресторанти, хотели, СПА центрове и изживявания в цяла България.

Продукт
Как работи / FAQ
FAQ
Мобилен приложение
Цени
Партньорска мрежа

Компания
За нас
Контакт
Стани партньор

Правна информация
Политика за поверителност
Общи условия
Политика за сигурност
Политика за възстановяване
Политика за бисквитки
Настройки на бисквитките

Последвайте ни
Facebook
Instagram
LinkedIn
Twitter
Споделете

© 2026 BOOM Card. Всички права запазени.


Partners Management

URL Path	Page	Deployed?
https://boomcard.bg/admin	Dashboard	Yes
https://boomcard.bg/admin/partners	Partners Management	Yes
https://boomcard.bg/admin/partner-types	Partner Types + Access Control	Yes
https://boomcard.bg/admin/partner-onboarding	Partner Onboarding Wizard	Yes
https://boomcard.bg/admin/receipts	Receipt Review	Yes
https://boomcard.bg/admin/scan-review	Sticker Scan Review	Yes


URL Path	Page	Deployed?
https://boomcard.bg/admin/cashback	Cashback + Rate Management	Yes
https://boomcard.bg/admin/offers	Offers Management	Yes
https://boomcard.bg/admin/top-discounts	Top Discounts	Yes
https://boomcard.bg/admin/bulk-import	Bulk Import	Yes
https://boomcard.bg/admin/receipt-templates	Receipt Templates	Yes
https://boomcard.bg/admin/venue-fraud-config	Venue Fraud Config	Yes
https://boomcard.bg/admin/merchant-whitelist	Merchant Whitelist	Yes

The screenshot displays the BOOM Card website's 'Manage Offers' interface. At the top, there's a navigation bar with links: Начало, Топ отстъпки, BOOM Места, Изживявания, and Партньори. A search bar and a user profile 'AU Admin' are also present. The main heading is 'Manage Offers' with a subtitle 'Create and manage offers for all partners — bilingual titles, photos, tags, discounts, and access settings.' and a '+ Create Offer' button. Below this is a search bar 'Search offers...' and filters for 'All Partners' and 'All Statuses'. A table with columns: OFFER, PARTNER, TYPE, DISCOUNT, STATUS, *, TAGS, and ACTIONS is shown. The table is currently empty with the message 'No offers match your filters.' At the bottom, there's a footer with five columns of links: BOOM Card, Продукт, Компания, Правна информация, and Последвайте ни. The footer also includes a copyright notice: '© 2026 BOOM Card. Всички права запазени.'

Offers Management



Top Discounts



Bulk Import

API Endpoints Quick Reference

Production base: <https://boomcard-api.fly.dev> | Dev: <http://localhost:3000>

Method	Endpoint	Purpose
POST	/api/auth/login	Admin/partner login
POST	/api/partners/onboard	Onboard new partner
POST	/api/partners/:id/approve	Approve partner changes
POST	/api/partners/:id/reject	Reject partner changes
POST	/api/venues	Create venue
POST	/api/venues/:id/menu	Upload venue menu images (up to 20)
POST	/api/receipts/upload	Retired (410 Gone) — use sticker scan flow
POST	/api/receipts/submit	Retired (410 Gone) — use sticker scan flow
POST	/api/receipts/:id/review	Approve/reject (action: APPROVE REJECT)
POST	/api/receipts/bulk-approve	Bulk approve
POST	/api/receipts/bulk-reject	Bulk reject
POST	/api/receipts/venues/:id/templates	Upload receipt template
GET	/api/receipts/venues/:id/templates	List templates
POST	/api/stickers/session	Start scan session (QR)
POST	/api/stickers/scan/:id/receipt	Upload receipt for scan
POST	/api/stickers/scan	Complete with bill amount
POST	/api/stickers/admin/approve/:id	Approve scan
POST	/api/stickers/admin/reject/:id	Reject scan
GET	/api/receipts/merchants/whitelist	List whitelist
POST	/api/admin/cashback/rates	Create new cashback rate set
GET	/api/admin/cashback/rates/current	Get effective rates

