

■ BOOTSTRAP EXERCISES — STUDENT INSTRUCTIONS

(Using LOCAL Bootstrap files)

A. BEFORE YOU START (IMPORTANT)

Step 1: Download Bootstrap (LOCAL)

1. Open your browser.
2. Go to the official Bootstrap website:

👉 <https://getbootstrap.com/docs/5.3/getting-started/download/>

3. Under **Compiled CSS and JS**, click **Download**.
4. Extract the ZIP file.

You will need these files:

- bootstrap.min.css
- bootstrap.bundle.min.js

⚠ Important:

Always use **bootstrap.bundle.min.js** because it already includes Popper (required for navbar, modal, dropdowns).

B. PROJECT FOLDER SETUP

Step 2: Create your folders

Create a main folder named:

lastname_bootstrap_activities

Inside it, create the following structure:

lastname_bootstrap_activities/

```
|
|
|— assets/
|  └─ bootstrap/
|     └─ css/
|        └─ bootstrap.min.css
|     └─ js/
|        └─ bootstrap.bundle.min.js
```

```
|
├─ activity1.html
├─ activity2.html
├─ activity3.html
├─ activity4.html
└─ activity5.html
```

C. BASE TEMPLATE (USE FOR ALL ACTIVITIES)

Step 3: Copy this starter code

Paste this into **every activity file** (activity1.html to activity5.html):

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-
scale=1.0">

  <title>Bootstrap Activity</title>


  <!-- LOCAL BOOTSTRAP CSS -->

  <link rel="stylesheet"
href="assets/bootstrap/css/bootstrap.min.css">

</head>

<body>


  <!-- CONTENT GOES HERE -->


  <!-- LOCAL BOOTSTRAP JS -->

  <script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>

</body>

</html>
```

- ✗ Do NOT use CDN links
- ✓ Use only local Bootstrap files

ACTIVITY 1 — Responsive Profile Cards

Objective

Learn how to use **Bootstrap Grid** and **Cards**.

Steps

1. Open activity1.html
2. Inside <body>, create a container.
3. Add a row and three columns:
 - col-12 (mobile)
 - col-md-6 (tablet)
 - col-lg-4 (desktop)
4. Inside each column:
 - Add a card
 - Add a circular image (rounded-circle)
 - Add name, role, short description
 - Add **Message** and **View** buttons

✓ Expected Output:

Responsive profile cards that adjust based on screen size.

ACTIVITY 2 — KPI Dashboard Cards

Objective

Practice **cards**, **badges**, **spacing utilities**.

Steps

1. Open activity2.html
2. Add a page title: "SRMS Dashboard"
3. Create a row with **4 columns**
4. Each column must contain:

- Card
- Big number (e.g. Total Students)
- Badge (success, warning, danger, etc.)
- Short description

 Expected Output:

A dashboard-style KPI row.

ACTIVITY 3 — Navbar + Sections (IT Sectors)

Objective

Learn **navbar**, **anchor links**, **sections**, **layout**.

Steps

1. Open activity3.html
2. Create a dark navbar with links:
 - Business
 - Education
 - Health
 - Communication
3. Each navbar link must scroll to its section.
4. Each section must have:
 - Title
 - Two columns:
 - Left: paragraph
 - Right: list group
5. Add a **Back to Top** button at the bottom.

 Expected Output:

A one-page website with working navigation.

ACTIVITY 4 — Student Registration Form

Objective

Use **Bootstrap forms and validation styles**.

Steps

1. Open activity4.html
2. Center a card in the page.
3. Inside the card, create a form with:
 - Full Name
 - Email (with is-invalid)
 - Course (select)
 - Year Level (select)
 - Agreement checkbox
4. Add Submit and Reset buttons aligned to the right.

Expected Output:

A clean registration form with validation UI.

ACTIVITY 5 — Payments Table + Modal

Objective

Practice **tables, buttons, and modals**.

Steps

1. Open activity5.html
2. Add a table with:
 - OR No.
 - Student
 - Description
 - Amount
 - Date
 - Action buttons
3. Add an **Add Payment** button.
4. Clicking the button must open a **Bootstrap Modal**.
5. Modal must contain:

- OR No.
- Student Name
- Description
- Amount
- Payment Type

 Expected Output:

A UI-only payment module with modal form.

 REMINDERS

- ✓ Use **LOCAL Bootstrap only**
- ✓ Follow the folder structure correctly
- ✓ Save files properly before testing
- ✓ Open HTML files in the browser to check output

Source Code

✅ activity1.html — Responsive Profile Cards

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Activity 1 - Profile Cards</title>

  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">

</head>

<body class="bg-light">

  <div class="container py-4">

    <h3 class="mb-3">Activity 1: Responsive Profile Cards</h3>

    <p class="text-muted">Goal: Display 3 cards on desktop, 2 on tablet, and 1 on mobile.</p>

    <div class="row g-3">

      <!-- CARD 1 -->

      <div class="col-12 col-md-6 col-lg-4">

        <div class="card shadow-sm h-100">

          <div class="card-body text-center">

            

            <h5 class="mb-0">Luz Paron</h5>

            <small class="text-muted">Student</small>

            <p class="mt-2 small">

              Loves technology and enjoys building web pages using Bootstrap.

            </p>

          </div>

        </div>

      </div>

    </div>

  </div>

</body>

</html>
```

```
<div class="d-grid gap-2 d-sm-flex justify-content-sm-center">
  <button class="btn btn-primary">Message</button>
  <button class="btn btn-outline-secondary">View</button>
</div>
</div>
</div>
</div>
```

```
<!-- CARD 2 -->
```

```
<div class="col-12 col-md-6 col-lg-4">
  <div class="card shadow-sm h-100">
    <div class="card-body text-center">
      
      <h5 class="mb-0">Cora Tan</h5>
      <small class="text-muted">Designer</small>

      <p class="mt-2 small">
        Focuses on clean layout, good spacing, and modern UI design.
      </p>
    </div>
  </div>
</div>
```

```
<div class="d-grid gap-2 d-sm-flex justify-content-sm-center">
  <button class="btn btn-primary">Message</button>
  <button class="btn btn-outline-secondary">View</button>
</div>
</div>
</div>
</div>
```

```
<!-- CARD 3 -->
```



```

<div class="col-12 col-md-6 col-lg-4">
  <div class="card shadow-sm h-100">
    <div class="card-body text-center">
      
      <h5 class="mb-0">Nanny Go Wang</h5>
      <small class="text-muted">Developer</small>

      <p class="mt-2 small">
        Interested in dashboards, forms, and admin layout using Bootstrap.
      </p>

      <div class="d-grid gap-2 d-sm-flex justify-content-sm-center">
        <button class="btn btn-primary">Message</button>
        <button class="btn btn-outline-secondary">View</button>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>

<script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

activity2.html — KPI Dashboard Cards

```

<!DOCTYPE html>

<html lang="en">

<head>

```

```
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Activity 2 - KPI Dashboard</title>
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
</head>
<body class="bg-light">
```

```
<div class="container py-4">
  <h3 class="mb-1">SRMS Dashboard</h3>
  <p class="text-muted">Key indicators overview</p>
```

```
<div class="row g-3">
  <!-- KPI 1 -->
  <div class="col-12 col-md-6 col-lg-3">
    <div class="card shadow-sm">
      <div class="card-body">
        <div class="d-flex justify-content-between align-items-start">
          <div>
            <div class="text-muted small">Total Students</div>
            <h2 class="mb-0">1,245</h2>
          </div>
          <span class="badge bg-success">Updated today</span>
        </div>
        <div class="small text-muted mt-2">All enrolled learners</div>
      </div>
    </div>
  </div>
  <!-- KPI 2 -->
```

```
<div class="col-12 col-md-6 col-lg-3">

<div class="card shadow-sm">

  <div class="card-body">

    <div class="d-flex justify-content-between align-items-start">

      <div>

        <div class="text-muted small">Total Teachers</div>

        <h2 class="mb-0">58</h2>

      </div>

      <span class="badge bg-primary">Active</span>

    </div>

    <div class="small text-muted mt-2">Teaching personnel</div>

  </div>

</div>

</div>
```

```
<!-- KPI 3 -->

<div class="col-12 col-md-6 col-lg-3">

<div class="card shadow-sm">

  <div class="card-body">

    <div class="d-flex justify-content-between align-items-start">

      <div>

        <div class="text-muted small">Payments Collected</div>

        <h2 class="mb-0">₱245K</h2>

      </div>

      <span class="badge bg-warning text-dark">This week</span>

    </div>

    <div class="small text-muted mt-2">Total collections</div>

  </div>

</div>
```

</div>

<!-- KPI 4 -->

<div class="col-12 col-md-6 col-lg-3">

<div class="card shadow-sm">

<div class="card-body">

<div class="d-flex justify-content-between align-items-start">

<div>

<div class="text-muted small">Pending Requests</div>

<h2 class="mb-0">12</h2>

</div>

Attention

</div>

<div class="small text-muted mt-2">Needs approval</div>

</div>

</div>

</div>

</div>

</div>

<script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>

</body>

</html>

activity3.html — Navbar + Sections (IT Sectors)

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

```

<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Activity 3 - IT Sectors</title>
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
</head>
<body>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark sticky-top">
  <div class="container">
    <a class="navbar-brand" href="#">IT Sectors</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navMenu">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navMenu">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item"><a class="nav-link" href="#business">Business</a></li>
        <li class="nav-item"><a class="nav-link" href="#education">Education</a></li>
        <li class="nav-item"><a class="nav-link" href="#health">Health</a></li>
        <li class="nav-item"><a class="nav-link" href="#communication">Communication</a></li>
      </ul>
    </div>
  </div>
</nav>

<!-- BUSINESS -->
<section id="business" class="py-5 bg-light">
  <div class="container">

```

```
<h3 class="mb-3">IT in Business</h3>
<div class="row g-3">
  <div class="col-md-6">
    <p>IT improves productivity through automation, analytics, and secure transactions.</p>
  </div>
  <div class="col-md-6">
    <ul class="list-group">
      <li class="list-group-item">Automation</li>
      <li class="list-group-item">Data Analytics</li>
      <li class="list-group-item">E-commerce</li>
      <li class="list-group-item">Cybersecurity</li>
    </ul>
  </div>
</div>
</div>
</section>
```

```
<!-- EDUCATION -->
<section id="education" class="py-5">
  <div class="container">
    <h3 class="mb-3">IT in Education</h3>
    <div class="row g-3">
      <div class="col-md-6">
        <p>IT supports learning through online platforms, digital resources, and student systems.</p>
      </div>
      <div class="col-md-6">
        <ul class="list-group">
          <li class="list-group-item">E-learning Platforms</li>
          <li class="list-group-item">Digital Resources</li>
        </ul>
      </div>
    </div>
  </div>
</section>
```

```
    <li class="list-group-item">Student Information Systems</li>
    <li class="list-group-item">Gamification</li>
  </ul>
</div>
</div>
</div>
</section>
```

```
<!-- HEALTH -->
```

```
<section id="health" class="py-5 bg-light">
```

```
  <div class="container">
```

```
    <h3 class="mb-3">IT in Health</h3>
```

```
    <div class="row g-3">
```

```
      <div class="col-md-6">
```

```
        <p>IT improves healthcare through records management, telemedicine, and AI diagnostics.</p>
```

```
      </div>
```

```
      <div class="col-md-6">
```

```
        <ul class="list-group">
```

```
          <li class="list-group-item">Electronic Health Records</li>
```

```
          <li class="list-group-item">Telemedicine</li>
```

```
          <li class="list-group-item">Wearable Devices</li>
```

```
          <li class="list-group-item">AI Diagnostics</li>
```

```
        </ul>
```

```
      </div>
```

```
    </div>
```

```
  </div>
</section>
```

```
<!-- COMMUNICATION -->
```

```
<section id="communication" class="py-5">

<div class="container">

  <h3 class="mb-3">IT in Communication</h3>

  <div class="row g-3">

    <div class="col-md-6">

      <p>IT enables real-time messaging, video calls, collaboration, and social media networking.</p>

    </div>

    <div class="col-md-6">

      <ul class="list-group">

        <li class="list-group-item">Instant Messaging & Email</li>

        <li class="list-group-item">Social Media Platforms</li>

        <li class="list-group-item">Video Conferencing</li>

        <li class="list-group-item">Cloud Collaboration</li>

      </ul>

    </div>

  </div>

</div>

</section>
```

```
<div class="container pb-5">

  <a href="#" class="btn btn-dark">Back to top</a>

</div>
```

```
<script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>

</body>

</html>
```

activity4.html — Student Registration Form (Validation UI)

```
<!DOCTYPE html>
```



```
<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Activity 4 - Registration Form</title>

  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">

</head>

<body class="bg-light">

  <div class="container py-5">

    <div class="row justify-content-center">

      <div class="col-12 col-md-8 col-lg-6">

        <div class="card shadow-sm">

          <div class="card-body">

            <h4 class="mb-3">Student Registration</h4>

            <form>

              <div class="mb-3">

                <label class="form-label">Full Name</label>

                <input type="text" class="form-control" placeholder="Enter full name">

              </div>

              <div class="mb-3">

                <label class="form-label">Email</label>

                <input type="email" class="form-control is-invalid" placeholder="Enter email">

                <div class="invalid-feedback">Please enter a valid email.</div>

              </div>

              <div class="mb-3">
```

```
<label class="form-label">Course</label>

<select class="form-select">

  <option selected disabled>Select course</option>

  <option>BSIT</option>

  <option>BSBA</option>

  <option>Education</option>

</select>

</div>
```

```
<div class="mb-3">

  <label class="form-label">Year Level</label>

  <select class="form-select">

    <option selected disabled>Select year level</option>

    <option>1st Year</option>

    <option>2nd Year</option>

    <option>3rd Year</option>

    <option>4th Year</option>

  </select>

</div>
```

```
<div class="form-check mb-3">

  <input class="form-check-input" type="checkbox" id="agree">

  <label class="form-check-label" for="agree">I agree to the terms</label>

</div>
```

```
<div class="text-end">

  <button type="reset" class="btn btn-outline-secondary">Reset</button>

  <button type="submit" class="btn btn-primary">Submit</button>

</div>
```

```
        </form>

    </div>

</div>

</div>

</div>

</div>

<script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>

</body>

</html>
```

✅ activity5.html — Payments Table + Modal

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <title>Activity 5 - Payments + Modal</title>

    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">

</head>

<body class="bg-light">

    <div class="container py-4">

        <div class="d-flex justify-content-between align-items-center mb-3">

            <h3 class="mb-0">Payments</h3>

            <button class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#addPaymentModal">

                Add Payment

            </button>
```

</div>

<div class="table-responsive">

<table class="table table-bordered table-hover align-middle">

<thead class="table-dark">

<tr>

<th>OR No.</th>

<th>Student</th>

<th>Description</th>

<th class="text-end">Amount</th>

<th>Date</th>

<th style="width:180px;">Action</th>

</tr>

</thead>

<tbody>

<tr>

<td>10021</td>

<td>Maria Santos</td>

<td>Enrollment Fee</td>

<td class="text-end">₱ 500.00</td>

<td>2026-02-05</td>

<td>

<button class="btn btn-warning btn-sm">Edit</button>

<button class="btn btn-danger btn-sm">Delete</button>

</td>

</tr>

<tr>

<td>10022</td>

<td>Juan Dela Cruz</td>

```

        <td>Tuition Payment</td>

        <td class="text-end">₱ 1,200.00</td>

        <td>2026-02-05</td>

        <td>

            <button class="btn btn-warning btn-sm">Edit</button>

            <button class="btn btn-danger btn-sm">Delete</button>

        </td>

    </tr>

</tbody>

</table>

</div>

</div>

<!-- MODAL -->

<div class="modal fade" id="addPaymentModal" tabindex="-1" aria-hidden="true">

    <div class="modal-dialog">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title">Add Payment</h5>

                <button type="button" class="btn-close" data-bs-dismiss="modal"></button>

            </div>

            <div class="modal-body">

                <div class="mb-3">

                    <label class="form-label">OR No.</label>

                    <input type="text" class="form-control" placeholder="Enter OR number">

                </div>

            </div>

        </div>

    </div>

</div>

```

```
<div class="mb-3">
  <label class="form-label">Student Name</label>
  <input type="text" class="form-control" placeholder="Enter student name">
</div>
```

```
<div class="mb-3">
  <label class="form-label">Description</label>
  <input type="text" class="form-control" placeholder="e.g., Tuition Payment">
</div>
```

```
<div class="mb-3">
  <label class="form-label">Amount</label>
  <input type="number" class="form-control" placeholder="0.00">
</div>
```

```
<div class="mb-3">
  <label class="form-label">Payment Type</label>
  <select class="form-select">
    <option selected>CASH</option>
    <option>GCASH</option>
    <option>BANK TRANSFER</option>
    <option>CARD</option>
  </select>
</div>
</div>
```

```
<div class="modal-footer">
  <button class="btn btn-outline-secondary" data-bs-dismiss="modal">Cancel</button>
  <button class="btn btn-primary">Save</button>
```

</div>

</div>

</div>

</div>

<script src="assets/bootstrap/js/bootstrap.bundle.min.js"></script>

</body>

</html>