Autism Interventions in LA Schools: A Comprehensive Manual on Applied Behaviour Analysis (ABA) and Beyond

By Dr Scott Ighavongbe-Patrick Cpsychol

Senior Educational Psychologist

Buckinghamshire Council

Integrated Special Educational Needs Service (iSEND)

August 2023

Abstract

This manual provides a detailed overview of the utilisation, evolution, and criticisms of Applied Behaviour Analysis (ABA) in the context of autism interventions. Rooted in evidence-based research and contemporary perspectives, the document traverses the historical significance of ABA while emphasising the contemporary movement towards neurodiversity and humanistic approaches. Additionally, alternative therapeutic interventions are explored, offering educators and stakeholders a panoramic view of possible autism intervention strategies. Tailored for LA schools, this manual integrates actionable insights for upskilling educators and ensuring effective, individualised, and ethical treatments for students with autism. It serves as a foundational resource for educators, caregivers, policymakers, and professionals involved in shaping the landscape of autism education and intervention in LA schools.

Contents

Abstract 2

1. Introduction to ABA 5

1.1. Traditional ABA Approach: A Closer Look 5

1.2. Modern Evolution in ABA: Introduction to Naturalistic Developmental Behavioural Interventions (NDBIs) 5

1.3. The Effectiveness of ABA 5

1.4. The Neurodiversity Movement 5

1.5. Balancing Perspectives: A Humanistic View on ABA 6

1.6. Critical Reflections on ABA 6

2. Beyond ABA: A Landscape of Alternative Therapeutic Approaches 6

2.1. TEACCH (Treatment and Education of Autistic and related Communication Handicapped Children) 6

2.2. DIR/Floortime (Developmental, Individual-Difference, Relationship-Based model) 7

2.3. Pivotal Response Treatment (PRT) 7

2.4. Social Stories 7

2.5. SCERTS (Social Communication, Emotional Regulation, and Transactional Support) 8

3. Implementing and Assessing the Effectiveness of Alternatives 8

3.1. Strategies to Implement Alternative Interventions 8

3.2. Significance of Individualised Assessment 9

3.3. Evaluating the Progress and Outcomes 9

3.4. Challenges in Implementation 9

3.5. The Importance of Interdisciplinary Collaboration 9

4. NDBIs: A Blend of Behavioural and Developmental Approaches 10

4.1. Background and Philosophy of NDBIs 10

4.2. Key Principles of NDBIs 10

4.3. Examples of NDBIs 10

4.4. Advantages of NDBIs 11

5.1. Historical Perspective 11

5.2. Shift to Holistic Perspectives 12

5.3. The Rise of the Neurodiversity Movement 12

5.4. Balancing Efficacy with Ethics 12

5.5. Inclusion of Autistic Voices in Intervention Design 12

5.6. Looking Forward 12

6. Autism Interventions: A Balanced Perspective 13
6.1. The Spectrum of Autism 13
6.2. Evidence-based Interventions 13
6.3. The Role of Personal Experience 13
6.4. Cultural and Familial Considerations 13
6.5. Comprehensive Approaches 14
6.6. Future Directions 14
7. Upskilling LA Schools: Proposed Training Methods 14
7.1. Foundational Autism Training for All Staff 14
7.2. Deep Dive into Intervention Techniques 15
7.3. Practical Workshops and Hands-on Sessions 15
7.4. Collaborative Learning and Peer Feedback 15
7.5. Continuous Professional Development 15
7.6. Empathy Building and Sensory Experiences 15
7.7. Parental Collaboration Workshops 16
8. Conclusion/Summary 16
References 17

Understanding ABA and the Landscape of Autism Interventions: A Humanistic Perspective

1. Introduction to ABA

- Applied Behaviour Analysis (ABA) is a therapeutic approach based on the principles of learning and behaviour. It has been widely adopted to help individuals with autism spectrum disorder (ASD) to develop desired behaviours and diminish problematic ones (Cooper, Heron, & Heward, 2007).

1.1. Traditional ABA Approach: A Closer Look

- Traditionally, ABA focused heavily on discrete trial training, using clear start and end signals for each learning opportunity. This method, while effective in many instances, has been critiqued for potentially leading to "robotic" or inauthentic behaviour (Leaf et al., 2016).

1.2. Modern Evolution in ABA: Introduction to Naturalistic Developmental Behavioural Interventions (NDBIs)

- NDBIs are contemporary iterations of ABA that integrate ABA principles with developmental approaches, emphasising naturalistic teaching in typical settings (Schreibman et al., 2015).

1.3. The Effectiveness of ABA

- Virues-Ortega's (2010) meta-analysis showed medium to large effects for ABA interventions among individuals with autism. Moreover, institutions like the US Surgeon General and the American Psychological Association recognise ABA as an effective methodology (American Psychological Association, 2020).

1.4. The Neurodiversity Movement

- The neurodiversity movement, as detailed in Silberman's "NeuroTribes", sees autism not as a disease but as a natural variation (Silberman, 2015).

1.5. Balancing Perspectives: A Humanistic View on ABA

- Concerns about ABA's intensity, potential for distress, and alignment with neurodiversity ideals have been highlighted in studies, including those by Kupferstein (2018) and Milton (2014). In addition, Pellicano et al. (2014) discussed the importance of involving autistic individuals in autism research.

1.6. Critical Reflections on ABA

- The research by Kupferstein in 2018 connected exposure to ABA with PTSD symptoms in some autistic individuals. Meanwhile, Milton's 2014 work and Pellicano et al.'s 2014 study both advocated for a more collaborative approach.

2. Beyond ABA: A Landscape of Alternative Therapeutic Approaches

- While Applied Behavioural Analysis (ABA) stands out as a key therapeutic strategy in autism intervention, it is crucial to understand that no single approach fits all. Given autism's wide spectrum of manifestations and intricacies, it is vital to acknowledge the myriad of therapeutic methodologies available. Each method is tailored to specific needs and preferences, offering a holistic understanding of autism intervention. Over the years, many alternative therapies have emerged, each rooted in its unique principles, strategies, and outcomes.
- Each of the alternative approaches presented below emphasises the individual's unique needs and offers tailored strategies to cater to those needs. By understanding the core principles and methodologies of these approaches, professionals can better decide which method or combination of methods will be most beneficial for a given individual.

2.1. TEACCH (Treatment and Education of Autistic and related Communication Handicapped Children)

- Originating from the University of North Carolina, TEACCH is a structured teaching approach that centres on utilising visual cues for instruction and organisation. Recognising and tailoring to the child's unique learning style, TEACCH aspires to foster independence and enhance skill development, while always prioritising a deep understanding of the child's emotions and individual needs.

- Key Components: Structured teaching, visual schedules, individual work systems, and structured environments.

- Reference: Mesibov, G. B., & Shea, V. (2010).

2.2. DIR/Floortime (Developmental, Individual-Difference, Relationship-Based model)

- Introduced by Stanley Greenspan, DIR/Floortime is a play-oriented approach that underscores the significance of organic interactions and nurturing healthy foundations for a child's social, emotional, and intellectual development, rather than just addressing isolated skills and behaviours. By valuing and tapping into the child's emotional realm, this method aims to engage with the child at their current developmental stage, taking into account individual variances, and leveraging relationship-based techniques.

- Key Components: Engaging the child at their present developmental level, acknowledging individual differences, and utilizing relationship-based strategies.
- Reference: Greenspan, S. I., & Wieder, S. (1997).

2.3. Pivotal Response Treatment (PRT)

- PRT is an intervention that homes in on "pivotal" areas of a child's development, such as motivation, response to diverse cues, self-management, and the initiation of social interactions. Emphasising emotional synchronicity and centring around the child's natural settings, this method utilises natural reinforcement and provides a structure that allows for child choice and task variation.

- Key Components: Natural reinforcement, focusing on pivotal behaviours, allowing child choice, and varying tasks.
- Reference: Koegel, R. L., O'Dell, M. C., & Koegel, L. K. (1989).

2.4. Social Stories

- Conceived by Carol Gray, Social Stories offer children tailored narratives that provide explicit and lucid explanations of commonplace social scenarios. By elucidating how and why events transpire, they enable children, especially those with autism, to better comprehend and anticipate the actions of others, catering to their emotional and cognitive perspective.

- Key Components: Personalised stories aligned with the child's age, attention span, and cognitive capability, presented in a comforting manner.
- Reference: Gray, C. (2010).

2.5. SCERTS (Social Communication, Emotional Regulation, and Transactional Support)

- Designed as a holistic framework to enhance abilities in those with Autism Spectrum Disorders, SCERTS zeroes in on nurturing spontaneous communication, emotional balance, interpersonal adaptability, as well as learning and academic accomplishments. Prioritising the child's emotional and communicative needs, the approach integrates transactional supports such as visual aids, strategic environmental setups, and modifications in communication styles.

- Key Components: Transactional supports encompassing visual aids, environmental structuring, and communication style adjustments; emphasis on emotional regulation; and a focus on social communication.
- Reference: Prizant, B. M., Wetherby, A. M., Rubin, E., Laurent, A. C., & Rydell, P. J. (2006).

3. Implementing and Assessing the Effectiveness of Alternatives

- In the vast landscape of autism interventions, it is imperative to not only identify but also adequately implement and assess alternative therapies to ABA. The effectiveness of an intervention, regardless of its nature, is largely contingent on its alignment with the unique needs of the individual and the manner in which it is delivered. This section discusses:

a) Strategies to implement alternative interventions.
b) The significance of individualised assessment methods to determine the suitability and effectiveness of these interventions.
c) Methods and metrics used to evaluate the progress and outcomes of these interventions.
d) Challenges in implementation and how to address them.
e) The importance of interdisciplinary collaboration and family involvement in these alternative interventions.

3.1. Strategies to Implement Alternative Interventions

- **Personalised Planning**: Tailoring interventions based on an individual's specific strengths, weaknesses, interests, and challenges ensures better engagement and outcomes (Rogers & Vismara, 2008).

- **Ongoing Training:** For professionals and educators, continuous training in alternative therapies ensures up-to-date techniques are being utilised (Dawson et al., 2010).
- **Family Involvement:** Active participation from family members aids in the consistent and holistic implementation of interventions across various settings (Siller & Sigman, 2008).

3.2. Significance of Individualised Assessment

- **Baseline Evaluation:** Establishing a starting point helps in tracking progress over time (Odom et al., 2003).
- **Multiple Assessment Tools:** Using a combination of standardised tests, observational methods, and feedback from caregivers provides a comprehensive view of an individual's development (Lord & McGee, 2001).

3.3. Evaluating the Progress and Outcomes

- **Continuous Monitoring:** Regular checks ensure that the intervention is on track and allows for necessary modifications (Ruble et al., 2012).
- **Feedback Loop:** Regular communication among caregivers, professionals, and educators ensures everyone is aligned and informed about the individual's progress (Odom et al., 2003).

3.4. Challenges in Implementation

- **Resource Constraints:** Limitations in terms of trained professionals, materials, or funds can hinder the implementation of certain interventions (Dingfelder & Mandell, 2011).
- **Cultural Sensitivity:** Understanding and respecting cultural differences are crucial, as perceptions about autism and its interventions can vary across cultures (Daley, 2004).

3.5. The Importance of Interdisciplinary Collaboration

- Given the multifaceted nature of autism, involving a team—comprising educational psychologists, speech therapists, occupational therapists, and teachers—enhances the effectiveness of interventions by addressing the diverse needs of the individual (Hodgetts et al., 2013).

In sum, while alternative therapies to ABA have their merits, their success hinges on careful planning, diligent implementation, and consistent assessment. A holistic and

collaborative approach ensures that these interventions genuinely cater to the unique and diverse needs of those on the autism spectrum.

4. NDBIs: A Blend of Behavioural and Developmental Approaches

- Naturalistic Developmental Behavioural Interventions (NDBIs) are a contemporary group of intervention approaches for young children with autism that combine strategies from applied behaviour analysis (ABA) with developmental social-pragmatic strategies. They represent a bridge between traditional ABA and approaches rooted in human development and communication.

4.1. Background and Philosophy of NDBIs

- **Developmental Roots:** NDBIs are grounded in developmental science. They highlight the importance of understanding the typical trajectory of child development and use this knowledge to guide interventions (Schreibman et al., 2015).
- **Behavioural Techniques:** While they are rooted in developmental frameworks, NDBIs also leverage the strategies of applied behaviour analysis, emphasising the role of environmental variables in shaping behaviour (Schreibman et al., 2015).

4.2. Key Principles of NDBIs

- **Child-led Interventions:** Instead of using a strict structured approach, NDBIs are often initiated based on the child's interests and motivations. This promotes more naturalistic learning opportunities (Kasari et al., 2014).
- **Use of Natural Settings:** Interventions occur in the settings where children typically play and learn, such as home, playgrounds, or preschools (Stahmer et al., 2011).
- **Shared Engagement:** There's a focus on mutual engagement between the therapist and the child, encouraging back-and-forth interactions (Rogers & Dawson, 2010).
- **Generalisation:** Skills learned are generalised across multiple contexts and settings, ensuring they are useful in the child’s everyday life (Kasari et al., 2014).

4.3. Examples of NDBIs

- **Early Start Denver Model (ESDM):** A play-based therapy that focuses on personal interactions. It aims at increasing social, cognitive, and language skills (Rogers & Dawson, 2010).

- **Pivotal Response Training (PRT):** Earlier discussed as an alternative to ABA, PRT is also a key example of NDBIs. It focuses on targeting "pivotal" areas of development that can lead to widespread improvements in other areas (Koegel et al., 1989).
- **Joint Attention, Symbolic Play, Engagement, and Regulation (JASPER):** This focuses on boosting joint attention, play skills, and engagement, crucial areas for children with autism (Kasari et al., 2014).

4.4. Advantages of NDBIs

- **Flexibility:** Since NDBIs are child-led, they can be easily adapted to a child's individual needs and interests (Schreibman et al., 2015).
- **Promotion of Authentic Learning:** By embedding learning in natural play and routines, NDBIs ensure skills learned are authentic and functional (Kasari et al., 2014).
- **Positive Parental Involvement:** Parents can be actively involved in NDBIs, ensuring continuity of strategies across different settings (Rogers & Dawson, 2010).

In summary, NDBIs represent an evolved approach to autism interventions, emphasising the importance of naturalistic settings, child-led activities, and a blend of behavioural and developmental strategies. They offer a balanced pathway that respects both the neurodiversity and the need for structured interventions.

5. Integrated Summary of the Literature on Autism Interventions

- Autism spectrum disorder (ASD) represents a diverse range of neurodevelopmental conditions characterised by varying degrees of social communication challenges and repetitive behaviours. Over the years, the landscape of interventions designed for individuals with autism has seen significant shifts, encompassing a multitude of approaches, philosophies, and techniques.

5.1. Historical Perspective

- Historically, interventions for autism leaned heavily towards behaviourist approaches, with ABA being the hallmark technique (Lovaas, 1987). This approach was grounded in principles of operant conditioning, focusing on reinforcing desired behaviours while reducing unwanted behaviours.

5.2. Shift to Holistic Perspectives

- Over the years, as our understanding of autism expanded, the scope of interventions also broadened. There emerged a greater emphasis on understanding and catering to the holistic needs of the individual (Jordan, 2003). This led to the development of models that combined behavioural, developmental, and social-pragmatic strategies, exemplified by Naturalistic Developmental Behavioural Interventions (Schreibman et al., 2015).

5.3. The Rise of the Neurodiversity Movement

- Silberman's "NeuroTribes" (2015) shed light on the neurodiversity movement, which posits autism not as a disorder to be cured but as a natural variation in the human genome. This viewpoint has led to ethical discussions around certain intervention approaches, especially those perceived as trying to "normalise" autistic individuals.

5.4. Balancing Efficacy with Ethics

- While ABA has shown significant success rates in numerous studies, it hasn't been without controversy. Concerns around its intensive nature, potential for creating robotic behaviours, and ethical considerations around consent have been raised (Kupferstein, 2018; Milton, 2014). This led to the development of more humanistic approaches that value the autonomy, experiences, and inherent value of the individual.

5.5. Inclusion of Autistic Voices in Intervention Design

- Recent literature underscores the importance of including autistic individuals' voices in the creation, implementation, and evaluation of interventions (Milton, 2014; Pellicano et al., 2014). This emphasis on co-design ensures interventions are relevant, respectful, and value the lived experiences of those they aim to serve.

5.6. Looking Forward

- As the field of autism interventions continues to evolve, the trend appears to be moving towards more individualised, holistic, and inclusive approaches. These prioritise the well-being, autonomy, and unique strengths of autistic individuals, rooted in evidence-based practice but respectful of the principles of neurodiversity.

In conclusion, the landscape of autism interventions is diverse and ever evolving. It mirrors our growing understanding of autism, the shifting societal attitudes towards neurodiversity, and the continuous quest to balance efficacy with ethics.

6. Autism Interventions: A Balanced Perspective

- When discussing interventions for autism, it is essential to adopt a balanced perspective that recognises both the clinical evidence and the lived experiences of autistic individuals. Autism, being a spectrum disorder, presents with a wide range of characteristics. Consequently, the effectiveness of interventions can vary greatly across individuals.

6.1. The Spectrum of Autism

- Autism spectrum disorder, as the name suggests, is not a one-size-fits-all diagnosis. There's a wide range of characteristics and challenges, from communication difficulties to sensory sensitivities, each of which might require different interventions or a combination thereof (American Psychiatric Association, 2013).

6.2. Evidence-based Interventions

- ABA remains one of the most researched and empirically supported interventions for autism (Lovaas, 1987; McEachin, Smith, & Lovaas, 1993). However, it is essential to understand that while many individuals benefit from ABA, it might not be the most suitable approach for everyone.

6.3. The Role of Personal Experience

- As emphasised by the neurodiversity movement, personal experiences and narratives from the autism community can offer invaluable insights. Listening to these voices can inform us about the potential shortcomings of interventions, areas of improvement, and alternative approaches that might be more holistic and respectful (Silberman, 2015).

6.4. Cultural and Familial Considerations

- Interventions should also be sensitive to cultural and familial backgrounds. Autism and its treatments can be perceived differently across cultures, and family insights, preferences, and backgrounds should inform the therapeutic process (Daley, 2004).

6.5. Comprehensive Approaches

- Given autism's multifaceted nature, it is beneficial to adopt a multi-disciplinary approach, drawing from educational psychology, speech therapy, occupational therapy, and more. Collaboration ensures a comprehensive intervention strategy that caters to the diverse needs of the individual (National Research Council, 2001).

6.6. Future Directions

- With continued research and feedback from the autism community, there is an ongoing shift towards interventions that are both effective and respectful. The future of autism interventions promises to be more inclusive, holistic, and person-centred, ensuring that autistic individuals can thrive in their unique ways.

  In summation, a balanced perspective on autism interventions necessitates that we recognise the diversity within the autism spectrum and respond with flexible, evidence-based, and respectful interventions that truly cater to individual needs.

7. Upskilling LA Schools: Proposed Training Methods

- To truly optimise the learning environment for students with autism within LA schools, a robust and comprehensive training program is essential. This will equip educators and support staff with the knowledge, skills, and empathy required to foster a conducive learning environment for all students. The following are proposed training methods:

7.1. Foundational Autism Training for All Staff

- Before diving into specialised techniques, it is essential that all school staff - from teachers to janitors - have a basic understanding of autism. This foundational training should cover:
  - Basic understanding of autism and its spectrum.
  - Recognising and appreciating neurodiversity.
  - Addressing misconceptions and myths.
- Reference: White, S. W., Ollendick, T. H., & Bray, B. C. (2011). College students on the autism spectrum: Prevalence and associated problems.

7.2. Deep Dive into Intervention Techniques

- Specific training modules should be designed for those directly involved in implementing interventions. These should cover:
    - Detailed insights into ABA and its modern adaptations.
    - Introduction to alternative therapeutic approaches, their pros, and cons.
    - Strategies to tailor interventions based on individual needs.
- Reference: Odom, S. L., Boyd, B. A., Hall, L. J., & Hume, K. (2010). Evaluation of comprehensive treatment models for individuals with autism spectrum disorders.

7.3. Practical Workshops and Hands-on Sessions

- While theory is crucial, practical sessions where educators can role-play scenarios, watch demonstrations, and receive feedback on their approach will solidify their learning.
- Reference: Simpson, R. L. (2005). Evidence-based practices and students with autism spectrum disorders.

7.4. Collaborative Learning and Peer Feedback

- Teachers and support staff can learn immensely from each other. Regular sessions where they discuss challenges, share successes, and give feedback can drive continuous learning.

7.5. Continuous Professional Development

- Autism research and best practices are continuously evolving. Annual or bi-annual refresher courses should be integrated to ensure that staff are updated with the latest in the field.
- Reference: National Research Council. (2001). Educating children with autism.

7.6. Empathy Building and Sensory Experiences

- Workshops that allow educators to experience some of the sensory challenges faced by autistic students can foster deeper empathy and understanding. This could include wearing headphones with heightened noise levels or handling tactile stimuli.
- Reference: Bogdashina, O. (2016). Sensory perceptual issues in autism and Asperger syndrome: Different sensory experiences, different perceptual worlds.

7.7. Parental Collaboration Workshops

- Parents of autistic children are invaluable resources. Workshops that foster collaboration between educators and parents can facilitate a seamless learning environment, both at school and at home.
- Reference: Dawson, G., & Burner, K. (2011). Behavioural interventions in children and adolescents with autism spectrum disorder: A review of recent findings.

By upskilling LA schools with these proposed training methods, we can ensure a well-rounded and effective education system that not only caters to autistic students but celebrates their unique abilities.

8. Conclusion/Summary

- In the dynamic landscape of autism interventions, understanding and harnessing the potential of Applied Behaviour Analysis (ABA) and its myriad adaptations is crucial. Over the years, the approach to autism has seen a significant shift. What began as an often-misunderstood condition has now blossomed into a broader understanding of neurodiversity, emphasising individualised, humanistic, and ethical treatments.

- ABA, while historically pivotal in the treatment landscape, is not without its criticisms. However, its evolution, coupled with the emergence of alternative therapies, paints a picture of a multifaceted, diverse approach to autism intervention. This document underscored the significance of a balanced perspective, one that appreciates the strengths and potential limitations of ABA while being open to exploring and integrating alternative methodologies.

- Furthermore, as LA schools strive to provide an inclusive, understanding environment for students with autism, it is imperative to prioritise upskilling and training. The proposed methods herein aim to equip educators with the tools, techniques, and empathy required to serve the unique needs of every student.

- By understanding the complex history, current perspectives, and future potential of autism interventions, stakeholders can make informed decisions, fostering a community where individuals with autism are not just accommodated but celebrated.

References

1. American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (DSM-5®). American Psychiatric Pub.

2. American Psychological Association. (2020). Evidence-based practice in psychology. American Psychologist, 61(4), 271.

3. Bogdashina, O. (2016). Sensory perceptual issues in autism and Asperger syndrome: Different sensory experiences, different perceptual worlds.

4. Cooper, J. O., Heron, T. E., & Heward, W. L. (2007). Applied behavior analysis (2nd ed.). Pearson.

5. Daley, T. C. (2004). From symptom recognition to diagnosis: Children with autism in urban India. Social Science & Medicine, 58(7), 1323-1335.

6. Dawson, G., & Burner, K. (2011). Behavioral interventions in children and adolescents with autism spectrum disorder: A review of recent findings.

7. Dawson, G., Rogers, S., Munson, J., Smith, M., Winter, J., Greenson, J., ... & Varley, J. (2010). Randomized, controlled trial of an intervention for toddlers with autism: the Early Start Denver Model. Pediatrics, 125(1), e17-e23.

8. Dingfelder, H. E., & Mandell, D. S. (2011). Bridging the research-to-practice gap in autism intervention: An application of diffusion of innovation theory. Journal of Autism and Developmental Disorders, 41(5), 597-609.

9. Gray, C. (2010). Social stories and comic strip conversations with students with Asperger syndrome and high-functioning autism.

10. Greenspan, S. I., & Wieder, S. (1997). Developmental patterns and outcomes in infants and children with disorders in relating and communicating: A chart review of 200 cases of children with autistic spectrum diagnoses.

11. Hodgetts, S., Savage, A., & McConnell, D. (2013). Experience and outcomes of stepping stones triple P for families of children with autism. Research in Developmental Disabilities, 34(9), 2572-2585.

12. Jordan, R. (2003). Social play and autistic spectrum disorders: A perspective on theory, implications and educational approaches. Autism, 7(4), 347-360.

13. Kasari, C., Gulsrud, A., Wong, C., Kwon, S., & Locke, J. (2014). Randomized controlled caregiver mediated joint engagement intervention for toddlers with autism. Journal of Autism and Developmental Disorders, 44(9), 2090-2106.

14. Koegel, R. L., O'Dell, M. C., & Koegel, L. K. (1989). A natural language teaching paradigm for nonverbal autistic children. Journal of Autism and Developmental Disorders, 19(1), 59-73.

15. Kupferstein, H. (2018). Evidence of increased PTSD symptoms in autistics exposed to applied behavior analysis. Advances in Autism, 4(1), 19-29.

16. Leaf, J. B., Leaf, R., McEachin, J., Taubman, M., Smith, T., Harris, S. L., ... & Weiss, M. J. (2016). Applied behavior analysis is a science and, therefore, progressive. Journal of Autism and Developmental Disorders, 46(2), 720-731.

17. Lovaas, O. I. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. Journal of Consulting and Clinical Psychology, 55(1), 3-9.

18. Lord, C., & McGee, J. P. (Eds.). (2001). Educating children with autism. National Academies Press.

19. McEachin, J. J., Smith, T., & Lovaas, O. I. (1993). Long-term outcome for children with autism who received early intensive behavioral treatment. American Journal on Mental Retardation, 97(4), 359-372.

20. Mesibov, G. B., & Shea, V. (2010). The TEACCH program in the era of evidence-based practice.

21. Milton, D. (2014). On the ontological status of autism: The ‘double empathy problem’. Disability & Society, 27(6), 883-887.

22. Milton, D. E. M. (2014). Autistic expertise: A critical reflection on the production of knowledge in autism studies. Autism, 18(7), 794-802.

23. National Research Council. (2001). Educating children with autism. National Academies Press.

24. Odom, S. L., Brantlinger, E., Gersten, R., Horner, R. H., Thompson, B., & Harris, K. R. (2005). Research in special education: Scientific methods and evidence-based practices. Exceptional Children, 71(2), 137-148.

25. Pierce, K., & Courchesne, E. (2001). Evidence for a cerebellar role in reduced exploration and stereotyped behavior in autism. Biological Psychiatry, 49(8), 655-664.

26. Rogers, S. J., & Vismara, L. A. (2008). Evidence-based comprehensive treatments for early autism. Journal of Clinical Child & Adolescent Psychology, 37(1), 8-38.

27. White, S. W., Ollendick, T. H., & Bray, B. C. (2011). College students on the autism spectrum: Prevalence and associated problems.

28. Wing, L. (1981). Asperger's syndrome: A clinical account. Psychological Medicine, 11(1), 115-129.

29. Wong, C., Odom, S. L., Hume, K., Cox, A. W., Fettig, A., Kucharczyk, S., ... & Schultz, T. R. (2015). Evidence-based practices for children, youth, and young adults with autism spectrum disorder: A comprehensive review. Journal of Autism and Developmental Disorders, 45(7), 1951-1966.