

Pegasus workflows on the Open Science Grid infrastructure



OSG Campus Infrastructures Community iForum 8/22/13

Mats Rynge


USC Information Sciences Institute

Pegasus Workflow Management System


- Builds on top of Condor DAGMan.
- **Abstract Workflows - Pegasus input workflow description**
 - Workflow “high-level language”
 - Only identifies the computation, devoid of resource descriptions, devoid of data locations
- **Pegasus is a workflow planner/mapper (“compiler”)**
 - Target is DAGMan DAGs and Condor submit files
 - Transforms the workflow for performance and reliability
 - Automatically locates physical locations for both workflow components and data
 - Collects runtime provenance



Abstract to Executable Workflow Mapping





- **Abstraction provides**
 - **Ease of Use** (do not need to worry about low-level execution details)
 - **Portability** (can use the same workflow description to run on a number of resources and/or across them)
 - **Gives opportunities for optimization and fault tolerance**
 - automatically restructure the workflow
 - automatically provide fault recovery (retry, choose different resource)



Workflow components: DAX and Catalogs

- **Abstract workflow description (DAX)**
 - Defines the compute tasks and dependencies (directed acyclic graph)
- **Transformation catalog**
 - Defines executables used by the workflow
 - Executables can be installed in different locations at different sites
- **Replica catalog**
 - Locations of existing data products – input files and intermediate files from previous runs
- **Site catalog**
 - Defines the execution environment and potential data staging resources
 - Simple in the case of Condor pool, but can be more complex when running on grid resources




Workflow Monitoring

- **Monitoring framework with DB backend**
 - Populates data at runtime. A background daemon monitors the logs files and populates information about the workflow to a database
 - Stores workflow structure, and runtime stats for each task.
- **Tools for querying the monitoring framework**
 - **pegasus-status**
 - Status of the workflow
 - **pegasus-statistics**
 - Detailed statistics about your finished workflow
 - **pegasus-plots**
 - Visualization of your workflow execution


Type	Succeeded	Failed	Incomplete	Total	Retries	Total+Retries
Tasks	135002	0	0	135002	0	135002
Jobs	4529	0	0	4529	0	4529
Sub-workflows	2	0	0	2	0	2

Workflow wall time : 13 hrs, 2 mins, (46973 secs)
Workflow cumulative job wall time : 384 days, 5 hrs, (33195705 secs)
Cumulative job walltime as seen from submit side : 384 days, 18 hrs, (33243709 secs)





Workflow Debugging Through Pegasus

- After a workflow has completed, we can run `pegasus-analyzer` to analyze the workflow and provide a summary of the run
- `pegasus-analyzer's` output contains
 - a brief summary section
 - showing how many jobs have succeeded
 - and how many have failed.
 - For each failed job
 - showing its last known state
 - exitcode
 - working directory
 - the location of its submit, output, and error files.
 - any stdout and stderr from the job.



Simple workflow for the walkthrough



Relevant Links

- Pegasus: <http://pegasus.isi.edu>
- Tutorial and documentation:
<http://pegasus.isi.edu/wms/docs/latest/>

