



| REVISIONS |                           |            |          |
|-----------|---------------------------|------------|----------|
| REV.      | DESCRIPTION               | DATE       | APPROVED |
| A         | RELEASE TO PROTOTYPE      | 01/19/2023 | CRM      |
| B         | REVISED FOR ANODIZE NOTES | 9/3/2024   | CRM      |

## GENERAL NOTES:

- 1) SEE SHEET 3 FOR HINGE BASE HOLE DIMENSIONS
- 2) FINISH: POLISH TOP TO SHINE AND BRIGHT DIP ANODIZE ALL
- 3) DEBURR ALL SHARP EDGES AND CORNERS




| ITEM NO. | PART NUMBER | DESCRIPTION     | UOM | QTY. |
|----------|-------------|-----------------|-----|------|
| 1        | TBD         | 10" HINGE STRAP | EA  | 1    |
| 2        | TBD         | HINGE BASE      | EA  | 1    |
| 3        | TBD         | HINGE SPACER    | EA  | 2    |
| 4        | TBD         | HINGE PIN       | EA  | 1    |


ANSI Z39.1  
A Aluminum Hinge (10in)

|  |  |  |   |                            |           |  |  |
|--|--|--|---|----------------------------|-----------|--|--|
|  | UNLESS OTHERWISE SPECIFIED:<br>DRAWING PER ASME Y14.41<br>DIMENSIONS ARE IN INCHES<br>TOLERANCES:<br>FRACTIONAL $\pm 1/64$<br>$\angle$ : MACH $\pm 0^{\circ}30'$ BEND $\pm 0^{\circ}30'$<br>TWO PLACE DECIMAL $\pm 0.03$<br>THREE PLACE DECIMAL $\pm 0.01$ | MATERIAL:<br>SEE IND. PARTS                      | PART:   | APPROVED                   | DATE      | PROJECT:<br>SCALE: NONE SHEET 1 OF 3<br>DWG. NO: TBD<br>REV: B |  |
|  |  | MATERIAL SPEC:<br>N/A                            | USED ON:<br>ALUMINUM HINGE<br>10" HINGE STRAP<br>MAX BODY APPLICATION | DRAWN BY:<br>CRM           | 1/19/2023 |  |  |
|  |  | FINISH:<br>SEE NOTES                             |   | CHECKED BY:<br>-           | -         |  |  |
|  |  | WEIGHT:<br>0.71 LBS<br>FLAT PATTERN AREA:<br>N/A |   | ENGINEERING APPROVAL:<br>- | -         |  |  |

GENERAL NOTES:  
1) HINGE STRAP SHOWN BELOW




B



B

A



A

ANSI Z39.18-1998  
A Aluminum Hinge (10in)



UNLESS OTHERWISE SPECIFIED:

DRAWING PER ASME Y14.41  
DIMENSIONS ARE IN INCHES  
TOLERANCES:  
FRACTIONAL  $\pm 1/64$   
 $\angle$ : MACH  $\pm 0^{\circ}30'$  BEND  $\pm 0^{\circ}30'$   
TWO PLACE DECIMAL  $\pm 0.03$   
THREE PLACE DECIMAL  $\pm 0.01$

MATERIAL: SEE IND. PARTS  
MATERIAL SPEC: N/A  
FINISH: SEE NOTES  
WEIGHT: 0.71 LBS  
PLAT PATTERN AREA: N/A

PART: ALUMINUM HINGE  
10" HINGE STRAP  
USED ON: MAX BODY APPLICATION

APPROVED

DRAWN BY: CRM  
CHECKED BY: -  
ENGINEERING APPROVAL: -  
RELEASED BY: -

DATE

01/19/2023

PROJECT:

SCALE: NONE

SHEET 2 OF 3

DWG. NO:





TBD

REV:

B

## GENERAL NOTES:

1) HINGE BASE SHOWN BELOW

ANSI Z39.18-1998  
A Aluminum Hinge (10in)

A

|  |   |  |                             |   |                            |            |          |      |              |
|--|---|--|-----------------------------|---|----------------------------|------------|----------|------|--------------|
|  | UNLESS OTHERWISE SPECIFIED:   |  | MATERIAL:<br>SEE IND. PARTS | PART:   | APPROVED                   | DATE       |          |      |              |
|  | DRAWING PER ASME Y14.41<br>DIMENSIONS ARE IN INCHES<br>TOLERANCES:<br>FRACTIONAL±1/64<br>∠ : MACH± 0°30' BEND ±0°30'<br>TWO PLACE DECIMAL    ±0.03<br>THREE PLACE DECIMAL   ±0.01 |  | MATERIAL SPEC:<br>N/A       | ALUMINUM HINGE<br>10" HINGE STRAP<br><br>MAX BODY APPLICATION | DRAWN BY:<br>CRM           | 01/19/2023 | PROJECT: |      |              |
|  |   |  | FINISH:<br>SEE NOTES        |   | CHECKED BY:<br>-           | -          | SCALE:   | NONE | SHEET 3 OF 3 |
|  |   |  | WEIGHT:<br>0.71 LBS         |   | ENGINEERING APPROVAL:<br>- | -          | DWG. NO: | TBD  | REV:         |
|  |   |  | FLAT PATTERN AREA:<br>N/A   |   | RELEASED BY:<br>-          | -          |          |      | B            |