
UTS PEMROGRAMAN WEBLANJUT

Soal 1


1. Install Laravel
   Gunakan perintah composer create-project --prefer-dist laravel/laravel:^12.0 nama-project sesuai dengan nama project

```
C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL>composer c
reate-project --prefer-dist laravel/laravel:^12.0 71231011_UtsPwl
Creating a "laravel/laravel:12.0" project at "./71231011_UtsPwl"
Installing laravel/laravel (v12.0.0)
  - Installing laravel/laravel (v12.0.0): Extracting archive
Created project in C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS
\UTS_PWL\71231011_UtsPwl
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 112 installs, 0 updates, 0 removals
  - Locking brick/math (0.14.8)
  - Locking carbonphp/carbon-doctrine-types (3.2.1)
  - Locking dflydev/dot-access-data (v3.0.3)
  - Locking doctrine/inflector (2.1.0)
  - Locking doctrine/lexer (3.0.3)
  - Locking dragonmantank/cron-expression (v3.6.0)
  - Locking egulias/email-validator (4.0.4)
  - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.7)
  - Locking fruitcake/php-cors (v1.4.0)
  - Locking graham-campbell/result-type (v1.2.0)
  - Locking guzzlehttp/guzzle (7.16.0)
  - Locking guzzlehttp/promises (2.6.0)
  - Locking guzzlehttp/psr7 (2.13.2)
  - Locking guzzlehttp/uri-template (v1.0.11)
  - Locking hamcrest/hamcrest-php (v3.0.0)
```


2. Pada soal 1.a
   a. Buat file pada views,route,dan controller




web.php



Mahasiswa.blade.php



Proses.blade.php



PageController.php

   b. Tulis codenya pada bagian views,route,dan controller
   Web.php

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\PageController;

// Form POST NIM & Nama
Route::get('/mahasiswa', [PageController::class, 'mahasiswa']);
Route::post('/proses', [PageController::class, 'proses']);
```

Mahasiswa.blade.php

```blade
@extends('main.parent')
@section('title', 'Form Mahasiswa - UTS PWL 1.a')

@section('content')
    <div class="d-flex justify-content-between align-items-center mb-4">
        <h2><i class="bi bi-person-plus me-2"></i> Form mahasiswa</h2>

    </div>

    <div class="card">
        <div class="card-header bg-primary text-white">
            <h5 class="mb-0">Input Data Mahasiswa</h5>
        </div>
        <div class="card-body">
            <form action="/proses" method="POST" class="needs-validation" novalidate>
                @csrf

                <div class="row mb-3">
                    <label for="nim" class="col-sm-2 col-form-label fw-bold">NIM</label>
                    <div class="col-sm-10">
                        <input type="number" class="form-control" id="nim" name="nim"
                               placeholder="Masukkan NIM (8 digit)" required min="10000000" max="99999999">
                        <div class="invalid-feedback">NIM wajib diisi (8 digit angka)</div>
                    </div>
                </div>

                <div class="row mb-3">
                    <label for="nama" class="col-sm-2 col-form-label fw-bold">Nama</label>
                    <div class="col-sm-10">
                        <input type="text" class="form-control" id="nama" name="nama"
                               placeholder="Masukkan Nama Lengkap" required maxlength="100">
                        <div class="invalid-feedback">Nama wajib diisi</div>
                    </div>
                </div>

                <div class="row mb-3">
                    <div class="col-sm-2"></div>
                    <div class="col-sm-10">
                        <button type="submit" class="btn btn-primary btn-lg">
                            <i class="bi bi-send me-2"></i>Kirim Data
                        </button>
                        <a href="/courses" class="btn btn-secondary btn-lg ms-2">Kembali</a>
                    </div>
                </div>
            </form>
        </div>
    </div>
@endsection
```

Proses.blade.php

```blade
@extends('main.parent')
@section('title', 'Hasil Proses - UTS PWL 1.a')

@section('content')
    <div class="d-flex justify-content-between align-items-center mb-4">
        <h2><i class="bi bi-check-circle me-2"></i> Hasil Proses Form (Metode {{ $metode }})</h2>
        <span class="badge bg-success">{{ $metode }}</span>
    </div>

    <div class="card">
        <div class="card-header bg-success text-white">
            <h5 class="mb-0">Data</h5>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table class="table table-bordered table-striped">
                    <tbody>
                        <tr>
                            <th style="width: 30%;">Field</th>
                            <th>Value</th>
                        </tr>
                        <tr>
                            <td class="fw-bold">NIM</td>
                            <td>{{ $nim }}</td>
                        </tr>
                        <tr>
                            <td class="fw-bold">Nama</td>
                            <td>{{ $nama }}</td>
                        </tr>

                    </tbody>
                </table>
            </div>
        </div>
    </div>
@endsection
```

pageController.php

```php
<?php


namespace App\Http\Controllers;


use Illuminate\Http\Request;

class PageController extends Controller
{
    // 1.a - Form POST NIM & Nama
    public function mahasiswa()
    {
        $menu = 'mahasiswa';
        return view('mahasiswa', compact('menu'));
    }

    public function proses(Request $request)
    {
        return view('proses', [
            'metode' => 'POST',
            'nim'    => $request->nim,
            'nama'   => $request->nama,
            'menu'   => 'mahasiswa',
        ]);
    }
```


c. Hasilnya Ketika input data





3. Pada soal 1.b

a. Tambah code pada bagian parent.blade.php dengan menggunakan boostrap (karen saya sudah menggunakan inheritance)



```
<!doctype html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>@yield('title', 'UTS PWL - 71231011')</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-sRIl4kxILFvY47J16cr9Zwb07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB" crossorigin="anonymous">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css" rel="stylesheet">
    <style>
        .vh-100 { min-height: 100vh; }
        .border { border: 1px solid #dee2e6 !important; }
        .nav-pills .nav-link.active { background-color: #0d6efd; }
    </style>
</head>
<body>
    <div class="container-fluid">


        <div class="row bg-light">
            <div class="col-md-4 border p-3 bg-primary text-white">
                <h4 class="mb-0">LEFT HEADER</h4>
            </div>
            <div class="col-md-4 border p-3 text-center bg-secondary text-white">
                <h4 class="mb-0">CENTER HEADER</h4>
            </div>
            <div class="col-md-4 border p-3 text-end bg-success text-white">
                <h4 class="mb-0">RIGHT HEADER</h4>
            </div>
        </div>


            <!-- CONTENT AREA (includes Vertical Navigation inside) -->
            <div class="col-md-8 border vh-100">
                @yield('content')
            </div>

            <!-- RIGHT NAVIGATION -->
            <div class="col-md-2 border vh-100 bg-light p-3">
                <h5 class="mb-3">RIGHT NAVIGATION</h5>
                <nav class="nav flex-column nav-pills">
                    <a class="nav-link text-dark" href="#">Profile</a>
                    <a class="nav-link text-dark" href="#">Settings</a>
                    <a class="nav-link text-dark" href="#">Logout</a>
                </nav>
            </div>
        </div>


        <div class="row bg-dark text-white">
            <div class="col-md-12 border p-3 text-center">
                <p class="mb-0">FOOTER &copy; 2026 UTS Pemrograman Web Lanjut - 71231011 - Universitas Kristen Duta Wacana</p>
            </div>
        </div>
    </div>
</html>
```

b. Hasilnya akan seperti dibawah ini






4. Pada soal 1.c
   a. Buatkan folder Main di bagian views dengan membuat file seperti di bawah ini untuk parentnya



   b. Code bagian parent.blade.php



```
<!doctype html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>@yield('title', 'UTS PWL - 71231011')</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.8/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-sRIl4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB" crossorigin="anonymous">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css" rel="stylesheet">
    <style>
        .vh-100 { min-height: 100vh; }
        .border { border: 1px solid #dee2e6 !important; }
        .nav-pills .nav-link.active { background-color: #0d6efd; }
    </style>
</head>
<body>
    <div class="container-fluid">


        <div class="row bg-light">
            <div class="col-md-4 border p-3 bg-primary text-white">
                <h4 class="mb-0">LEFT HEADER</h4>
            </div>
            <div class="col-md-4 border p-3 text-center bg-secondary text-white">
                <h4 class="mb-0">CENTER HEADER</h4>
            </div>
            <div class="col-md-4 border p-3 text-end bg-success text-white">
                <h4 class="mb-0">RIGHT HEADER</h4>
            </div>
        </div>


        <!-- CONTENT AREA (includes Vertical Navigation inside) -->
        <div class="col-md-8 border vh-100">
            @yield('content')
        </div>

        <!-- RIGHT NAVIGATION -->
        <div class="col-md-2 border vh-100 bg-light p-3">
            <h5 class="mb-3">RIGHT NAVIGATION</h5>
            <nav class="nav flex-column nav-pills">
                <a class="nav-link text-dark" href="#">Profile</a>
                <a class="nav-link text-dark" href="#">Settings</a>
                <a class="nav-link text-dark" href="#">Logout</a>
            </nav>
        </div>
    </div>

    <div class="row bg-dark text-white">
        <div class="col-md-12 border p-3 text-center">
            <p class="mb-0">FOOTER &copy; 2026 UTS Pemrograman Web Lanjut - 71231011 - Universitas Kristen Duta Wacana</p>
        </div>
    </div>
</div>
</body>
</html>
```

   c. Pada salah satu file Bernama assignment,blade.php tambahkan extends dan section untuk menamndakan bahwa file ini terhubung ke parent



```
@extends('main.parent')
@section('title', 'Assignments - UTS PWL')

@section('content')
    @include('main.nav-content')
    @section('child-content')
        <div class="d-flex justify-content-between align-items-center mb-4">
            <h2><i class="bi bi-list-task me-2"></i> Assignments</h2>
            <span class="badge bg-info">Active</span>
        </div>


        <div class="card mb-4">
            <div class="card-header bg-info text-white">
                <h5 class="mb-0">Daftar Tugas - Pemrograman Web Lanjut</h5>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-striped table-hover">
                        <thead class="table-dark">
                            <tr>
                                <th>No</th>
                                <th>Judul Tugas</th>
                                <th>Deskripsi</th>
                                <th>Deadline</th>
                                <th>Status</th>
                                <th>Aksi</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td>1</td>
                                <td>Laravel Installation & Setup</td>
                                <td>Install Laravel 12, konfigurasi database, jalankan migrasi awal</td>
                                <td>2026-09-15 23:59</td>
                                <td><span class="badge bg-success">Selesai</span></td>
                                <td><a href="#" class="btn btn-sm btn-outline-primary">Lihat</a></td>
                            </tr>
                            <tr>
```

5. Soal untuk 1d
   a. Pada bagian folder main nav-content.blade.php buat navigasinya

```blade
<div class="d-flex h-100">
    <!-- Vertical Nav di kiri Content -->
    <div class="nav flex-column nav-pills me-3 border-end w-25" style="min-width: 200px; max-width: 250px;">
        <h6 class="px-3 py-2 text-muted text-uppercase small">MENU CONTENT</h6>
        <a href="/courses" class="nav-link {{ ($menu == 'courses') ? 'active' : '' }} px-3">
            <i class="bi bi-book me-2"></i> Courses
        </a>
        <a href="/students" class="nav-link {{ ($menu == 'students') ? 'active' : '' }} px-3">
            <i class="bi bi-people me-2"></i> Students
        </a>
        <a href="/grades" class="nav-link {{ ($menu == 'grades') ? 'active' : '' }} px-3">
            <i class="bi bi-award me-2"></i> Grades
        </a>
        <a href="/assignments" class="nav-link {{ ($menu == 'assignments') ? 'active' : '' }} px-3">
            <i class="bi bi-list-task me-2"></i> Assignments
        </a>
    </div>

    <!-- Konten Utama di sebelah kanan Vertical Nav -->
    <div class="flex-grow-1 p-4 overflow-auto">
        @yield('child-content')
    </div>
</div>
```

   b. Hasilnya akan seperti ini



Soal 2

1. Install Laravel versi 12 terlebih dahulu dengan perintah composer create-project --prefer-dist laravel/laravel:^12.0 nama-project

```
C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL>composer c
reate-project --prefer-dist laravel/laravel:^12.0 71231011_UtsPwl2
Creating a "laravel/laravel:12.0" project at "./71231011_UtsPwl2"
Installing laravel/laravel (v12.0.0)
  - Installing laravel/laravel (v12.0.0): Extracting archive
Created project in C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS
\UTS_PWL\71231011_UtsPwl2
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 112 installs, 0 updates, 0 removals
  - Locking brick/math (0.14.8)
  - Locking carbonphp/carbon-doctrine-types (3.2.1)
  - Locking dflydev/dot-access-data (v3.0.3)
  - Locking doctrine/inflector (2.1.0)
  - Locking doctrine/lexer (3.0.3)
  - Locking dragonmantank/cron-expression (v3.6.0)
  - Locking egulias/email-validator (4.0.4)
  - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.7)
  - Locking fruitcake/php-cors (v1.4.0)
  - Locking graham-campbell/result-type (v1.2.0)
  - Locking guzzlehttp/guzzle (7.16.0)
  - Locking guzzlehttp/promises (2.6.0)
  - Locking guzzlehttp/psr7 (2.13.2)
  - Locking guzzlehttp/uri-template (v1.0.11)
```

2. Buat database terlelebih dahulu di phpMyAdmin dengan nama uts_71231011



3. Setelah dibuat, edit bagian env sesuai dengan yang dibawah ini, jangan lupa tulis nama database sesuai dengan yang telah di buat di phpmyadmin

```
DB_CONNECTION=sqlite
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=uts_71231011
DB_USERNAME=root
DB_PASSWORD=
```

4. Buat migration nya terlebih dahulu dengan menggunakan perintah php artisan make:migration create_nama_table

```
  INFO  Migration [C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2\database\migrations\2026_10_19_022304_create_customers_table.php] created successfully.

PS C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2> php artisan make:migration create_sales_table

  INFO  Migration [C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2\database\migrations\2026_10_19_022321_create_sales_table.php] created successfully.

PS C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2> php artisan make:migration create_items_table

  INFO  Migration [C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2\database\migrations\2026_10_19_022339_create_items_table.php] created successfully.

PS C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2> php artisan make:migration create_companies_table

  INFO  Migration [C:\Users\Dynabook 63U\OneDrive - Duta Wacana Christian University\Documents\kuliah\Semester 7\PWL\UTS\UTS_PWL\71231011_UtsPwl2\database\migrations\2026_10_19_022410_create_companies_table.php] created successfully.
```

5.

Link : https://github.com/edriansepriadiirawan/UTS_PWL.git