

EXPERIMENT VELOCITY PLANNER

Move faster. Protect what *matters*.

Compare the test you run today with a process built to rule out meaningful harm sooner.

One-sided

Bayesian

P80 forecast

Planning statement

Know when you have enough evidence to move.

If the variation performs like the control, 80% of simulated tests reach 90% evidence within 14 days. The variation can show no more than a 10.0% relative decrease in purchase conversion.

A safe result rules out the agreed loss. It does not prove a win.

01 / BUSINESS BASELINE

Skip to planner what you know.

Monthly sessions are required. Every missing funnel value uses an illustrative benchmark.

Monthly sessions

250000

sessions

All rates use sessions as their denominator.

Average order value

\$ 85

optional

AOV changes revenue impact, not test duration.

Session funnel

Illustrative defaults

Enter a count or rate. Reset any value to restore estimation.

Metric	Monthly count	Session rate	Source	
Bounce Lower is better	95000	38	Default	
PDP viewers Higher is better	140000	56	Default	
Add to carts Higher is better	21250	8.5	Default	
Begin checkouts Higher is better	11750	4.7	Default	
Purchases Higher is better	7250	2.9	Default	

Skip to planner

Match the metric to the change.

Common events answer faster. Downstream events stay closer to revenue.

Test surface

Homepage

Eligible traffic

80%

Effective sample

90%

[Copy scenario](#)**14**

P80 decision days

38% baseline

default

14

P80 decision days

56% baseline

default

14

P80 decision days

8.5% baseline



Purchase conversion: Use purchase conversion when completed orders control the decision. Rare events need more traffic. PDP view rate is the suggested homepage lens.

03 / OPERATING GUARDRAILS

Fix two. Calculate the third.

The forecast assumes the variation performs like the control.

[Skip to planner](#)

X Decision duration

[Calculate](#)

14 days



Days until 80% of simulated tests reach a safe decision.

Y Evidence threshold

[Calculate](#)

90 %



Required probability that the variation stays within the acceptable loss.

Z Acceptable loss

[Calculate](#)

10 % relative



0.29 percentage points at this baseline.



PLANNING STATEMENT

If the variation performs like the control, 80% of simulated tests reach 90% evidence within 14 days. The variation can show no more than a 10.0% relative decrease in purchase conversion.

P50: 14 days. P90: 15 days. Minimum: 14 days.

[Skip to planner](#)

Compare policies, not lucky tests.

Both policies receive the same simulated stream of test-ready changes.

Winner-only

Limited measurement

Low capacity

Current process

Editable

Winner-only

Changes tested

70%

Maximum test duration

60 days

Untested changes

Hold

Measured velocity

Modeled

Rule out meaningful harm

Decision metric

Purchase conversion

Safe decision

90% evidence

Loss limit

10.0% relative

Expected duration

14 days

► Program assumptions

Skip to planner

05 / ANNUAL RESULT

See the cost of the decision rule.

Neutral releases count as throughput. They never receive invented revenue.

Business impact delta**-\$391k**

Median realized revenue over 12 months

Completed decisions**16**

+14 versus current

Harmful releases prevented**0**


Median across modeled years

Likely range**-\$1.1M to \$184k**

P10 to P90 impact delta

Cumulative business impact

Current process compared with measured velocity.



P10-to-P90 bands show model uncertainty. The lines show medians.

[Skip to planner](#)

OPERATING TARGET

Within these guardrails, plan for 16 completed decisions next year. Eighty percent of modeled years produce 10 to 20 decisions.

Largest assumptions: 4 test-ready changes per month, 1 concurrent test lane, and direct purchase measurement.

BEFORE LAUNCH

Valid measurement still matters.

This checklist aligns the process. The planner cannot inspect production data.



Assignment unit is defined



Returning units keep one variation



Exposure logging covers both arms



Metric definitions match across arms



Traffic allocation is documented



Bot and internal traffic rules exist



Ready to plan

6 of 6 checks confirmed

[Skip to planner](#)

ELI5

A safe result answers a smaller question.

A two-sided superiority test asks whether the variation differs in either direction. Use it when proof of improvement controls the release.

A one-sided non-inferiority test asks whether the variation avoids a loss you chose in advance. Use it when the feature has another reason to ship.

Better decision rules cannot repair invalid measurement. Valid measurement does not require every test to prove a purchase lift.



Planning model. Not a live experiment monitor.