


	Clinic name License No. Contact Mail:	 123000450670
--	------------------------------------------------	-----------------------------------------------------------------------------------------------------

Request form №: **Number**

Surname/ Forename: **Last name First name**

GC-MARK CERTIFICATE: ISO 15189:2012
 Certificate registration no.

Nationality:

Passport No: **Number**

Date of birth: **DD.MM.YYYY** Sex: **M/F**

Sample type: **a combined throat and nose swab for COVID-19**

Date of collection: **DD.MM.YYYY HH:MM**

EMG:

98/79 EC Directive

ISO 13485:2016

EN ISO 14971:2012

EN ISO 15223-1:2014EN

ISO 18113-1 :2011

EN ISO 18113-2 :2011

EN ISO 13612 :2002

EN ISO 23640 :2015

EN 13641:2002

Coronavirus SARS-CoV-2 PCR (Smart technology EVOTECH-MIRAI GENOMICS LLC)

Test	Result	Standard
Testing on Coronavirus SARS CoV2, COVID -19	negative	negative

Comment: Attention! The negative test result for Coronavirus SARS CoV2 (COVID-19) does not cancel quarantine if recommended by Rospotrebnadzor (Russian Federal Service for Surveillance on Consumer Rights Protection and Human Wellbeing).

For advice on quarantine issues, please contact the Rospotrebnadzor Call Center by phone +7-800-555-49-43.

All test results for Coronavirus SARS CoV2 (COVID-19) are reported to Rospotrebnadzor obligatorily.

Date of analysis: **DD.MM.YYYY**

HH:MM:SS

Date of document issue: **DD.MM.YYYY**




Name